



Oriel
LIGHTING

lighting evolution
2024 master catalogue

a selection of what's new in the **oriel lighting** master catalogue 2024



Venice table lamp 008



Charlotte desk lamp 027



Rochester pendant 069



Reno.5 pendant 071



Noodle LED pendant 039



Hera outdoor light 113




Malaga pendant shade 049



Norbert wall light 088



Tommy DIY 078



Malta floor lamp 031



table lamps 004



touch lamps 019



floor lamps 023




task lamps 027



LED pendant lights 039



earth lighting 049



decorative pendants 052



mid-century 070



DIY ceiling lights 078



wall lights 081



spot lights 089



vanity lights 096



recessed lights 097



ceiling lights 099



outdoor wall lights 101



outdoor bollards 117



outdoor bulkheads 119



outdoor 12v DIY 122



accessories + spares 124



light globes 125

OL97619BK

Riata Complete Lamp

H58 Shade D30

E27 60w



OL98881

Zamora

H52 Shade D23

E27 42w



OL98882

Biscay

H47 Shade D27

E27 42w



OL98878

Exeter

H57 Shade D31

E27 42w



OL93941AB

Deco

H36 Shade D25

E14 42w



OL93941BC

Deco

H36 Shade D25

E14 42w



OL98893

Xian

H56 Shade D31

E27 40w



OL98892

Mei

H50 Shade D36

E27 40w

NEW



OL97939

Habitat Lamp

H69 W40 D18

E27 60w



LAMPS | coastal

OL94511

Brizo
H48 Shade D27
E27 40w



OL98885

Yamba
H55 Shade D35
E27 42w



Glass
base



OL98842

Pippi
H53 Shade D35
E27 60w



OL95711

Tegal
H50 Shade D30
E27 40w

NEW



OL95712

Medan
H43 Shade D23
E27 40w

NEW



OL95713CL

Fermo
H46 Shade D28
E27 40w

NEW



Clear
Glass



OL95714CL

Melfi
H41 Shade D28
E27 40w

NEW



Clear
Glass



OL95715GN

Nizio Green
H40 Shade D25
E27 40w

NEW



Green
Glass



OL95715SM

Nizio Smoke
H40 Shade D25
E27 40w

NEW



Smoke
Glass



LAMPS | modern farmhouse

OL98886

Provence
H61 Shade 39x22
E27 40w



OL98887

Strata
H49 Shade D30
E27 40w



OL98897

Whitby
H57 Shade D28
E27 40w

NEW



OL98880

Cadiz
H52 Shade D27
E27 42w



OL98895

Potton
H63 Shade D33
E27 40w



OL98896

Matlock
H58 Shade D28
E27 40w



OL98877

Stafford
H52 Shade D28
E27 40w

NEW



OL98879

Carlisle
H52 Shade D28
E27 40w

NEW



OL98890

Stote
H54 Shade D33
E27 40w

NEW



LAMPS | statement

OL94529

Sonia
H45 Shade D28
E27 40w

NEW



OL94530

Eden
H50 Shade D30
E27 40w

NEW



OL94531

Ava
H57 Shade D32
E27 40w

NEW



OL94532

Laurel
H40 Shade D21
E14 40w

NEW



OL94533

Gaia
H48 Shade D27
E27 40w

NEW



OL94534

Fawn
H40 Shade D24
E14 40w

NEW



OL94535

Delphin
H59 Shade D35
E27 40w

NEW



OL94537

Maya
H40 Shade D24
E27 40w

NEW



OL94538

Lilia
H37 Shade D22
E14 40w

NEW



LAMPS | coastal hues

OL97971WH

Bikki
H54 Shade D36
E27 60w



OL97971BL

Bikki
H54 Shade D36
E27 60w



OL98889

Venice
H55 Shade D33
E27 40w

NEW



Petrol
Blue
Glass



OL98837

Azure
H65 Shade D38
E27 60w



OL97978TE

Casbah Teal
H51 Shade D30
E27 60w



OL97978WH

Casbah White
H51 Shade D30
E27 60w



OL93801AB

Chi Antique Brass
H52 Shade 27x12
E27 40w



OL93801CH

Chi Chrome
H52 Shade 27x12
E27 40w



OL98870

Jorn
H53 Shade D27
E27 42w



LAMPS | coastal hues

OL94521

Zale
H39 Shade D19
E14 40w



OL94522

Danu
H51 Shade D27
E27 40w



OL94523

Daria
H53 Shade D32
E27 40w



OL94524

Ridley
H42 Shade D28
E27 40w



OL94525

Hurley
H49 Shade D28
E27 40w



OL94526

Ariel
H44 Shade D30
E27 40w



OL94527

Kai
H30 Shade D21
E14 40w



OL94528

Douglas
H41 Shade D30
E27 40w



OL94539

Alder
H42 Shade D28
E27 40w



NEW

LAMPS | classic

OL97976AS

Dorne Antique Silver

H71 Shade D35

E27 60w



OL97976BK

Dorne Antique Black

H71 Shade D35

E27 60w



OL97973AS

Donati

H68 Shade D40

E27 60w



OL98850

Medea

H51 Shade D38

E27 60w



OL98856

Andorra

H55 Shade D33

E27 60w



OL98851

Palma

H55 Shade D33

E27 60w



OL98865

Leon

H56 Shade D33

E27 60w



OL98888

Granada

H66 Shade 38x23

E27 40w



Mirror Backing



OL98836

Sedona

H65 Shade 38x25

E27 60w



LAMPS | contemporary

OL98875
Britt
H46 Shade D25
E27 42w



Glass base



OL98832
Umbria
H57-69 Shade D33
E27 60w



Height adjustable



OL98872
Loxton
H51 Shade D31
E27 42w



OL98891
Vinchy
H60 Shade D36
E27 40w



NEW



OL98874
Ware
H53 Shade D30
E27 42w



OL98873
Romsey
H63 Shade D35
E27 42w



OL93805AB
Kizz Antique Brass
H52 Shade 27x12
E27 40w



OL93805CH
Kizz Chrome
H52 Shade 27x12
E27 40w



OL93651AB
Milton
H44 D14
E27 42w



Marble base



LAMPS | bedside

OL93611BK

Lucia Lamp Black

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL93611GY

Lucia Lamp Grey

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL93611PK

Lucia Lamp Pink

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL93611WH

Lucia Lamp White

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL90120BK

Zola Black

H41 D18

E27 60w



OL90120GY

Zola Grey

H41 D18

E27 60w



OL90120TP

Zola Taupe

H41 D18

E27 60w



OL90120WH

Zola White

H41 D18

E27 60w



OL97111BK

Hyzer Black

H26 D17

E27 40w



OL97111WH

Hyzer White

H26 D17

E27 40w



OL97317BK

Lace Lamp Black

H18 D18

E27 42w



OL97317WH

Lace Lamp White

H18 D18

E27 42w



LAMPS | bedside

OL90130BK

Tilda Black

H28 D18

E27 60w



OL90162BK

Lenny Black

H22 D13

E14 40w

NEW




OL90130GN

Tilda Green

H28 D18

E27 60w



OL90130GY

Tilda Grey

H28 D18

E27 60w



OL90162GN

Lenny Green

H22 D13

E14 40w

NEW



OL90162GY

Lenny Grey

H22 D13

E14 40w

NEW




OL90130PK

Tilda Pink

H28 D18

E27 60w



OL90130WH

Tilda White

H28 D18

E27 60w



OL90162PK

Lenny Pink

H22 D13

E14 40w

NEW



OL90162WH

Lenny White

H22 D13

E14 40w

NEW



LAMPS | economy ceramic

OL90117CO

Celia Coffee
H38 Shade D18
E14 40w



OL90117GN

Celia Green
H38 Shade D18
E14 40w



OL90115BK

Shelly Black
H45 Shade D20
E27 60w



OL90115WH

Shelly White
H45 Shade D20
E27 60w



OL90117GY

Celia Grey
H38 Shade D18
E14 40w



OL90117PK

Celia Pink
H38 Shade D18
E14 40w



OL90117WH

Celia White
H38 Shade D18
E14 40w



OL90117YE

Celia Yellow
H38 Shade D18
E14 40w



LAMPS | economy ceramic

OL90110BL

Benjy.20 Blue

H38 Shade D19

E14 40w



OL90110GY

Benjy.20 Grey

H38 Shade D19

E14 40w



OL90110TP

Benjy.20 Taupe

H38 Shade D19

E14 40w



OL90110WH

Benjy.20 White

H38 Shade D19

E14 40w



OL90111BL

Benjy.25 Blue

H47 Shade D24

E27 60w



OL90111GY

Benjy.25 Grey

H47 Shade D24

E27 60w



OL90111TP

Benjy.25 Taupe

H47 Shade D24

E27 60w



OL90111WH

Benjy.25 White

H47 Shade D24

E27 60w



OL90153BK

Louise Black

H41 Shade 37x18

E27 60w



OL90153GY

Louise Grey

H41 Shade 37x18

E27 60w



OL90153WH

Louise White

H41 Shade 37x18

E27 60w



LAMPS | economy ceramic

OL90161BK

Jenny Black
H46 Shade D24
E27 60w



OL90161CO

Jenny Coffee
H46 Shade D24
E27 60w



OL90151CO

Moana Coffee
H45 Shade D24
E27 60w



OL90151GN

Moana Green
H45 Shade D24
E27 60w



OL90161GY

Jenny Grey
H46 Shade D24
E27 60w



OL90161GN

Jenny Green
H46 Shade D24
E27 60w




OL90151GY

Moana Grey
H45 Shade D24
E27 60w



OL90151PK

Moana Pink
H45 Shade D24
E27 60w



OL90161PK

Jenny Pink
H46 Shade D24
E27 60w



OL90161WH

Jenny White
H46 Shade D24
E27 60w



OL90151YE

Moana Yellow
H45 Shade D24
E27 60w



OL90151WH

Moana White
H45 Shade D24
E27 60w



LAMPS | economy ceramic

OL90118GY

Vera Grey
H26.5 Shade D13
E14 40w



OL90118TP

Vera Taupe
H26.5 Shade D13
E14 40w



OL90118WH

Vera White
H26.5 Shade D13
E14 40w



OL90119GY

Mandy Grey
H26.5 Shade D13
E14 40w



OL90119TP

Mandy Taupe
H26.5 Shade D13
E14 40w



OL90119WH

Mandy White
H26.5 Shade D13
E14 40w



OL90141

Diana Flower
H20 D9
E14 25w



OL90142

Diana Star & Moon
H20 D9
E14 25w




LAMPS | mid-century

OL93131BB

Lane Brushed Brass

H50 BD15

E27 42w



Teak
base



OL93131BK

Lane Black

H50 BD15

E27 42w



OL93131CO

Lane Copper finish

H50 BD15

E27 42w



OL93131WH

Lane White

H50 BD15

E27 42w



SL98799AB

Newton Antique Brass

H50

E14 28w



Clear
glass



SL98799BK

Newton Black

H50

E14 28w



Clear
glass




OL93731BK

Ville Table Lamp

H50 BD15

E27 42w



Marble
base



OL93733BK

Ville Floor Lamp

H157 BD25

E27 60w



Shown with
G125 LED
filament lamp
(available
separately)



OL90132BK

York Black

H38 Base D12

E27 60w



OL90132GY

York Grey

H38 Base D12

E27 60w



OL90132WH

York White

H38 Base D12

E27 60w



Marble
base



LAMPS | touch

LF9201AB

Lotti Touch

H27 D14

E14 42w



LF9205AB

Lola Touch

H33 D16.5

E14 42w



LF9207AB

Espen Touch

H28 D14

E14 42w



OL99511AB

Ruby Touch Antique Brass

H32 D22

E14 40w



Frost Glass



LF9201BC

Lotti Touch

H27 D14

E14 42w



LF9205BCH

Lola Touch

H33 D16.5

E14 42w



LF9207BCH

Espen Touch

H28 D14

E14 42w



OL99511BC

Ruby Touch Brushed Chrome

H32 D22

E14 40w



Frost Glass



LF9201GM

Lotti Touch

H27 D14

E14 42w



LF9205GM

Lola Touch

H33 D16.5

E14 42w



LF9207GM

Espen Touch

H28 D14

E14 42w



OL99511GM

Ruby Touch Gunmetal

H32 D22

E14 40w



Frost Glass



LAMPS | touch

OL99467BK
Lancet Touch
H40 SD15
E14 42w





OL99467GY
Lancet Touch
H40 SD15
E14 42w





OL99467PK
Lancet Touch
H40 SD15
E14 42w





OL99467WH
Lancet Touch
H40 SD15
E14 42w





OL99469BK
Mantel Touch
H22 D12
E14 42w





OL99469GY
Mantel Touch
H22 D12
E14 42w





OL99469PK
Mantel Touch
H22 D12
E14 42w





OL99469WH
Mantel Touch
H22 D12
E14 42w





OL99491AB
Erik LED Touch
H33 D15
Built-in LED





OL99491BC
Erik LED Touch
H33 D15
Built-in LED





OL99485BC
Pablo Touch
H25 D12
E14 40w






OL99486BC
Paro Touch
H31 12x12
E14 40w





 These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

These lamps are LED and feature a 3 stage or variable touch dimming switch.  

LAMPS | touch

OL99458BP
Bankers Touch Brass
H40 W27
E27 40w





OL99458CH
Bankers Touch Chrome
H40 W27
E27 40w





OL99458AB
Bankers Touch Antique
H40 W27
E27 40w





OL99458BK
Bankers Touch Black
H40 W27
E27 40w





OL99480BC
Pepe Touch Round
H30 D10
E14 40w





OL99481BC
Pepe Touch Square
H30 W11x11
E14 40w





OL99454AB
Zoe Touch
H41 Shade D28
B22 42w





OL99454BC
Zoe Touch
H41 Shade D28
B22 42w





OL93125BK
Pod Touch Black
H45 D20
E27 40w





OL93125WH
Pod Touch White
H45 D20
E27 40w





OL92651BK
Mindy LED Desk Lamp **LED**
H38 D11
LED 3W Integral Touch Dimmer

NEW

Rechargeable battery powered touch dimming lamp supplied with USB cable. (Adapter required)




colour temperature **3000K**

OL92651WH
Mindy LED Desk Lamp **LED**
H38 D11
LED 3W Integral Touch Dimmer

NEW

Rechargeable battery powered touch dimming lamp supplied with USB cable. (Adapter required)




colour temperature **3000K**

 These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

These lamps are LED and feature a 3 stage or variable touch dimming switch.



LAMPS | bases

OL91238BCH

Spoke 35 Brushed Chrome

H35 D16

E27 60w



OL91238BK

Spoke 35 Black

H35 D16

E27 60w



OL91238CH

Spoke 35 Chrome

H35 D16

E27 60w



OL91238WH

Spoke 35 White

H35 D16

E27 60w



OL97951WN

Barton Base

H36 D11

E27 60w



OL97951WH

Barton Base

H36 D11

E27 60w



OL97962WH

Rosalie 27 Base

H28 D12

B22 60w



OL97964WH

Rosalie 46 Base

H46 D16

B22 60w



OL97934WN

Habitat Table Lamp Base

H48 Base 22.5x18

E27 60w



SL91311BK

Kingston Table Lamp Base

H37 BD18 Projection 35

E27 42w



SL91311ORB

Kingston Table Lamp Base

H37 BD18 Projection 35

E27 42w



LAMPS | floor lamps

OL97997WN

Trevi Base Walnut
with black metalware

Height Adjustable
Max H123 W70
Min H80 W48

E27 42w



OL81158

Trevi + Black Shade

Shade T34 B43 H27

E27 42w



OL81159

Trevi + Grey Shade

Shade T34 B43 H27

E27 42w



OL81160

Trevi + White Shade

Shade T34 B43 H27

E27 42w



OL91232BK

Spoke
Floor Lamp
Black

H145 D25

E27 60w



OL91232WH

Spoke
Floor Lamp
White

H145 D25

E27 60w



OL91232BC

Spoke
Floor Lamp
Brushed Chrome

H145 D25

E27 60w



OL91232BC

Spoke base

shown with

OL91956

17" Black Cotton
Shade

T34 B43 H27



OL93283NAT

Stabb Floor Lamp Base **NEW**
NEW KD Version

H138 BD38
E27 60w



OL81162

Stabb Base + Black Shade
Shade T34 B43 H27



OL81164

Stabb Base + Grey Shade
Shade T34 B43 H27




OL81161

Stabb Base + White Shade
Shade T34 B43 H27




OL93773BK

Jess Floor Lamp
H160 BD25
E27 40w



OL93773WH

Jess Floor Lamp
H160 BD25
E27 40w



OL81411

Jess Lamp + Batur Shade
H160 BD25
Shade D36 H31
E27 40w



OL81412

Jess Lamp + Batur Shade
H160 BD25
Shade D36 H31
E27 40w



LAMPS | designer sets

OL93531BK

Edra Table Lamp

H54 Shade D28

E27 42w



OL93531WH

Edra Table Lamp

H54 Shade D28

E27 42w



OL93521WH

Lund Table Lamp

H54 Shade D27

E27 40w



OL93533BK

Edra Floor Lamp

H150 Shade D45

E27 42w



OL93533WH

Edra Floor Lamp

H150 Shade D45

E27 42w



OL93523WH



Lund Floor Lamp

H159 D50 Shade D42

E27 42w



OL97611
 Riata Base
 H38 Base D26
 E27 60w

OL97612
 Lariat Base
 H39 Base D20
 E27 60w




OL97613
 Halyard Base
 H57 Base 16x16
 E27 60w




OL93245
 Matram Floor
 H100 D25
 E27 42w




OL93255
 Jambi Floor
 H110 W23 x 23
 E27 42w




SL98853WH NEW
 Belize Floor
 H152 D35 BD23
 E27 10w




OL97831
 Mandalay Table
 H36 D20
 E27 42w




SL98851WH NEW
 Belize Table
 H49 WD5 BD15
 E14 6w




LAMPS | task

SL98841WH

Malta Desk Lamp

H47 BD15

E14 6w

NEW



Rattan
cane
shade



OL93991BK

George Desk Lamp

H48 BD18

E14 40w

NEW



Antique
Brass



OL93981

Charlotte Desk Lamp

H50 BD15

E27 40w

NEW



Frosted
glass
shade

Satin
Brass
arm with
Marble
base



OL91203CH

Bobo Chrome

H140 BD30 SD15

E14 40w x 2



OL91203GM

Bobo Gunmetal

H140 BD30 SD15

E14 40w x 2



OL91203BZ

Bobo Bronze

H140 BD30 SD15

E14 40w x 2



LAMPS | task floor

SL98599AB
 Siena LED
 H180 D31 P40
 Uplighter - Integral LED 1600lm
 Task Light - Integral LED 400lm



LED

SL98599BC
 Siena LED
 H180 D31 P40
 Uplighter - Integral LED 1600lm
 Task Light - Integral LED 400lm



LED

SL98599BK
 Siena LED
 H180 D31 P40
 Uplighter - Integral LED 1600lm
 Task Light - Integral LED 400lm




The Siena has individually switched uplighter and task light

LED

SL98592AB
 Daxam LED
 Antique Brass
 H159 BD25
 GU10 LED x 2 (included)




LED


The Daxam features individually switched heads.




SL98592BC
 Daxam LED
 Brushed Chrome
 H159 BD25
 GU10 LED x 2 (included)



LED




SL98592BK
 Daxam LED
 Matt Black
 H159 BD25
 GU10 LED x 2 (included)




LED



SL98592WH
 Daxam LED
 White
 H159 BD25
 GU10 LED x 2 (included)



LED



LAMPS | task floor

SL91207BK

Over Floor Lamp Black

H195 P120 BD32 SD30

E27 42w

The Over features a clear acrylic shade on an adjustable knuckle joint.

Shown here with G125 opal matt LED lamp.



SL91207AB

Over Floor Lamp
Antique Brass

H195 P120 BD32 SD30

E27 42w



SL91201BK

Dome Floor Lamp

H170 P95 BD32

Shade D30

E27 60w



SL91201CH

Dome Floor Lamp

H170 P95 BD32

Shade D30

E27 60w



SL91201AB

Dome Floor Lamp


H170 P95 BD32

Shade D30

E27 60w



LAMPS | task floor




SL98572BC

Vespa Twin
Brushed Chrome

H150 BD25 SD16

E27 60w x 2




SL98572BK

Vespa Twin
Matt Black

H150 BD25 SD16

E27 60w x 2



SL98572AB

Vespa Twin
Antique Brass

H150 BD25 SD16

E27 60w x 2



SL98572WH


Vespa Twin
White

H150 BD25 SD16

E27 60w x 2



The Vespa features individually switched heads. (Heads L26 D16)




SL98812AB

Walt
Antique Brass

H150 BD25 SD17

E27 60w x 2




SL98812BC

Walt
Brushed Chrome

H150 BD25 SD17

E27 60w x 2




SL98822AB

Stan
Antique Brass

H150 BD25 SD17

E27 60w x 2



SL98822BC

Stan
Brushed Chrome

H150 BD25 SD17

E27 60w x 2



The Stan features individually switched heads.

The Walt features individually switched heads.


LAMPS | task floor

SL98833AB
 Perfo Floor Lamp
 H155 BD22 P33
 E27 42w







SL98843WH
 Malta Floor Lamp
 H155 BD25
 E14 6w x 2



NEW

Rattan cane shades

OL93933BK
 Thor Floor Lamp
 H146 BD23 P36
 E27 42w






OL93933WH
 Thor Floor Lamp
 H146 BD23 P36
 E27 42w










OL93953BK
 Lago Floor Lamp
 H152 BD25 P80
 E27 42w




↑ white inside





OL93953WH
 Lago Floor Lamp
 H152 BD25 P80
 E27 42w

SL98585BK
 Carmen Mother + Child
 H163 SD35 BD25
 Main Light B22/60W
 Task Light GU10 LED (included)





The Carmen task lamp is supplied with a replaceable GU10 LED lamp.



Convenient switch

The Carmen lamp is supplied complete with a fabric shade and has a switched lampholder.



LAMPS | task desk

SL98533BC

Charlie Desk Lamp

H49 BD18 P42

GU10 LED (Included)



The Charlie features switch on the head.

LED

OL93921BC

Timo LED Desk Lamp

H45 BD14 P19

Integral 5W LED

LED



Switch on the base

colour temperature
4000K

OL93921BK

Timo LED Desk Lamp

H45 BD14 P19

Integral 5W LED

LED



Switch on the base

colour temperature
4000K

SL98533SB

Charlie Desk Lamp

H49 BD18 P42

GU10 LED (Included)



LED


SL98751BC

Nex LED Touch

H38 BD11 P20

GU10 LED (included)

LED




SL98751GM

Nex LED Touch

H38 BD11 P20

GU10 LED (included)

LED




SL92997WH

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED




SL92997GM

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED




SL92997BK

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED




SL92997BC

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED



LAMPS | task desk

OL92961BK
 Forma Desk Lamp
 H84 BD21 P40
 E27 60w

↑ white inside



Icon: E27 bulb

OL92961SIL
 Forma Desk Lamp
 H84 BD21 P40
 E27 60w



Icon: E27 bulb

OL92961WH
 Forma Desk Lamp
 H84 BD21 P40
 E27 60w

Forma switch is on the head.



Icon: E27 bulb

OL93971BK
 Benny Desk Lamp
 H42 BD15 P30
 E27 40W

↑ white inside

Real Timber



Icon: E27 bulb, Icon: Battery

OL93971WH
 Benny Desk Lamp
 H42 BD15 P30
 E27 40W

Real Timber



Icon: E27 bulb, Icon: Battery

SL98831AB
 Perfo Desk Lamp
 H50 BD16 P28
 E27 42w



Icon: E27 bulb, Icon: Battery

OL92631BK
 Luke LED Desk Lamp
 H55 P50 Base 19x12
 LED 5w Integral
 Touch Dimmer | Touch CCT

LED



Icon: Touch Dimmer, Icon: CTS

OL92631WH
 Luke LED Desk Lamp
 H55 P50 Base 19x12
 LED 5w Integral
 Touch Dimmer | Touch CCT

LED



Icon: Touch Dimmer, Icon: CTS

LAMPS | task desk

SL98401GM
Trax Desk Lamp
H38 BD16
E27 60w



Switch on the base



SL98401AB
Trax Desk Lamp
H38 BD16
E27 60w




OL92661BK
Macca LED Desk Lamp
H38 BD13
Integral 4.5W LED
Switch on the head



LED

NEW

colour temperature 4000K

OL92661WH
Macca LED Desk Lamp
H38 BD13
Integral 4.5W LED
Switch on the head



LED

NEW

colour temperature 4000K

SL98401WH
Trax Desk Lamp
H38 BD16
E27 60w




SL98401BK
Trax Desk Lamp
H38 BD16
E27 60w




SL98401BC
Trax Desk Lamp
H38 BD16
E27 60w





SL98431BK
Scope Clamp Lamp
L50 SD6
GU10 LED 7w





SL98431WH
Scope Clamp Lamp
L50 SD6
GU10 LED 7w





SL98431AB
Scope Clamp Lamp
L50 SD6
GU10 LED 7w





SL98431BC
Scope Clamp Lamp
L50 SD6
GU10 LED 7w





LAMPS | task + USB

OL93721BK

Henk Desk Lamp
H46 BD18 SD14
E14 18w

Fixed Head

↑ white inside

Black cloth covered cord.



OL93721WH

Henk Desk Lamp
H46 BD18 SD14
E14 18w

Fixed Head

White cloth covered cord.



OL93931BK

Thor Desk Lamp
H46 BD15 P30
E27 42w

↑ white inside



OL93931WH

Thor Desk Lamp
H46 BD15 P30
E27 42w



These lamps feature a switch on the base.



USB Socket



Wireless Charging




Charge your phone or tablet (cable not included)

OL93952BK

Targa Desk Lamp
H54 BD18 P35
E27 42w

↑ white inside



OL93952WH

Targa Desk Lamp
H54 BD18 P35
E27 42w





OL93911BK

Rik Desk Lamp
H52 BD15 P30
E27 42w






LAMPS | task



The Ari features
switch on the head.

Head Dimensions
Table Lamp L18 D12
Single Floor Lamp L22 D15
Twin Floor Lamp L18 D12



LAMPS | mid-century

OL99441AB

Bankers Lamp Antique

H40 W27

E27 60w



OL99441BP

Bankers Lamp Brass Plate

H40 W27

E27 60w



OL99441BK

Bankers Lamp Black

H40 W27

E27 60w



SL98511RB

Boston Table Lamp

H53 BD16 P37

E27 42w



↑ same inside

Adjustable Head

Shown with a vintage filament bulb.



OL98884

Windsor Floor Lamp

H160

Shade D42

E27 42w



Oil Rubbed Bronze finish (RB)

Supplied complete with linen shade

Height adjustable 1400-1600



OL99443AB

Bankers Floor Lamp

H146 W27

E27 40w



SL98513RB

Boston Floor Lamp

H160 P60 BD27

E27 42w



↑ same inside

Adjustable Head

Boston floor lamp shown with vintage filament bulb.



SL93311BK

Arlington Table Lamp

H53 P22 Base D15

E27 20w



SL93401BK

Raymont Table Lamp

H45 P17.5 Base D12

E27 20w



OL97742BK

Merton

H43 Shade D28

E27 60w

NEW



SL93313BK

Arlington Floor Lamp

H160 P33 Base D25

E27 20w



SL93403BK


Raymont Floor Lamp

H150 P27.5 Base D23

E27 20w



NEW



OL93755BK

Padstow

H164 Shade D42


E27 42w

PENDANTS | designer LED

OL60973/50BK

Noodle 50
D50 S150
28w | CTS | 2300lm


The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60973/70BK

Noodle 70
D70 S150
42w | CTS | 3200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60973/50WH

Noodle 50
D50 S150
28w | CTS | 2300lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60973/70WH

Noodle 70
D70 S150
42w | CTS | 3200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



PENDANTS | designer LED

OL60614/40BK

Nebula.40 CTS

D40 S150

18w | CTS | 900lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60614/60BK

Nebula.60 CTS

D60 S150

24w | CTS | 1200lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60614/40WH

Nebula.40 CTS

D40 S150

18w | CTS | 900lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60614/60WH

Nebula.60 CTS

D60 S150

24w | CTS | 1200lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



PENDANTS | designer LED


OL60634/60BK

Cronus.60 CTS

D60 S150

24w | CTS | 1200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.




OL60954/80BK

Infinity LED

D70 S150

50w | 4000K | 3000lm




OL60634/60WH

Cronus.60 CTS

D60 S150

24w | CTS | 1200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.




OL60954/80WH

Infinity LED

D70 S150

50w | 4000K | 3000lm



PENDANTS | designer LED

OL60451/42BK

Madison.42 LED

D42 H6.5 S180

24w | CTS | 1500lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



OL60451/42WH

Madison.42 LED

D42 H6.5 S180

24w | CTS | 1500lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



OL60451/56BK


Madison.56 LED

D56 H6.5 S180

36w | CTS | 2000lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



OL60451/56WH


Madison.56 LED

D56 H6.5 S180

36w | CTS | 2000lm



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



OL60851/60BK

Saturn LED

D60 H2.5 S180

24w | CTS | 1375lm



The driver is mounted in the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour rendition
>Ra83



OL60851/60WH

Saturn LED

D60 H2.5 S180

24w | CTS | 1375lm



The driver is mounted in the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour rendition
>Ra83



Aeon.120

The Aeon pendant is crafted from aluminium, twisted with LED edging. The LED is covered with an opal diffuser, the fitting suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60980/120BK

Aeon CTS LED Pendant

L120 S180

CTS | >Ra82 | 29w | 1500lm




colour rendition
>Ra82



Edge.1500

Edge.1500 LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the end placed ceiling canopy.



colour rendition
>Ra82

colour temperature
4000K


OL60761/1500BK

Edge LED Pendant

L156 Dia3 S180


4000K | >Ra82 | 1500lm

Vana.LED





Vana.LED extruded aluminium LED fitting with opal diffuser, available as a surface mounted fitting in 2 lengths, 1200mm and 1500mm.


CTS (Colour Temperature Selection) is made inside the fitting at installation.



Vana.LED can be converted to a suspended fitting using the Suspension Kit OL60775WH (available separately).



OL60775WH Suspension Kit Chrome Wires, White cable+canopy
S200 Canopy D10



OL60778/1200BK	Vana.LED CTS 1200 Black	L123 W11 P4	40w CTS >Ra82 2800lm*
OL60778/1200WH	Vana.LED CTS 1200 White	L123 W11 P4	40w CTS >Ra82 2800lm*
OL60778/1500BK	Vana.LED CTS 1500 Black	L153 W11 P4	50w CTS >Ra82 3300lm*
OL60778/1500WH	Vana.LED CTS 1500 White	L153 W11 P4	50w CTS >Ra82 3300lm*

*Average lumen output




PENDANTS | linear LED


Shard.1500 CTS

LED

NEW



Slim profile
only 3 cm wide
and 2.8 cm high



Shard.LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60625/1500BK

Shard LED 30w Pendant Black

L150 H2.8 W3 S180

CTS | >Ra82 | >1800lm



OL60625/1500WH

Shard LED 30w Pendant White



L150 H2.8 W3 S180

CTS | >Ra82 | >1800lm


Shard.1800 CTS

LED

NEW



Slim profile
only 3 cm wide
and 2.8 cm high



Shard.1800 LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the end placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60625/1800BK

Shard LED 34w Pendant Black

L180 H2.8 W3 S180

CTS | >Ra82 | >2000lm



OL60625/1800WH

Shard LED 34w Pendant White

L180 H2.8 W3 S180

CTS | >Ra82 | >2000lm

PENDANTS | linear LED

Langtoft.150



LANGTOFT LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the steel ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60650/1500


Langtoft LED Pendant Ash Wood

L145 H9 S180


CTS | >Ra82 | 1700lm



Shard.1500 Satin Brass CTS



Satin Brass Shard is supplied with both black and white end caps, allowing a styling choice at installation.



Slim profile only 3 cm wide and 2.8 cm high



Shard.LED SATIN BRASS is an electroplated extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The SATIN BRASS model is supplied with both BLACK & WHITE end caps, allowing a styling choice at installation. The driver is mounted in the centrally placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60625/1500SB

Shard LED 30w Pendant Satin Brass

L150 H2.8 W3 S180

CTS | >Ra82 | >1800lm




PENDANTS | linear LED

Eastoft

LED

NEW

EASTOFT LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60630/1300

Eastoft LED Pendant Ash Wood

L130 S180

CTS | >Ra83 | 1800lm



Caber.120

LED

NEW

CABER LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60640/1200

Caber LED Pendant Ash Wood

L120 D3.5 S180

CTS | >Ra83 | 1600lm



PENDANTS | suspensions

OL69253BC
Parti Suspension
Brushed Chrome
Clear PVC Wire
L180 D10
E27 60w

OL69253WH
Parti Suspension
White Metalware
White PVC Wire

OL69253WC
Parti Suspension
White Metalware
Clear PVC Wire

OL69253BK
Parti Suspension
Black Metalware
Black PVC Wire

OL69251BC
Parti Rod
Suspension
L110 D12
E27 60w

The PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

OL69254BK
Parti E14 Suspension
L180 D10
E14 40w

NEW

The PARTI E14 suspension has an E14 lampholder for shades with a 28mm shade ring.

OL69321AB
Albany Cord
Antique Brass
S180 D10
E27 60w

OL69321BK
Albany Cord
Black

OL69321CH
Albany Cord
Chrome

OL69321CO
Albany Cord
Ant Copper

OL69321WH
Albany Cord
White

The ALBANY suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

Albany cord and chain suspensions feature cloth covered cords.

OL69322BK
Albany Chain Black
S160 D11
E27 60w

OL69322AB
Albany Chain
Antique Brass

OL69259BK
Parti E27 Wood
Suspension
L180 D10
E27 60w

NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

OL69259WH
Parti E27 Wood
Suspension
L180 D10
E27 60w

NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

OL64495/38

Nile.38 Shade Only

D39 H29

E27 opening



OL64464

Poppa Shade Only

D36 H31

E27 opening



String Shade



OL64463

Batur Shade Only

D36 H31

E27 opening



OL64457NAT

Serang.35 Shade Only

D35 H45

E27 opening



OL64457BK

Serang.35 Shade Only

D35 H45

E27 opening



Painted Cane




OL64457WH

Serang.35 Shade Only

D35 H45

E27 opening



Painted Cane



OL64489/30

Kupang.30 Shade Only

D30 H30

E27 opening



String Shade



OL64489/45

Kupang.45 Shade Only

D45 H45

E27 opening



String Shade



OL64501/38

Malaga.38 Shade Only

D38

E27 opening



Matt white frame with natural wooden beads



OL2245/30FX
 Boheme.30 Shade Only
 D30 H48
 40w



Shade frame clips on cord suspension.

Fabric Shade

OL2245/45FX
 Boheme.45 Shade Only
 D45 H60
 40w



Shade frame clips on cord suspension.

Fabric Shade

OL64455
 Tanah Shade
 D45 H55
 E27 opening




OL64471/36
 Koga.36 Shade
 D36 H30
 E27 opening




OL64471/48
 Koga.48 Shade
 D48 H40
 E27 opening





OL64485/33
 Padang 33 Shade
 D33 H22
 E27 opening



String Shade



OL64485/45
 Padang 45 Shade
 D40 H33
 E27 opening



String Shade




The natural appeal of these products are the natural materials and hand finishing, no two fittings are identical.

There may be variations in colours and finishes across the range and between shipments.

OL64469/35

Mette.35 Shade

D35 H29

E27 opening



OL64469/47

Mette.47 Shade

D47 H38

E27 opening



OL64475/30

Oden.30 Shade

D30 H45

E27 opening



OL64475/38

Oden.38 Shade

D30 H50

E27 opening



OL64479/36

Batu.36 Shade

D36 H30

E27 opening



OL64479/48

Batu.48 Shade

D48 H40

E27 opening



The natural appeal of these products are the natural materials and hand finishing, no two fittings are identical.

There may be variations in colours and finishes across the range and between shipments.

PENDANTS | designer suspensions

OL69281BK
 Pop.2 Suspension
 L240 D11.5
 E27 60w


Black cloth covered cord.




POP suspensions shown here with a LED filament G125 globe.

OL69281WH
 Pop.2 Suspension
 L240 D11.5
 E27 60w

White cloth covered cord.



OL69351BK
 Philly 10lt Pendant
 Canopy D12 H4
 Cords S180
 E27 40w x 10



OL69242BC
 Drop Suspension
 L180 D10
 B22 60w



The DROP suspension has a B22 lampholder and is designed for use with most shades with a B22 shade ring.

OL69243BC
 Shade 3 Light suspension
 BD12.5 D17 H65 S135
 B22 60w x 3

This 3 light shade suspension is designed to allow the lamp shade to be changed without the need for re-wiring. Ideally suited to a shade 12" (300mm) diameter or greater.




The Philly is a 10 light "swag" style pendant, allowing you to fix each light individually to create a unique fitting. Cord fixings included.

Shown here with assorted LED opal matt globes.

OL69256BK
 Parti Pan
 3 Light accessory
 Black
 D25 H2.5



OL69256WH
 Parti Pan
 3 Light accessory
 White
 D25 H2.5



The Parti Pan can be used to suspend multiple single pendants.

OL69257BK
 Parti Pan
 5 Light accessory
 Black
 D25 H2.5



OL69257WH
 Parti Pan
 5 Light accessory
 White
 D25 H2.5



The Parti Pan can be used to suspend multiple single pendants.

OL69258WH
 Parti Rail
 3 Light accessory
 White
 L105 H2.5 W5.5



OL69258BK
 Parti Rail
 Black



The Parti Rail can be used to suspend multiple single pendants.

PENDANTS | designer


OL65272/6

Hyort 6 Lt Pendant
KD Version

D65 H38 S120

E14 60w x 6

NEW



OL65273/2

Hyort 2 Lt Wall Light

H46 W43 P12

E14 60w x 2



OL65272/8

Hyort 8 Lt Pendant
KD Version

D100 H46 S120

E14 60w x 8

NEW



No deer were harmed
in the production of
the Hyort - the antlers
are poly-resin.

The Hyort 6lt & 8lt are
supplied unassembled.



OL68831BK

Alhambra 25

D25 H32 S150

E27 42w

Lit to show
gold painted
interior.



OL68832BK

Alhambra 35

D35 H52 S150

E27 42w

Lit to show
gold painted
interior.




OL68821AR

Istanbul

H42 D27 S180

E27 60w



PENDANTS | modern farmhouse

OL64761
Terros.130 Pendant
H16 D13 S180
E14 28w

Terrazzo finish

Black cloth covered cord.

OL64762
Terros.160 Pendant
H20 D16 S180
E27 42w

Terrazzo finish

Black cloth covered cord.

OL64718NAT
Plug Pendant
D6 H8 S180
E27 60w

Black cloth covered cord

Solid Timber

Shown with LED filament globe (not included)

NEW

OL64726
Cimo.10 Pendant
H20 D10 S180
E27 25w

Concrete finished plaster

Black cloth covered cord.

OL64727
Cimo.20 Pendant
H19 D20 S180
E27 25w

Concrete finished plaster

Black cloth covered cord.

OL64719NAT
Bud Pendant
D8 H10 S180
E27 60w

Black cloth covered cord

Solid Timber

Shown with LED filament globe (not included)

OL69291/17CL
Holbeck.17 Pendant
H40 D17 S180
E27 60w

Clear cord + clear glass.
Wooden highlights.

OL69291/30CL
Holbeck.30 Pendant
H30 D30 S180
E27 60w

Clear cord + clear glass.
Wooden highlights.

OL60571
Nina Pendant
H25 D10 S180
E27 40w

Opal Matt Glass

NEW

PENDANTS | modern farmhouse

OL64353/1NAT

Cascara Pendant

D33 H48 S150

E27 42w



OL64355/3NAT

Cascara Pendant

D50 H72 S150

E27 42w x 3




OL64356/3NAT

Cascara Close to Ceiling

D33 H27

E27 42w x 3



Matt white frame with natural wooden beads

OL64521BK

Mudag.20 Pendant

D19 S180

E27 42w



OL64523BK

Mudag.40 Pendant

D36 S180

E27 42w



OL64522BK

Mudag.30 Pendant

D30 S180

E27 42w



Hand crafted wire mesh shade.
Black cloth covered cord.

OL64304

Bukit Pendant

D35 H35 S180

E27 40w



PENDANTS | modern farmhouse

OL67721BK

Trigo.20

D21 H21 S180

E27 60w



Black cloth covered cord.

Timber Body



↑ white inside



OL67721GN

Trigo.20

D21 H21 S180

E27 60w



White cloth covered cord.

Timber Body



↑ white inside




OL67421WH

Plato Pendant

H38 D20 S160

E27 60w



↑ gold inside



OL67721GY

Trigo.20

D21 H21 S180

E27 60w



White cloth covered cord.

Timber Body



↑ white inside



OL67721WH

Trigo.20

D21 H21 S180

E27 60w



White cloth covered cord.

Timber Body



↑ white inside




OL67421BK

Plato Pendant

H38 D20 S160

E27 60w



↑ gold inside



OL60175BK

Tig Pendant Black

D8 H30 S180

GU10 35w



Black cloth covered cord.



OL60175WH

Tig Pendant White

D8 H30 S180

GU10 35w



White cloth covered cord.



PENDANTS | modern farmhouse

OL64910/28BK
 Conic.28 Pendant
 D28 S180
 E27 60W

NEW



↑ white inside



OL64910/28WH
 Conic.28 Pendant
 D28 S180
 E27 60W

NEW




OL64910/45BK
 Conic.45 Pendant
 D45 S180
 E27 60W

NEW



↑ white inside



OL64910/45WH
 Conic.45 Pendant
 D45 S180
 E27 60W

NEW




OL64822BK
 Malt.22 Pendant
 D22 H39 S180
 E27 60w



Black cloth covered cord.

Timber Body

↑ white inside



OL64832BK
 Malt.32 Pendant
 D32 H25 S180
 E27 60w



Black cloth covered cord.

Timber Body

↑ white inside



OL64848BK
 Malt.48 Pendant
 D48 H36 S180
 E27 60w



Black cloth covered cord.

Timber Body

↑ white inside



OL64822WH
 Malt.22 Pendant
 D22 H39 S180
 E27 60w



White cloth covered cord.

Timber Body



OL64832WH
 Malt.32 Pendant
 D32 H25 S180
 E27 60w



White cloth covered cord.

Timber Body



OL64848WH
 Malt.48 Pendant
 D48 H36 S180
 E27 60w



White cloth covered cord.

Timber Body



PENDANTS | mid-century

OL67511BC

Como Single

D15 S150

E27 42w



Black metalware with brushed chrome highlights.

Black PVC cord



OL67513BC

Como 3 Light

SD15 L90 S150

E27 42w x 3



OL67511AB

Como Single

D15 S150

E27 42w



Black metalware with antique brass highlights.

Black PVC cord



OL67513AB

Como 3 Light

SD15 L90 S150

E27 42w x 3



OL67451BR

Chino 1

H40 D19 S180

E27 60w



Bronze hand painted finish, gold interior.

Clear PVC cord



SL64531BK

Geo 1lt

D40 H45 S180

E27 60w



SL64534BK

Geo 4lt

D55 H60 S200

E27 60w x 4



PENDANTS | mid-century

OL68750/1BK

Malo.35

D35 H26 S150

E27 42w



Cloth covered cord



OL68752/5BK


Malo.60

D59 H45 S200

E27 42w x 5



Cloth covered cord



OL68750/1WH

Malo.35

D35 H26 S150

E27 42w



Cloth covered cord



OL68751/3BK

Malo.45

D45 H35 S150

E27 42w x 3



Cloth covered cord



OL67761AC

Lenox Pendant

D38 H39 S180

E27 60w



Antique copper with black cloth covered cord.



OL68852WH

Gabby

H44 D45 S180

B22 60w



Shown with G125 globe (not included)



OL68852BK

Gabby

H44 D45 S180

B22 60w



Shown with G125 globe (not included)




OL67761BK

Lenox Pendant

D38 H39 S180

E27 60w



Black cloth covered cord.



PENDANTS | designer

OL64130WH

Phase 30
D30 S180
E27 60w



The Phase sphere is rotation moulded acrylic, has a white canopy and cord.

OL64140WH

Phase 40
D40 S180
E27 75w



OL64150WH

Phase 50
D50 S180
E27 75w



OL67393WH

Chic 33
D30 S180
E27 60w



Clear cord.

Made from polypropylene.

OL67394WH

Chic 43
D40 S180
E27 60w



Clear cord.

OL60561WH

Cleo White
H30 D14 S180
E27 40w



handpainted glass



OL68783WH

Vicky 35
H30 D35 S75
E27 60w



OL68783BK

Vicky 35
H30 D35 S75
E27 60w



PENDANTS | designer

SL64425BB

Newton Pendant

D25 S150

E27 42w

Brushed brass,
black cloth
cov. cord with
clear glass.



Shown with a
filament globe
(not included)



SL64430BB

Newton Pendant

D30 S150

E27 42w



Clear
glass



SL64440BB

Newton Pendant

D40 S150

E27 42w



Clear
glass



SL64425BK

Newton Pendant

D25 S150

E27 42w

Satin black,
black cloth
cov. cord with
clear glass.



Shown with a
filament globe
(not included)



SL64430BK

Newton Pendant

D30 S150

E27 42w



Clear
glass



SL64440BK

Newton Pendant

D40 S150

E27 42w



Clear
glass



SL64451BB

Newton Wall Light

H28 P21 W18 BD12

E14 42w



Clear
glass



SL64451BK

Newton Wall Light

H28 P21 W18 BD12

E14 42w



Clear
glass



Shown with
filament globes
(not included)

PENDANTS | satellite

SL64407BK

Chelsea.120 6lt Black

H55 W120 S120

E27 42w x 6



Each arm on the Chelsea is adjustable.

Chelsea.120 is 1.2m Wide



Chelsea.120 shown with G125 Opal Matt globe. (not included)

SL64409BK

Epping 6lt Black

W120 x 75 Rod 100

E27 42w x 6



Cross arms on the Epping are adjustable.



Epping shown with G125 Opal Matt globe. (not included)

SL64412/4BK

Lunar 4lt Pendant

D80 H40-126

E27 42w x 4



Satin black with smoke glass balls



PENDANTS | satellite


SL64415/6BK

Ripley 6lt Pendant

D90 H110

Glass D18

E27 42w x 6



The arms on the Ripley pendant are adjustable at installation.

The Ripley is supplied with downrods allowing installation at 58 or 110cm.

Clear glass

SL64406BK

Chelsea 6lt Black

H55 W85 S180

E27 42w x 6



Shown with G95 globe (not included)

Each arm on the Chelsea is adjustable.

SL63206BK

Sputnik.6

D47 S180

E27 42w x 6



Shown with G125 matt opal bulbs

SL63210BK

Sputnik.10

D58 S180

E27 42w x 10




Shown with G125 matt opal bulbs

SL64680/6BK

Padua 6lt Pendant

W170 (max) H85 - 150
Glass D15

E27 42w x 6



Clear glass


Each joint in the Padua pendant is adjustable at installation. The final dimensions will vary depending on how the joints are set.

SL64680/6SB

Padua 6lt Pendant

W170 (max) H85 - 150
Glass D15

E27 42w x 6



Clear glass

The minimum height of the Padua is 85cm.

OL56093BK

Pano 3lt Pendant

D64 S150

GU10 35w x 3



GU10



Adjustable heads

OL56093BK

Pano 6lt Pendant

D84 S150

GU10 35w x 6



GU10



Adjustable heads

PENDANTS | spotlight

OL56013/4BK
Bridge 4lt Pendant
W90 Head 6x9 S180
GU10 35w x 4



GU10

Adjustable heads



NEW


Bridge GU10 pendant .
Black PVC wire.

OL56013/4SB
Bridge 4lt Pendant
W90 Head 6x9 S180
GU10 35w x 4



GU10

Adjustable heads



NEW

Bridge GU10 pendant - black frame with Satin Brass heads.
Black PVC wire.

OL56013/6BK
Bridge 6lt Pendant
W90 Head 6x9 S180
GU10 35w x 6



GU10

Adjustable heads



NEW

Bridge GU10 pendant .
Black PVC wire.

OL56013/6SB
Bridge 6lt Pendant
W90 Head 6x9 S180
GU10 35w x 6



GU10

Adjustable heads



NEW

Bridge GU10 pendant - black frame with Satin Brass heads.
Black PVC wire.

OL56215/4SB
Norbert 4lt Rail
W95 S180
E27 60w x 4



E27

Adjustable heads



NEW

Norbert pendant black frame with Satin Brass highlights.
Black PVC wire.

OL56216/6SB
Norbert 6lt Round
D87 S180
E27 60w x 6



E27

Adjustable heads



NEW

Norbert pendant black frame with Satin Brass highlights.
Black PVC wire.

PENDANTS | mid-century

SL66901BK

Southport.30
30x30 H35 S62
E27 42w



The SL66901 canopy is tilt adjustable.



SL66901BC

Southport.30
30x30 H35 S62
E27 42w



No glass

SL66906BK

Southport.100
29x100 H29 S61
E27 42w x 6



All Southport pendants have rod suspensions. Included are 2 x 23cm lengths and 1 x 13cm length.



No glass

SL66906BC

Southport.100
29x100 H29 S61
E27 42w x 6



No glass

SL66904BK

Southport.48
48x48 H30 S62
E27 42w x 4



No glass

SL66904BC

Southport.48
48x48 H30 S62
E27 42w x 4



No glass

PENDANTS | mid-century

SL64901BK
 Eaton.17 Pendant
 H34 17x17
 E27 60w

The canopy is tilt adjustable.

Clear glass

SL64902BK
 Eaton.30 Pendant
 H39 30x30
 E27 60w

The canopy is tilt adjustable.

Clear glass

SL64924BK
 Hampton Pendant
 H55 45x45 S180
 E27 42w x 4

No Glass

SL64903BK
 Eaton.70 Pendant
 H35 70x30
 E27 42w x 3

Eaton rod suspensions supplied in 13 + 23cm lengths.

Clear glass

SL64904BK
 Eaton.100 Pendant
 H35 100x30
 E27 42w x 4

Eaton rod suspensions supplied in 13 + 23cm lengths.

Clear glass

SL64906BK
 Eaton Wall Light
 H25 W17 P14
 E27 42w

Shown with LED filament globe.

SL65115
 Island
 L100 W30 S120
 E27 40w x 5

Distressed timber frame



PENDANTS | mid-century statement pieces

OL65621BK

Weston 3lt
D24 H28 S180
E14 40w x 3

NEW



Clear
Glass

OL65623BK

Newham 3lt
D35 H40 S180
E14 40w x 3

NEW



Clear
Glass

OL65625BK

Langdon 4lt
42X42 H60 S180
E14 40w x 4

NEW



No
Glass

OL63744BK

Wainscott.4
L85 W30 S180
E27 60w x 4

NEW



PVC Cord
Suspension

No
Glass

OL63744SB

Wainscott.4
L85 W30 S180
E27 60w x 4

NEW



PVC Cord
Suspension

Satin
Brass

No
Glass

PENDANTS | traditional

OL65963BZ


Gaston 3lt Bronze

H51 D41 S90

E27 60w x 3

NEW

The updated Gaston suite has a painted Bronze finish, with frosted glass.



OL65321/3BK

Rochester 3 Light

H53 D55 S190

E27 40W x 3

NEW



OL65321/3AB

Rochester 3 Light

H53 D55 S190

E27 40W x 3

NEW



OL65951BZ

Gaston 1lt Bronze

H35 D30 S90

E27 60w

NEW



OL65321/5BK

Rochester 5 Light

H55 D63 S190

E27 40W x 5

NEW



OL65321/5AB

Rochester 5 Light

H55 D63 S190

E27 40W x 5

NEW



OL65933BZ

Gaston 3lt CTC

H37 D41

E27 60w x 3

NEW



OL65321/1BK

Rochester Wall Light

H20 W13 P21

E27 40W

NEW



OL65321/1AB

Rochester Wall Light

H20 W13 P21

E27 40W

NEW



PENDANTS | mid-century

SL63511CL
Marconi.18
D18 S120
E27 25w

NEW



Clear glass

This image shows a single Marconi.18 pendant light. It features a clear glass globe with a ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

SL63512CL
Marconi.25
D25 S120
E27 25w

NEW



This image shows a single Marconi.25 pendant light. It features a clear glass globe with a ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

SL63523CL
Marconi Trilight
D18 L90 S120
E27 25w x 3

NEW



This image shows a Marconi Trilight pendant light fixture. It consists of a black horizontal bar with three clear glass globe pendant lights hanging from it. Each globe has a ribbed texture. A small icon of an E27 bulb is shown to the left of the product image.

SL63711CL
Legarno.25
D25 S110
E27 25w

NEW



Clear glass

This image shows a single Legarno.25 pendant light. It features a clear glass globe with a ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

SL63712CL
Legarno.30
D30 S110
E27 25w

NEW



This image shows a single Legarno.30 pendant light. It features a clear glass globe with a ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

SL63723CL
Legarno Trilight
D20 L90 S120
E27 25w x 3

NEW



This image shows a Legarno Trilight pendant light fixture. It consists of a black horizontal bar with three clear glass globe pendant lights hanging from it. Each globe has a ribbed texture. A small icon of an E27 bulb is shown to the left of the product image.

OL63705/13CL
Miller.130
D13 S180
E27 40w

NEW



Clear Ribbed Glass

This image shows a single Miller.130 pendant light. It features a clear glass globe with a vertical ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

OL63705/20CL
Miller.200
D20 S180
E27 40w

NEW



This image shows a single Miller.200 pendant light. It features a clear glass globe with a vertical ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

OL63705/30CL
Miller.300
D30 S180
E27 40w

NEW



This image shows a single Miller.300 pendant light. It features a clear glass globe with a vertical ribbed texture, suspended by a black cord and a black cap. A small icon of an E27 bulb is shown to the left of the product image.

PENDANTS | mid-century

SL63871CL

Twist.20
D20 S150
E27 25w



Satin
brass
metal
ware



Clear optic
swirl glass

SL63825CL

Reno.5
D35 S150
E14 25w x 5



Clear glass
2 x 12cm
3 x 15cm



SL63401BK

Raymont
H19 D13 S160
E27 25w



SL63403BK

Raymont Trilight
D30 S150
E27 25w x 3



Obscure
water
weave
clear glass



OL63611BK

Auburn.1
D14 S180
E27 42w



Clear
glass

OL63612BK

Auburn.2
D15 S180
E27 42w



Clear
glass

OL63613BK

Auburn.3
D15 S180
E27 42w



Clear
glass



PENDANTS | mid-century

OL62255/27CL
Maison.27 Pendant
D27 H20 S150
E27 60w



Ant. brass + black chain suspension.



OL62255/27BL
Maison.27 Pendant
D27 H20 S150
E27 60w



Ant. brass + black chain suspension.



OL62255/27AM
Maison.27 Pendant
D27 H20 S150
E27 60w



Ant. brass + black chain suspension.



OL63501CL
Decant.1
D14 H26 S180
E27 60w



Black cloth covered cord.



OL63503CL
Decant.3
D13 H25 S180
E27 60w



Black cloth covered cord.



OL63504CL
Decant.4
10x10 H26 S180
E27 60w



Black cloth covered cord.





OL63301CL
Mason Jar Clear
H23 D12 S180
E27 42w




Black cloth covered cord.



OL63301GN
Mason Jar Green
H23 D12 S180
E27 42w



Black cloth covered cord.



OL62275/25AB
Raffy.25
D25 S180
E27 40w



Black cloth covered cord.




Obscure Glass

PENDANTS | mid-century

SL64730WH
 Forge.300
 D30 H16 S180
 E27 60w





Complete pendant. ↑ white inside

SL64730BK
 Forge.300
 D30 H16 S180
 E27 60w





↑ white inside

SL64743WH
 Forge.430
 D43 H22 S180
 E27 60w





↑ white inside


SL64743BK
 Forge.430
 D43 H22 S180
 E27 60w






↑ white inside

OL65401BK
 Cottage
 D37 H45 S180
 E27 60w





↑ white inside

OL63251BK
 Chester.18
 H30 D18 S180
 E27 60w





Cloth covered cord

OL63252BK
 Chester.36
 H21 D36 S180
 E27 60w





Cloth covered cord

OL2250MO
 Toledo Matt Opal Glass Shade
 D35 H19
 E27 opening (gallery included)
with OL69321BK
 Albany Cord Black




OL69265/27BK
 Bay.27
 D27 H39 S180
 E27 42w





↑ white inside

PENDANTS | mix + match suspensions

<p>OL69253BC Parti Suspension Brushed Chrome Clear PVC Wire L180 D10 E27 60w</p> 	<p>OL69253WH Parti Suspension White Metalware White PVC Wire</p>	<p>OL69253WC Parti Suspension White Metalware Clear PVC Wire</p>	<p>OL69253BK Parti Suspension Black Metalware Black PVC Wire</p>	<p>OL69251BC Parti Rod Suspension L110 D12 E27 60w</p>
--	---	---	---	---

The PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

OL69254BK
Parti E14 Suspension
L180 D10
E14 40w



NEW


The PARTI E14 suspension has an E14 lampholder for shades with a 28mm shade ring.

<p>OL69321AB Albany Cord Antique Brass S180 D10 E27 60w</p> 	<p>OL69321BK Albany Cord Black</p>	<p>OL69321CH Albany Cord Chrome</p>
<p>OL69321CO OL69321WH Albany Cord Ant Copper Albany Cord White</p>		

The ALBANY suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.


Albany cord and chain suspensions feature cloth covered cords.

OL69322BK
Albany Chain Black
S160 D11
E27 60w



OL69322AB
Albany Chain
Antique Brass

OL69259BK
Parti E27 Wood
Suspension
L180 D10
E27 60w



NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

OL69259WH
Parti E27 Wood
Suspension
L180 D10
E27 60w



NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

MID-CENTURY | mix + match

SL65011BK

Rope Suspension

S120 D12

E27 40w



SL65012BK

Rope Suspension

S200 D12

E27 40w



SL65013BK

Rope 3lt Suspension


W110 S250

E27 40w x 3



1m Chain suspension + each rope 1.4m.

Shown with LED ST64 loop filament lamps.



Canopy L46 W6



SL65011BK
Rope suspension
Shown with G125 LED filament lamp.

Rope 3 light suspension
Shown with Yard 35cm shades.

SL65012BK
Rope suspension
Shown with OL2298/38WH shade.

OL2299/18BK

Cage.18

D15 H18

E27 opening



OL2299/14BK

Cage.14

D14 H18

E27 opening



MID-CENTURY | mix + match

OL2295/35BK
Yard.35 Shade
D35 H26
E27 opening



↑ white inside

OL2295/35WH
Yard.35 Shade
D35 H26
E27 opening



↑ white inside

OL2285/25BK **NEW**
Dawson.25 Shade
D25 H23
E27 opening



↑ white inside

OL2285/25WH **NEW**
Dawson.25 Shade
D25 H23
E27 opening



↑ white inside

OL2295/47BK
Yard.47 Shade
D47 H36
E27 opening



↑ white inside

OL2295/47WH
Yard.47 Shade
D47 H36
E27 opening



↑ white inside



OL2260/27BK **NEW**
Warehouse.27 Shade
D27 H12.5
E27 opening



↑ white inside

OL2260/31BK **NEW**
Warehouse.31 Shade
D31 H16
E27 opening



↑ white inside

OL2260/39BK
Warehouse.39 Shade
D39 H20
E27 opening



↑ white inside

OL2260/27WH **NEW**
Warehouse.27 Shade
D27 H12.5
E27 opening



↑ white inside

OL2260/31WH **NEW**
Warehouse.31 Shade
D31 H16
E27 opening



↑ white inside

OL2260/39WH
Warehouse.39 Shade
D39 H20
E27 opening



↑ white inside

MID-CENTURY | mix + match

OL2255/15CL

Maison.15 Clear Glass Shade

D15 H12

E27 opening



OL2255/15BL

Maison.15 Blue Glass Shade

D15 H12

E27 opening



OL2255/15AM

Maison.15 Amber Glass Shade

D15 H12

E27 opening



OL2270/30BK


Victoriana.30 Shade

D30 H12

E27 opening



↑ white inside



OL2270/30WH

Victoriana.30 Shade

D30 H12

E27 opening



↑ white inside



Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE
Adapter Ring
E27 > B22

Maison, Toledo and Slater shades shown on Albany cord suspensions.

OL2298/38BK

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2298/38WH

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2250CL

Toledo Clear Glass Shade

D35 H19

E27 opening (gallery included)



OL2298/38CO

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2298/38RU

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2250MO

Toledo Matt Opal Glass Shade

D35 H19

E27 opening (gallery included)



DO-IT-YOUR-SELF



OL2210/15
Phil Small
H10.5 D15.5



Opal Matt Glass



OL2210/22
Phil Large
H16 D22.5



Opal Matt Glass



OL2100/15WH
Jetball 15cm
D15




OL2100/15BK
Jetball 15cm
D15




OL2461BK
Tommy
H19.5 D23

NEW



Metal Shade



OL2461WH
Tommy
H19.5 D23

NEW



Metal Shade



OL2465BK
Burton
H20 D17

NEW



Clear Glass



OL2465BR
Burton
H20 D17

NEW



Clear Glass



OL2240
Vamp AB+BC
H16 D30
(Includes antique brass & brushed chrome metalware)
Alabaster finish glass.





OL2243
Pana AB+BC
H16 D31
(Includes antique brass & brushed chrome metalware)
Alabaster finish glass.





OL2420
Nina DIY
H20 D10

NEW



Opal Matt Glass



DO-IT-YOUR-SELF



OL64471/25
Kogo.25 DIY
H25 D20



OL2593BK
Kono 25 DIY Black
D25



OL2593WH
Kono 25 DIY White
D25



OL2567CH
Bling DIY
H22 D19



OL2545BK
Stave
H21 D18

NEW



OL2545WH
Stave
H21 D18

NEW



OL2546BK
Malo.25 DIY
H20.5 D25

NEW



OL2546WH
Malo.25 DIY
H20.5 D25

NEW



OL2547BK
Tellis.18
H21 D18

NEW



OL2547WH
Tellis.18
H21 D18

NEW



OL2580BB
Piato
H7 D22

NEW



OL2580BK
Piato
H7 D22



OL2580WH
Piato
H7 D22



DO-IT-YOUR-SELF



PEG DIY cord sets

- OL2010/30BC** L40
- OL2010/30BK** L40
- OL2010/30WH** L40

- OL2010/50BK** L60
- OL2010/50WH** L60

- OL2010/100BK** L110
- OL2010/100WH** L110

OL2265BK
Vicky DIY
H20 D25

↑ black inside




OL2265WH
Vicky DIY
H20 D25

↑ white inside

OL2265CO
Vicky DIY
H20 D25

↑ copper inside

Various Batten-fix (DIY) Assembly Types



OL2542BK
Maci.18 DIY
H21 D20

OL2542WH
Maci.18 DIY
H21 D20

OL2543BK
Eve.18 DIY
H21 D19

OL2543WH
Eve.18 DIY
H21 D19

WALL LIGHTS

OL54310BK
Lane Wall Light
H23 P17 BD10
E27 60w

NEW

Wood Backplate

OL54310SB
Lane Wall Light
H23 P17 BD10
E27 60w

NEW

Wood Backplate

OL54310WH
Lane Wall Light
H23 P17 BD10
E27 60w

NEW

Wood Backplate

OL55211BK
Salem adjustable Wall Light
BD10 HD10 P25
E27 42w

Switch on the backplate

OL55211WH
Salem adjustable Wall Light
BD10 HD10 P25
E27 42w

Switch on the backplate

OL51121WH
Nimmo Wall Light
W27 H9 P5.5
LED 8w | CTS 3000/4000/5000K

LED **NEW**

Tilt adjustable

OL52103BK
Hotel Wall Light
H25 W10 P19
LED 3w | 4000K

LED

Switch + USB outlet on the backplate

colour temperature 4000K

OL52103WH
Hotel Wall Light
H25 W10 P19
LED 3w | 4000K

LED

Switch + USB outlet on the backplate

colour temperature 4000K

OL53101
Vidar Wall Light
W13 P10 H8
LED 8w | 4000K

LED **NEW**

Solid Timber

colour temperature 4000K

WALL LIGHTS

OL41340BCH

Remo Wall
W30 H15 P10
E27 60w



OL41340GD

Remo Wall
W30 H15 P10
E27 60w



OL41340WH

Remo Wall
W30 H15 P10
E27 60w



OL59079CH

Nova
H30 W12 P11
E27 60w



OL53512

Lia Wall Light
W30 H14 P10
E14 40w



Paintable
plaster up-down
wall washer



OL44331CH

Claw Wall
W30 H15 P9
E27 60w




OL59407

Elba
W28 H23 P11
E27 60w



OL57117CH

Duo.2
W21 H18 P7
E14 40w



OL69217/1BC

Zest Wall
H26 W12 P16
E27 60w



WALL LIGHTS

OL69385AB

Abby Wall Light

P34 H28

E27 60w

NEW



Clear
Glass



OL69385BK

Abby Wall Light

P34 H28

E27 60w

NEW



Clear
Glass



OL69385CH

Abby Wall Light

P34 H28

E27 60w

NEW



Clear
Glass



OL69371AM

Brighton Wall Light

P20 H23

E27 60w



OL69371BL

Brighton Wall Light

P20 H23

E27 60w



OL69371CL

Brighton Wall Light

P20 H23

E27 60w



OL69381BK

Warwick Wall Light

P31 H27

E27 60w



Clear
Glass



OL69387BK

Kilcoy Wall Light

P18 H25

E27 60w

NEW



Clear
Glass



OL69387WH

Kilcoy Wall Light

P18 H25

E27 60w

NEW



Clear
Glass



WALL LIGHTS

SL63731OM

Legarno Wall Light

P29 H34 D20

E27 25w



Opal
Matt
Glass



SL63731CL

Legarno Wall Light

P29 H34 D20

E27 25w



Clear
Glass



SL63831CL

Reno Wall Light

P17.5 H19 D15

E14 25w



Clear
Glass



SL63531OM

Marconi Wall Light

P28 H32 D18

E27 25w



Opal
Matt
Glass



SL63531CL

Marconi Wall Light

P28 H32 D18

E27 25w



Clear
Glass



OL65321/1AB

Rochester Wall Light

H20 W13 P21

E27 40W



Frosted
Glass



SL63311BK

Arlington Wall Light

P20 H35 D11

E27 25w



Opal
Matt
Glass



SL63411BK

Raymont Wall Light

P17 H26 D10

E27 25w



Obscure
Glass



OL65321/1BK

Rochester Wall Light

H20 W13 P21

E27 40W



Frosted
Glass



WALL LIGHTS

OL69463BK
Kinbury
H38.5 P18 BD12
E27 60w

NEW



Opal
Matt
Glass



OL69463SB
Kinbury
H38.5 P18 BD12
E27 60w

NEW



Opal
Matt
Glass



OL69389/1BR
Clayton Wall Bracket
P20 W16
E27 60w

NEW



Satin
Brass
finish

Clear
Glass



OL69473BK
Hopley
H30.5 P18 BD12
E27 60w

NEW



Opal
Matt
Glass



OL69473SB
Hopley
H30.5 P18 BD12
E27 60w

NEW



Opal
Matt
Glass



OL69389/2BR
Clayton Wall Bracket
P20 W40
E27 60w x 2

NEW



Satin
Brass
finish

Clear
Glass



OL69481BK
Heath
H29 W21 P29 BD12
E27 60w

NEW



Clear
Glass



OL69481BR
Heath
H29 W21 P29 BD12
E27 60w

NEW



Clear
Glass




WALL LIGHTS

OL65901BK

Gaston Wall Bracket

H25 W19 P31

E27 60w



Satin
Black
Finish



OL65901BZ

Gaston Wall Bracket

H25 W19 P31

E27 60w



Bronze
Painted
Finish



OL65273/2

Hyort 2 Lt Wall Light

H46 W43

E14 60w x 2



OL50700AB

Swingley Antique Brass

H28 W25 P33

B22 60w



Supplied with
soft-pleat shade.



OL68781WH

Vicky Wall Light

H20 W18 P13

E27 40w



OL68781BK

Vicky Wall Light

H20 W18 P13

E27 40w



SL64906BK

Eaton Wall Light

H25 W17 P14

E27 42w



OL68791BK

Bastia Wall Light

H21 W22 P14

E27 40w



OL68791WH

Bastia Wall Light

H21 W22 P14

E27 40w



WALL LIGHTS

OL50800BP

Picture Polished Brass finish

L36 P17.5

E14 40w x 2



OL50800AB

Picture Antique Brass

L36 P17.5

E14 40w x 2



OL50800CH

Picture Chrome

L36 P17.5

E14 40w x 2



OL50800BK

Picture Matt Black

L36 P17.5

E14 40w x 2



OL69375RB

Derwent Wall Light
(rubbed bronze)

H32 D22 P25

E27 60w



OL69375BK

Derwent Wall Light

H32 D22 P25

E27 60w



OL69373BK

Boulton Wall Bracket
Black

P27 BD11

E27 60w



OL69373CH

Boulton Wall Bracket
Chrome

P27 BD11

E27 60w



OL50903SB

Loxby Satin Brass

W35 H17.5 P21 BD12

E14 40w x 2



OL50903BK

Loxby Matt Black

W35 H17.5 P21 BD12

E14 40w x 2



WALL LIGHTS

OL69377BK

Roxbury adjustable Wall Bracket

P60 H40 SD19

E27 60w



OL50401AB

Bankers Wall Bracket

W27 P21

E27 40w



Green
Glass

OL50401BK

Bankers Wall Bracket

W27 P21

E27 40w



Green
Glass

SL64451BK

Newton Wall Bracket

H28 P21 W18

E14 42w



Clear
Glass

SL64451BB

Newton Wall Bracket

H28 P21 W18

E14 42w



Clear
Glass

Brushed
Brass
finish

OL56213SB

Norbert Wall Bracket

SD15 BD10

E27 60w



Switch
on the
backplate

NEW

Satin
Brass
features

OL69288BB

Pip Wall Bracket

H20 P12.5

E27 60w



Brushed
Brass
finish

OL69288BK

Pip Wall Bracket

H20 P12.5

E27 60w



OL69288WH

Pip Wall Bracket

H20 P12.5

E27 60w



SPOTLIGHTS | wall mounted

UA50913BA

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
LED 3w Integrated
(with switch)



Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



UA50913BK

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
LED 3w Integrated
(with switch)



Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



UA50913WH

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
LED 3w Integrated
(with switch)



Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



OL58733/1BK

Ultra adjustable Wall Light
BD8 HD5.5 L13
Rated GU10 35w
(with switch)



Switch on
the backplate



OL5211BK

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w
(with switch)



Switch on
the backplate




OL52103BK

Hotel Wall Light
H25 W10 P19
LED 3w | 4000K



Switch on
the backplate



OL58733/1WH

Ultra adjustable Wall Light
BD8 HD5.5 L13
Rated GU10 35w
(with switch)




Switch on
the backplate



OL5211WH

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w
(with switch)



Switch on
the backplate



OL52103WH

Hotel Wall Light
H25 W10 P19
LED 3w | 4000K




Switch on
the backplate



SPOTLIGHTS

OL56093BK

Pano 3lt
See Page 064 for more information



OL56096BK


Pano 6lt
See Page 064 for more information



Pano

OL56013/4BK

Bridge 4lt
See Page 065 for more information



OL56013/6BK

Bridge 6lt
See Page 065 for more information




NEW

Bridge

OL56215/4SB

Norbert 4lt Rail
See Page 065 for more information



OL56215/6SB

Norbert 6lt Round
See Page 065 for more information




NEW

Norbert

OL56013/4SB

Bridge 4lt
See Page 065 for more information



OL56013/6SB

Bridge 6lt
See Page 065 for more information



NEW

Bridge


OL85301
L100
2 Light Track Kit
Includes
1 x LF5300/1000BK
2 x OL58615BK
2 x A-LED-670754060 (7W|4000K)

OL85303
L100
3 Light Track Kit
Includes
1 x LF5300/1000BK
3 x OL58615BK
3 x A-LED-670754060 (7W|4000K)


OL85302
L100
2 Light Track Kit
Includes
1 x LF5300/1000WH
2 x OL58615WH
2 x A-LED-690754060 (7W|4000K)

OL85304
L100
3 Light Track Kit
Includes
1 x LF5300/1000WH
3 x OL58615WH
3 x A-LED-690754060 (7W|4000K)

Track - 240v



240v



- LF5300/1000BK** Track Black 1M L100 W3.5 P2
- LF5300/1000WH** Track White 1M L100 W3.5 P2
- LF5300/2000BK** Track Black 2M L200 W3.5 P2
- LF5300/2000WH** Track White 2M L200 W3.5 P2

Oriel Lighting track is available in black or white finish.
240 volt track and lights sold separately.
Single circuit (3 wire) track supplied with live and dead end.
Accessories are available to join multiple Tracks.

Track Accessories

[to suit single circuit / 3wire Track]



LF5301BK Inline (straight) Track joiner



LF5301WH Inline (straight) Track joiner



LF5302BK Power-feed (straight) Track joiner



LF5302WH Power-feed (straight) Track joiner



LF5303BK Flexible Track joiner



LF5303WH Flexible Track joiner



Adjustable 0° to 90°


OL58615BK
Head L8 D6
Rated GU10 35w
(lamp not included)

Baril




OL58615WH
Head L8 D6
Rated GU10 35w
(lamp not included)

Baril




OL58735BK
Head L13 D5.5
Rated GU10 35w
(lamp not included)

Ultra




OL58735WH
Head L13 D5.5
Rated GU10 35w
(lamp not included)

Ultra



LF5355BK
L8 D6 P13
Rated GU10 35w
(lamp not included)

Zero



LF5355WH
L8 D6 P13
Rated GU10 35w
(lamp not included)


Zero



OL56015BK
Head L10 D5.5
Rated GU10 35w
(lamp not included)

Bridge


NEW




OL56015SB
Head L10 D5.5
Rated GU10 35w
(lamp not included)

Bridge

NEW



- OL58810/1BK** Yarra 1lt BD10 HD5.7 P14 Rated GU10 35W
- OL58811/2BK** Yarra 2lt L30 HD5.7 P17
- OL58811/3BK** Yarra 3lt L50 HD5.7 P17
- OL58811/4BK** Yarra 4lt L70 HD5.7 P17



Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.


Yarra shown with LED GU10 lamp.



Matt Black finish



- OL58810/1WH** Yarra 1lt BD10 HD5.7 P14 Rated GU10 35W
- OL58811/2WH** Yarra 2lt L30 HD5.7 P17
- OL58811/3WH** Yarra 3lt L50 HD5.7 P17
- OL58811/4WH** Yarra 4lt L70 HD5.7 P17



Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Yarra shown with LED GU10 lamp.



Matt White finish



LED

450 Lumen
5 Watt

GU10

A-LED-620554060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 450lm

colour temperature
4000K

allumē



Not Suitable for Dimming

LED

580 Lumen
7 Watt

GU10

A-LED-690754060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 580lm

colour temperature
4000K

allumē



Not Suitable for Dimming

LED

580 Lumen
7 Watt

GU10

A-LED-670754060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 580lm

colour temperature
4000K

allumē



Not Suitable for Dimming

LED

500 Lumen
6 Watt

GU10

A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour temperature
3000K

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour temperature
4000K

allumē



Not Suitable for Dimming

SPOTLIGHTS | norton + baril

- OL58770/1RB** Norton 1lt BD8 HD6.5 P18 Rated GU10 35W
 - OL58771/2RB** Norton 2lt L31 HD6.5 P18
 - OL58771/3RB** Norton 3lt L51 HD6.5 P18
- Oil Rubbed Bronze finish

Norton GU10 LED READY

Norton is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Head Dia. 6.5

Norton shown with LED GU10 lamp.



- OL58610/1WH** Baril 1lt BD8 HD6 P14 Rated GU10 35W
- OL58611/2WH** Baril 2lt L30 HD6 P16
- OL58611/3WH** Baril 3lt L50 HD6 P16
- OL58611/4WH** Baril 4lt L70 HD6 P16
- OL58613/1WH** Baril 1lt (with switch) BD8 HD6 P14

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Baril with switch.



Switch on the backplate

Matt White finish



- OL58610/1BK** Baril 1lt BD8 HD6 P14 Rated GU10 35W
- OL58611/2BK** Baril 2lt L30 HD6 P16
- OL58611/3BK** Baril 3lt L50 HD6 P16
- OL58613/1BK** Baril 1lt (with switch) BD8 HD6 P14

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Baril with switch.



Switch on the backplate

Matt Black finish

Baril shown with LED GU10 lamp.

A-LED-670754060
Black GU10





The engineers at SG have designed an excellent LED ready GU10 spotlight - the Zoom.

Designed to accept GU10 LED retrofit lamps of varying lengths. The hood on the Zoom can be extended to cover the lamp or act as a baffle.

You can choose from a wide range of retrofit LED GU10 lamps - for optimum life and performance we recommend the Temperature Controlled (TC) GU10 globe.




A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm
colour temperature **3000K**

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm
colour temperature **4000K**

allumē Not Suitable for Dimming


TC- Temperature Control
This smart globe adapts itself to the luminaire, managing heat and achieving an average life of over 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.



SG75051WH

Zoom LED ready spotlight
BD10 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75056WH

Zoom 3lt LED ready spotlight
BD23 HD7 P18
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75052WH

Zoom LED ready spotlight
L40 BW4 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75053WH

Zoom LED ready spotlight
L58 BW4 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W



Profile R80

LF500/2WH Profile 2lt White L36 W4 P17
LF500/3WH Profile 3lt White L55 W4 P17




Profile R80 - with switch

LF500/1S WH
 Profile 1lt White with switch
 D8 P17



Switch on the backplate



Profile R80

LF500/1WH
 Profile 1lt White
 D8 P17



LED

800
 Lumen
 10 Watt



Retrofit LED R80 style lamp available.
A-LED-7710240

Light Output 800 lumen
 Energy Used 10 watts
 Efficacy 80 lm/w
 Beam Width 180°




Project R80



LF4325WH

Project
 D12.5 C8.5
 R80 E27 100w
 (Fitting only / lamp not inc.)




Project R80



LF4325BCH


Project
 D12.5 C8.5
 R80 E27 100w
 (Fitting only / lamp not inc.)



allumē

WALL LIGHTS | vanity

Mode.CTS



Mode is a wall mounted LED vanity light with a tilt adjustable head.

OL60853/600WH	Mode.60 CTS LED White	L63 H3 P11	10w CTS >Ra84 830lm
OL60853/900WH	Mode.90 CTS LED White	L93 H3 P11	13.5w CTS >Ra84 1100lm
OL60853/1200WH	Mode.120 CTS LED White	L123 H3 P11	16.5w CTS >Ra84 1350lm



OL50316BK

Kinden CTS Picture Light
W60
10w LED CTS



OL69463BK

Kinbury
H38.5 P18 BD12
E27 60w



Opal
Matt
Glass



OL50316SB

Kinden CTS Picture Light
W60
10w LED CTS



OL69473BK

Hopley
H30.5 P18 BD12
E27 60w



Opal
Matt
Glass



RECESSED | wall + cabinet LED

UA4245/3000WH

Peko.6 LED - 3000K | 290lm

Recessed wall fitting complete with driver.

LED 6w (450mA) | >Ra84

W12 H15.5 C10.5x13.5 R7

Peko.6 is only 4cm deep

(Includes Constant Current Driver)



colour temperature
3000K

colour rendition
>Ra84



UA4240/3000WH

Peko.3 LED - 3000K | 130lm

Recessed wall fitting complete with driver.

LED 3w (350mA) | >Ra84

W8 H8 C6.6x7.3 R7

Peko.3 is only 2.5cm deep

(Includes Constant Current Driver)



Peko.3 is only 2.5cm deep.



colour temperature
3000K

colour rendition
>Ra84



UA4245/4000WH

Peko.6 LED - 4000K | 345lm

Recessed wall fitting complete with driver.

LED 6w (450mA) | >Ra84

W12 H15.5 C10.5x13.5 R7

Peko.6 is only 4cm deep

(Includes Constant Current Driver)



colour temperature
4000K

colour rendition
>Ra84



UA4240/4000WH

Peko.3 LED - 4000K | 140lm

Recessed wall fitting complete with driver.

LED 3w (350mA) | >Ra84

W8 H8 C6.6x7.3 R7

Peko.3 is only 2.5cm deep

(Includes Constant Current Driver)



Peko.3 is only 2.5cm deep.



colour temperature
4000K

colour rendition
>Ra84



Magro recessed cabinet light is only 10mm deep.

UA4510WH

Magro White

D7 C6

LED 2w | 82lm

(Requires 12V CV Driver)

colour temperature
3000K

colour rendition
>Ra80



Magro recessed cabinet light requires a 12volt 12watt constant voltage driver.

Up to 4 Magro fittings can be wired in parallel to one 12w driver.



LED-CV12V-12W

12volt 12w constant voltage driver



DOWNLIGHTS | recessed+ surface mounted LED

LF3620WH
Mars.10 LED Downlight
D11.5 C9 R6
LED SMD 10w | 120° | CRI >Ra82 | IP44

CCT 3000K | 700lm
4000K | 785lm
6000K | 725lm

LED **90 mm Cutout** **785 Lumen 10 Watt**

CTS **IP44**

120°

LF3630WH
Mars.15 LED Downlight
D14 C12 R7
LED SMD 15w | 120° | CRI >Ra82 | IP44

CCT 3000K | 1350lm
4000K | 1450lm
6000K | 1350lm

LED **120 mm Cutout** **1450 Lumen 10 Watt**

CTS **IP44**

120°

LF3210/8WH
Aurora.8 LED Downlight
D9.5 C7 R5
LED SMD 8w | 120° | CRI >Ra82 | IP44

CCT 3000K | 560lm
4000K | 640lm
5700K | 560lm

LED **70 mm Cutout** **640 Lumen 8 Watt**

CTS **IP44**

120°

LF3210/10WH
Aurora.10 LED Downlight
D11.5 C9 R5.5
LED SMD 10w | 120° | CRI >Ra82 | IP44

CCT 3000K | 750lm
4000K | 850lm
5700K | 750lm

LED **90 mm Cutout** **850 Lumen 10 Watt**

CTS **IP44**

120°

UA4695BK
Entas LED Black Surface Mounted
D7.5 H11.5
LED 9w | 120° | IP44

CCT 3000K | 650lm
4000K | 775lm
6000K | 685lm

LED **775 Lumen 9 Watt**

CTS **IP44**

120°

colour rendition >Ra82

UA4695WH
Entas LED White Surface Mounted
D7.5 H11.5
LED 9w | 120° | IP44

CCT 3000K | 650lm
4000K | 775lm
6000K | 685lm

LED **775 Lumen 9 Watt**

CTS **IP44**

120°

colour rendition >Ra82

CEILING | LED

OL49861/30BK

Orbis.30 LED
D30 P5
12w LED
CTS | CRI>85 | 750lm



colour rendition
>Ra85

OL49861/30WH

Orbis.30 LED
D30 P5
12w LED
CTS | CRI>85 | 750lm



colour rendition
>Ra85

OL49861/40BK

Orbis.40 LED
D40 P5
24w LED
CTS | CRI>85 | 1500lm



colour rendition
>Ra85

OL49861/40WH

Orbis.40 LED
D40 P5
24w LED
CTS | CRI>85 | 1500lm



colour rendition
>Ra85

OL49861/50BK

Orbis.50 LED
D50 P5
30w LED
CTS | CRI>85 | 1850lm



colour rendition
>Ra85

OL49861/50WH

Orbis.50 LED
D50 P5
30w LED
CTS | CRI>85 | 1850lm



colour rendition
>Ra85

CTS

Colour Temperature Switching

Select your colour temperature option before installing the fitting

3000K Warm White
 4000K Cool White
 5000K Daylight White



The Orbis, like many of our LED light fittings, is TRICOLOUR – featuring CTS (Colour Temperature Switching) allowing the selection of the colour temperature at the time of installation.

The Orbis options are 3000K (warm white) / 4000K (cool white) / 5000K (Daylight). The colour temperature is selected using a switch inside the cover.



CEILING | classic



Remo has an alabaster look glass available with brushed chrome, white or gold finished clips.

OL41040BCH

Remo 1lt Brushed Chrome



Brushed Chrome

OL41040WH

Remo 1lt White



White

OL41040GD

Remo 1lt Brass Plate



Brass Plate

D30 P11

E27 60w



OL41140BCH

Remo 2lt Brushed Chrome



Brushed Chrome

OL41140WH

Remo 2lt White



White

OL41140GD

Remo 2lt Brass Plate



Brass Plate

D40 P15

E27 60w x 2



OL41340BCH

Remo Wall Light Brushed Chrome

W30 H15 P10

E27 60w



OL41340WH

Remo Wall Light White

W30 H15 P10

E27 60w



OL47100WH

Button Ceiling Light

D25 P9

E27 60w



OL41340GD

Remo Wall Light Brass Plate

W30 H15 P10

E27 60w



OL44031CH

Claw 1lt

D30 P9

E27 60w



Claw has an opal matt glass with chrome "claw" clips.



OL44131CH

Claw 2lt

D40 P11

E27 60w x 2



OL44331CH

Claw 1lt Wall Light

W30 H15 P9

E27 60w



OUTDOOR | barn style

OL7890BK

Hudson Black

H32.5 W26 P32

E27 40w



IP44



OL7890WH

Hudson White

H32 W26 P32

E27 40w



IP44



OL7895BK

Unley Black

H29 W13 P24

E27 40w



IP44



OL7895WH

Unley White

H29 W13 P24

E27 40w



IP44



OL7865BK

Moca Black

H45 W27.5 P40

E27 40w



IP44



OL7865WH

Moca White

H45 W27.5 P40

E27 40w



IP44



OUTDOOR | barn style

OL7240BK

Monza Black

H20.5 W16 P21

E27 40w



IP44



OL7240SS

Monza Stainless

H20.5 W16 P21

E27 40w



IP44



OL7240WH

Monza White

H20.5 W16 P21

E27 40w



IP44



OL7643BK

Anzio Black

H31 W24 P28

E27 25w



IP44



OL7643WH

Anzio White

H31 W24 P28

E27 25w



IP44



OL7621BK

North Black

H33 W18 P21

E27 60w



IP44



OL7621GP

North Graphite

H33 W18 P21

E27 60w



IP44



OL7621WH

North White

H33 W18 P21

E27 60w



IP44



OUTDOOR | barn style

OL7880CO

Alley Copper finish

H30 SD29.5 P37

E27 42w



IP44



Clear glass

OL7880BK

Alley Black

H30 SD29.5 P37

E27 42w



IP44



Clear glass

OL7880WH

Alley White

H30 SD29.5 P37

E27 42w



IP44



Clear glass



Outdoor Lighting

These are reasonably priced, medium duty products. Not all outdoor lights are suited or recommended for seaside or high traffic commercial applications. Your lighting advisor will guide you as to their suitability for your application.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results. High-pressure water cleaning is not recommended.



OL7850BK

Domo Black

H36 W17.5 P28

E27 60w



IP44



Clear polycarb diffuser

OL7850GP

Domo Graphite

H36 W17.5 P28

E27 60w



IP44



Clear polycarb diffuser

OL7850WH

Domo White

H36 W17.5 P28

E27 60w



IP44



Clear polycarb diffuser

SG70420BK

Ibiza Black
H51.5 W23 P30
E27 60w



Ibiza can be converted from upward facing to downward facing prior to installation.

IP44



SG70420WH

Ibiza White
H51.5 W23 P30
E27 60w



Ibiza can be converted from upward facing to downward facing prior to installation.

IP44



SG70410BK

Java Mini Black
H44 W16 P28
E27 60w



IP44



SG70410WH

Java Mini White
H44 W16 P28
E27 60w



IP44



Merging form and function, the SG luminaires are constructed and manufactured of high quality materials with a meticulous attention to detail.

These quality luminaires are made of cast powder-coated aluminium with UV-stabilised clear polycarbonate diffusers.

They are highly corrosion resistant and impact resistant.

OUTDOOR | hamptons style

OL7641BK

Portico Black
H24.5 W11 P15
E27 60w



IP44



OL7641WH

Portico White
H24.5 W11 P15
E27 60w



IP44



OL7371BK

Horsham
H32 P23 W18
E27 60w



IP44



OL7401BK

Ascot Down
H33 W17 P22.5
E27 60w



IP44



OL7401WH

Ascot Down
H33 W17 P22.5
E27 60w



IP44



OL7402BK

Ascot Up
H33 W17 P22.5
E27 60w



IP44



OL7402WH

Ascot Up
H33 W17 P22.5
E27 60w



IP44



OUTDOOR | hamptons style

SL64908BK
Oakland 1 Light
H25 W18 P15
E27 25w



Clear glass

IP44

SL64909BK
Oakland 2 Light
H30 W28 P15
E27 25w x 2



Clear glass

IP44

SL64908BC
Oakland 1 Light
H25 W18 P15
E27 25w

Brushed Chrome Plated



Clear glass

IP44

OL7843BK
Pandora Wall Light
H22 W12 P12
E27 40w



Clear glass

IP44

OL7844BK
Pandora Wall Bracket
H38.5 W12 P20
E27 40w



Clear glass

IP44

Nothing looks quite like an LED Vintage Filament bulb in a clear glass, traditional, outdoor light.

The twin-loop ST64 bulb is one of the most popular.



colour temperature
2700K

A-LED-26305222
LED LOOP FILAMENT
ST64 | 5W | 2200K | 300lm

300
Lumen
5 Watt

OL7270BK
Fenchurch Black
H36 W18 P10
E27 60w



Clear glass

IP44

OL7270WH
Fenchurch White
H36 W18 P10
E27 60w



Clear glass

IP44



OL7361BK

Bristol Wall Bracket

H50 W19 P27

E27 42w



Textured
Black finish

IP44



OL7321BK

Newark Wall Bracket

H51 W23 P29

E27 60w



Textured
Black finish

IP44



OL7351BK

Fairview Black

H36 W19 P25

E27 42w



Textured
Black finish

IP44



OL7351WH

Fairview White

H36 W19 P25

E27 42w



Textured
White finish

IP44



OL7119GP

Cortez Pillar Graphite

W30x30 H27

E27 60w



Textured
Graphite
finish

IP44



OL7119BK

Cortez Pillar Black

W30x30 H27

E27 60w



Textured
Black
finish

IP44



OL7661BK

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661GN

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661PR

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7662BK

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662GN

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662PR

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7663WH

Highgate DIY

H16 D28

B22 60w



OL7663BK

Highgate DIY

H16 D28

B22 60w



OL7366BK

Bristol Post Light

H218 D20 BD26

E27 42w



Textured Black finish

IP44



(Complete with post)

OL7326BK

Newark Post Light

H220 D22 BD26

E27 60w



Textured Black finish

IP44



(Complete with post)

OL7669BK

Highgate Post Light

H227 D20 BD26

E27 60w



Textured Black finish

IP44



(Complete with post)

OL7774/1SS

Zeta Single Adjustable

BD10 P19

GU10 35w



IP44



OL7774/3SS

Zeta Triple Adjustable

L45 W6 P19

GU10 35w x 3



IP44



OL7775/1SS

Zeta Single Wall washer

BD7.5 H11.5 P8.5

GU10 35w



IP44



OL7775/2SS

Zeta Up/Down Wall Washer

BD7.5 H20 P8.5

GU10 35w x 2



IP44



OL7774/2SS

Zeta Double Adjustable

L30 W6 P19

GU10 35w x 2



IP44



OL7776/2SS

Zeta 2 Light Round Adjustable

BD11.5 P17

GU10 35w x 2



IP44




ZETA series

Designed for OUTDOOR use with GU10 Globes. (Globe/s not included)

These fittings are supplied without globes, giving you the option of selecting the most appropriate GU10 LED for the application.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the Temperature Control - TC GU10 globe.



GU10 LED

Stainless Steel



Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity.

But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel "revivers" are available and can be used to maintain the finish.

OUTDOOR | contemporary

OL7741CO
Brava Copper
H13.5 W11.5 P9.5
GU10 35w



IP44



Raw materials like copper and brass develop a natural patina over time, and will add to the appeal of a natural setting.

The Oriel Lighting outdoor range are reasonably priced, medium duty products, designed for domestic applications.

IP44

OL7718CO
Comma Up/Down
Wall Washer
H15 P11.5 BD7.5
GU10 35w x 2



IP44

OL7711CO
Comma Single
Adjustable
H15 P20 BD7.5
GU10 35w



IP44

UA7787CO
Oxley Single Adjustable
D6 P18 BD7
GU10 35w



IP65

UA7786CO
Oxley Up/Down Wall Washer
H21 D6 P9 BD7
GU10 35w x 2



IP65

UA7785SS
Oxley Down Wall Washer
H12.5 D6 P9 BD7
GU10 35w



IP65

316



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour temperature **3000K**

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour temperature **4000K**

allumē  Not Suitable for Dimming

OL7718BC
Comma Up/Down
Wall Washer
H15 P11.5 BD7.5
GU10 35w x 2



IP44

OL7711BC
Comma Single
Adjustable
H15 P20 BD7.5
GU10 35w



The nickel plated copper & brass used in the Comma BC gives long life, similar to traditional chrome plated tap ware.

IP44

OL7717BC
Comma Single
Down Wall Washer
H12 P12 BD7.5
GU10 35w



IP44

These fittings are GU10, and supplied without globes.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the Temperature Control - TC GU10 globe.

TC- Temperature Control

This globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs.


If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.

OL7774/1BK

Zeta Single Sdjustable

BD10 P19

GU10 35w




OL7774/3BK

Zeta Triple Adjustable

L45 W6 P19

GU10 35w x 3



The Zeta series in black is powder coated stainless steel.

OL7775/1BK

Zeta Single Wall Washer

H11.5 P8.5 BD7.5

GU10 35w



OL7775/2BK

Zeta Up/Down Wall Washer

H20 P8.5 BD7.5

GU10 35w x 2




OL7774/2BK

Zeta Double Adjustable

L30 W6 P19

GU10 35w x 2



OL7798BK

Latitude Up/Down Wall Washer

H19.5 W7.5 P12.5 Base 7.5x4.5

GU10 35w x 2



NEW



OL7798WH

Latitude Up/Down Wall Washer

H19.5 W7.5 P12.5 Base 7.5x4.5

GU10 35w x 2



NEW



OL7461BK

Tove Single Wall Washer

H17.5 P15.5 BD11

GU10 35w



OL7462BK

Tove Up/Down Wall Washer

H23.5 P15.5 BD11

GU10 35w x 2



OUTDOOR | contemporary

OL7821BK
Atlas Down
H10 W7 P8
GU10 35w

NEW



IP54



OL7822BK
Atlas Up/Down
H16 W7 P8
GU10 35w x 2

NEW



IP54




OL7826BK
Atlas Sensor
H15 W7 P12
GU10 35w

NEW




PIR Sensor

IP54

1.5-2m mounting height

3m 5m 7m



detection area 90°

The PIR (passive infrared sensor) installed on the Atlas Sensor model is designed to operate the fitting when movement is detected.

OL7821WH
Atlas Down
H10 W7 P8
GU10 35w

NEW



IP54



OL7822WH
Atlas Up/Down
H16 W7 P8
GU10 35w x 2

NEW



IP54



OL7826WH
Atlas Sensor
H15 W7 P12
GU10 35w

NEW



PIR Sensor

IP54



OL7831BK
Hera Down
H10 W7 P8
GU10 35w

NEW



IP54



OL7832BK
Hera Up/Down
H16 W7 P8
GU10 35w x 2

NEW



IP54



OL7862BK
Voto Wall Light
H16 W12 P18
GU10 35w

NEW



IP54



OL7831WH
Hera Down
H10 W7 P8
GU10 35w

NEW



IP54



OL7832WH
Hera Up/Down
H16 W7 P8
GU10 35w x 2

NEW



IP54



OL7862WH
Voto Wall Light
H16 W12 P18
GU10 35w

NEW




IP54



SG71201BK
 Kube GU10 Black
 H9 W8 P11.5
 GU10 35w




IP65

SG71301BK
 Metro GU10 Black
 H12 W9 P15
 GU10 35w




IP65

SG71202BK
 Kube GU10 Twin Black
 H18 W8 P11.5
 GU10 35w x 2




IP65

SG71302BK
 Metro GU10 Twin Black
 H23.5 W9 P15
 GU10 35w x 2



IP65

SG70570BK
 Primo Black
 D27 P11
 E27 60w




IP65



SG70570WH
 Primo White
 D27 P11
 E27 60w



IP65

OUTDOOR | LED

OL7190BK
Vanguard Bollard
H78
Base Flange 11x6
LED 10w 720lm
Integral Driver



LED

IP54

OL7193BK
Vanguard Wall Light
H26 H16 W8
LED 10w 720lm
Integral Driver



LED

IP54

OL7194BK
Vanguard Sensor
H26 H16 W8
LED 10w 720lm
Integral Driver
Integral PIR Sensor




LED

PIR Sensor


IP54

1.5-2m mounting height



3m 5m 7m

detection area 90°



The PIR (passive infrared sensor) installed on the Vanguard Sensor model is designed to operate the fitting when movement is detected.

LF7411BK
Varde LED
Single Adjustable
BD7.5 P16.5
6W | 380lumen | 4000K



LED

IP44

colour temperature
4000K

LF7411SS
Varde LED
Single Adjustable
BD7.5 P16.5
6W | 380lumen | 4000K



LED

IP44

colour temperature
4000K

LF7422BK
Varde LED Up/Down
Wall Washer
BD7.5 H16 P9
2 x 6W | 760lumen | 4000K



LED

IP44

colour temperature
4000K

LF7422SS
Varde LED Up/Down
Wall Washer
BD7.5 H16 P9
2 x 6W | 760lumen | 4000K



LED

IP44

colour temperature
4000K

LF7551BK
Kombi LED Bulkhead
19.5x11 P7.5
700lumen | 4000K



LED

colour temperature
4000K

IP54

LF7552BK
Ossen LED Bulkhead
D17.5 P7
700lumen | 4000K



LED

colour temperature
4000K

IP54

LF7552WH
Ossen LED Bulkhead
D17.5 P7
700lumen | 4000K



LED

colour temperature
4000K

IP54

Kombi + Ossen feature an all polycarbonate construction with hidden fixings.

OUTDOOR | wall lights

OL7282BK
 Cheeta Black
 H28 W22 P9
 E27 60w



IP44



OL7282SS
 Cheeta Stainless
 H28 W22 P9
 E27 60w



IP44




OL7293BK
 Cheeta Sensor Black
 H28 W22 P9
 E27 60w



IP44






OL7293SS
 Cheeta Sensor Stainless
 H28 W22 P9
 E27 60w



IP44



The PIR (passive infrared sensor) installed on the Cheeta Sensor model is designed to operate the fitting when movement is detected.

The sensor operates when the ambient light level is below 30 lux, so only at night.

The sensor has a duration timer, the light remains on for approx. 90 seconds duration.

The sensor settings are factory set and not adjustable.

This fitting has a manual override for the sensor.

OL7819SS
 Brick Light 316SS
 W23 H10
 Cutout 21x8.5
 Recess 7.5
 E27 60w



IP54



Recessed "brick lights" are designed to be recessed into brick, block or concrete walls.

OL7125BK
 Oblik Pillar Mount
 15.5x15.5 H20 Base 8x8
 E27 60w



NEW

Opal poly lense


IP44



OL7155BK

Velika Bollard - Buriable

H120 D15
Post Dia. 12
E27 60w



Velika
buriable
model


IP44



OL7156BK

Velika Bollard - With Flange

H100 BD17
Post Dia. 12
E27 60w



Velika with
flange, for
surface
mounting.

IP44



UA7370GP

Terzo Bollard

H65 D12 BD17
E27 10w LED



IP44



OL7190BK

Vanguard Bollard

H78
Base Flange 16x8
LED 10w 720lm
Integral Driver

NEW

LED



IP54



OL7161BK

Tove Bollard

H80 D9 BD13
E27 10w LED



IP44





IP44



OL7010/50OP

Galactic 50cm

E27 100w

OL7010/40OP

Galactic 40cm

E27 100w

OL7010/35OP

Galactic 35cm

E27 100w

OL7010/30OP

Galactic 30cm

E27 100w

OL7010/25OP

Galactic 25cm

E27 60w

OL7010/20OP

Galactic 20cm

E27 40w

OL7021BK

Galactic Pillar Mount Accessory
BD12 H12




Pillar mount suitable for use with all Galactic acrylic balls.

OL7025BK

Galactic Wall Arm Accessory
BD10 P22



Wall arm suitable for use with 20, 25 & 30cm Galactic acrylic balls.



Galactic acrylic balls are designed to fit a 60mm (outside diameter) post.



OL7051/1000BK

Plumb Post 1M with Base Flange
H100 PD6 BD22
Post Dia. 60mm

OL7051/1800BK

Plumb Post 1.8m with Base Flange
H180 PD6 BD22
Post Dia. 60mm



OL7010/20OP+OL7021BK

Galactic 20cm plus Pillar Mount
H30 D20 BD12

IP44



Ball + Pillar Mount ordered separately

OL7010/25OP+OL7021BK

Galactic 25cm plus Pillar Mount
H35 D25 BD12

IP44



Ball + Pillar Mount ordered separately

OL7010/30OP+OL7021BK

Galactic 30cm plus Pillar Mount
H40 D30 BD12

IP44



Ball + Pillar Mount ordered separately

OL7010/20OP+OL7025BK

Galactic 20cm plus Wall Arm
P27.5 W20 BD10

IP44



Ball + Arm ordered separately

OL7010/25OP+OL7025BK

Galactic 25cm plus Wall Arm
P30 W25 BD10

IP44



Ball + Arm ordered separately

OL7010/30OP+OL7025BK

Galactic 30cm plus Wall Arm
P32.5 W30 BD10

IP44




Ball + Arm ordered separately

OL7050/2400BK

Plumb Post 2.4M
H240 PD6
Post Dia. 60mm
Burable model

Plumb posts are aluminium and have an outside diameter of 60mm.



OUTDOOR | bulkhead

OL7960BK
Cheval Black
W22 H15.5 P12.5
E27 60w



IP54



OL7960GP
Cheval Graphite
W22 H15.5 P12.5
E27 60w



IP54



OL7960WH
Cheval White
W22 H15.5 P12.5
E27 60w



IP54



OL7902BK
Tonato Eyelid Black
D30 P10
E27 60w x 2



IP54



OL7902GP
Tonato Eyelid Graphite
D30 P10
E27 60w x 2



IP54



OL7902WH
Tonato Eyelid White
D30 P10
E27 60w x 2



IP54



OL7901BK
Tonato Plain Black
D30 P10
E27 60w x 2



IP54



OL7901GP
Tonato Plain Graphite
D30 P10
E27 60w x 2



IP54



OL7901WH
Tonato Plain White
D30 P10
E27 60w x 2



IP54



OUTDOOR | bulkhead

OL7816BK

Visor Bulkhead Black

L30 H11.5 P13

E27 60w



IP54



OL7816GP

Visor Bulkhead Graphite

L30 H11.5 P13

E27 60w



IP54



OL7816WH

Visor Bulkhead White

L30 H11.5 P13

E27 60w



IP54



OL7971BK

Galaxy Guard

W21.5 H14.5 P10

E27 60w



IP54



OL7973BK

Galaxy Eyelid

W21.5 H14.5 P10

E27 60w



IP54



OL7973WH

Galaxy Eyelid

W21.5 H14.5 P10

E27 60w



IP54



LF7951BK

Osmo Poly Bunker
with glass lense

L20 W12 P10

E27 40w



Frosted
glass

IP54



OL7990BK

Deck Plain

L27 H13 P12

E27 60w



IP54



OL7991BK

Deck Guard

L27 H13 P12

E27 60w



IP54



OL7992BK

Deck Eyelid

L27 H13 P12

E27 60w



Frosted
glass

IP54




LF7951WH

Osmo Poly Bunker
with glass lense

L20 W12 P10

E27 40w



IP54



OUTDOOR | bulkheads by SG

SG70520BK
 Trio Black
 H32 W18.5 P9.5
 E27 60w



IP65



SG70520WH
 Trio White
 H32 W18.5 P9.5
 E27 60w




IP65



SG70520GP
 Trio Graphite
 H32 W18.5 P9.5
 E27 60w



IP65

SG70560BK
 Largo Black
 W24x24 P12
 E27 60w



IP65



SG70560WH
 Largo White
 W24x24 P12
 E27 60w




IP65



SG70560GP
 Largo Graphite
 W24x24 P12
 E27 60w



IP65

SG70522BK
 Trio Mini Black
 H24 W15 P10
 E27 40w



IP65



SG70522WH
 Trio Mini White
 H24 W15 P10
 E27 40w




IP65



SG70522GP
 Trio Mini Graphite
 H24 W15 P10
 E27 40w



IP65



OL7753SS

Luna Stainless

D10 P5

JC G4 20w



IP44



OL7753BK

Luna Black

D10 P5

JC G4 20w



IP44



The LIGHTSCAPING range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.

The powder coated aluminium alloy fittings are the most cost effective solution offering excellent value for money.

OL7148BK

Thax Spike

H39 D7.5 P12

(Inc Spike 17cm)

MR16 20w



IP54



OL7762SS

Accent Spike

H26 D6 L9.5

(Inc Spike 15cm)

MR16 20w



IP44



OL7762BK

Accent Spike

H26 D6 L9.5

(Inc Spike 15cm)

MR16 20w



IP44



240
Lumen
3 Watt



A-LED-610384030

LED MR11 retrofit lamp
3w | 30° | Ra80 | 240lm

colour temperature
4000K

12V AC/DC



Not Suitable for Dimming

590
Lumen
7 Watt



A-LED-680795060

LED MR16 retrofit lamp
7w | 60° | Ra80 | 590lm

colour temperature
5000K

12V AC/DC



Not Suitable for Dimming

300
Lumen
3 Watt



A-LED-9103840

LED JC G4 retrofit lamp
3w | 270° | Ra80 | 300lm

colour temperature
4000K

12V AC/DC



Not Suitable for Dimming

This lamp is suitable for use with most fittings using a JC12v lamp.

Ask your stockist for lamp and transformer compatibility details.





OLA16/314

Gel Connector 12V AC/DC
Used to connect 12V lights
Supplied in a Twin Pack
Suits wire 22-14 AWG



Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15

15m Garden Cable pack

OL7702/30

30m Garden Cable pack



OL7700/60

60va 12V AC
Garden Lighting Transformer
Suitable for use with **allume**
12V AC/DC LED lamps.



IP44

OL7738BK

Pavillion
H57 D15
(Inc Spike 17cm)
JC G4 20w



IP44



OL7737CO

Goya 160 Copper
H65 D17
(Inc Spike 20cm)
JC G4 20w



IP44





OL7766SS

Guide 12V Bollard
H63 D5
(Inc Spike 14cm)
MR11 10w



IP44



-  solid copper
-  stainless steel

OL7737BK

Goya 160 Black
H65 D17
(Inc Spike 20cm)
JC G4 20w



IP44



OL7767SS

Lance 12V Bollard
H64 D4
(Inc Spike 15cm)
JC G4 10w



IP44



ACCESSORIES | assorted


OLA09/414AB
4 1/4" Gallery Antique Brass
D11 H3.5 (E27 Opening)



OLA09/414BK
4 1/4" Gallery Black
D11 H3.5 (E27 Opening)



OLA09/99BK
Batten Holder Cover Black
D8 H3



OLA09/99WH
Batten Holder Cover White
D8 H3



OLA14/8WH
Oyster Knob
Suits ceiling button
D 2 (Thread 4mm)



OLA16/01
Candle drip cover
L10 D3



A-SUCTIONCAP
To make removal of GU10 type
globes easier.



We stock a large range of components, parts and accessories. Ask the sales team for more information.



OLA05/628
Washer
Stepped steel ID3 OD6




OLA05/428
Washer
Dished aluminium ID3 OD6



OLA16/SHADE
Shade adapter
Reduce E27 to B22



A-LVLH/300
12v Lampholder 30cm
A-LVLH/1000
12v Lampholder 100cm



OL47700BC 
Fan Oyster
Brushed Chrome / Gloss Opal
D23 P9 BD20
E27 42w x 2



OL47700WH 
Fan Oyster
White / Gloss Opal
D23 P9 BD20
E27 42w x 2




F30/201-RG
Replacement Glass
D17 H8 LIP15.8
(Suits Clipper style fan light)



OL7700/60
60va 12V AC
Garden Lighting Transformer **IP44**



Lightscaping garden light cable
12V - 18 AWG - 1mm
OL7702/15
15m Pack
OL7702/30
30m Pack



OLA16/314
Gel Connector 12V AC/DC
Used to connect 12V lights
Supplied in a Twin Pack
Suits wire 22-14 AWG



OLA07/6BK
60mm Fitter
Slip fitter to suit 60mm OD pipe.



A60 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



allumē



Visit allumelighting.com.au for more information about our range of lamps & tubes.

ST64 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



C35 (Candle) LED Filament G45 (Fancy Round) LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



G95 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



G125 LED Filament

Dimmable

Visit Oriel Lighting website for available models.



LED



A60 LED General Lighting

Not Dimmable

Visit Oriel Lighting website for available models.




LED



T5 Circular fluorescent tubes

A-T5C-22/840 T5 22w CIRCULAR TUBE 4000K [2GX13] D225mm

A-T5C-40/840 T5 40w CIRCULAR TUBE 4000K [2GX13] D299mm



2GX13
4 pins
2 on each side

12V AC/DC

12V LED Lamps

Not Dimmable

See page 122 or Visit Oriel Lighting website for available models.



MR11

MR16

JC G4

LED



GU10 LED Lamps

Not Dimmable

See page 092 or Visit Oriel Lighting website for available models.



GU10

LED



symbols used in this catalogue



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.

Measuring Light Fittings

All measurements are in centimeters (cm) unless otherwise noted.

We measure fittings in various ways, with the following "prefixes" :

L = Length, W = Width, H = Height, P = Projection,
D = Diameter, BD = Base Diameter, S = Suspension,
C = Cutout, R = Recess, HD = Head Diameter,
SD = Shade Diameter


Generally a pendant is measured as the fitting only, with a separate measurement for the suspension.

If it is unclear, please contact your distributor.

Measuring Lampshades

The measurements are expressed as Top x Bottom x Height, as per the diagram below.

For example, a 34x43x27 shade is 34cm across the top, 43cm across the bottom and 27cm down the side.



E27 lamp holder



Colour temperature of light (° Kelvin)



NEW release this catalogue



PIR Passive InfraRed sensor



E14 lamp holder



Colour rendition of light (CRI)



Down light supplied with a flex + plug



Manual override of motion sensor



B22 lamp holder



Fitting is suitable for dimming



Approximate beam width of light output



GU10 LED globe recommended for this fitting



B15 lamp holder



Fitting is not suitable for dimming



On / Off touch switch suitable for energy saver



MR16 LED globe recommended for this fitting



GU10 lamp holder



Double insulated



Dimmer touch NOT suitable for energy saver



MR11 LED globe recommended for this fitting



Fitted with cordline switch



Suited for indoor use only



Variable touch dimmer



JC LED globe recommended for this fitting



Fitted with a foot switch



May be used outdoor



IC - 4 abutted & covered



GU10 LED globe included with this fitting



Switched B22 lamp holder



This fitting is designed for use with reflector globes



This fitting is designed for use with an LED globe



Integral LED fitting or supplied with LED globe



Circular cut-out dimensions



Square / rectangular cut-out dimensions



Minimum distance to nearest surface



CTS Colour Temperature Switching (Tri-colour)



Targa lamp with USB + wireless charging page 035



USB Socket



Wireless Charging

Unless stated, fittings do not include globes (bulbs). Maximum wattages noted in this catalogue may be reviewed as a result of product development. Globe styles and wattages are recommended only and no responsibility can be taken for damage to fittings or fixtures caused by globes. Care should be taken with all light fittings, heat is generated and can cause injury. No representations are made as to suitability for specific use. Engaging a specifier, lighting consultant or designer is recommended.

All fixed lights, other than "do it your self" models, must be installed by a qualified electrician, in accordance with AS/NZS3000.

Improper use, modification or incorrect installation could cause serious injury to persons or damage to property; and will void warranties.

All reasonable care has been taken to ensure that colours, illustrations and descriptions are correct, however due to printing processes and continuing product research and development we reserve the right to alter specifications at any time. Dimensions are in centimeters (cm), and as accurate as possible - if dimension is critical contact your distributor.

Some products experience "batch" colour variations, this applies specifically to fabric shades and fittings made from natural materials, such as the Earth range.

For detailed terms & conditions of sale, refer to the current Standard Terms & Conditions.

general information

GENERAL INFORMATION

Where an installation or operational instruction sheet is supplied, it should be followed.

All fixed light fittings must be installed by a licensed electrical contractor in accordance with AS/NZS 3000. Installation by any person other than a licensed electrical contractor voids the warranty, and could cause a safety risk.

Fittings should not be modified, any modification voids warranty and could be a safety risk.

Unless indicated, fittings do not include globes (light bulbs); and when globes are included they should be considered to be complimentary.

These fittings are designed for reasonable domestic use, operating in normal conditions and at a normal ambient temperature.

Unless specifically noted, these fittings should be considered to be IP20. Unless noted, they should not be used in damp conditions. They should be regularly dusted & cleaned and should not be used in a caustic or corrosive environment.

Unless noted, fixed fittings require a reliable earth.

Use only the correct globe type and observe the maximum wattage. Failure to do so may result in premature failure of the fitting or in extreme circumstances, fire.

Repairs to light fittings must be undertaken by a suitably qualified person. Some portable lamps (touch lamps) have flexes and plugs which cannot be repaired.

LED FITTINGS

The LED fittings in this catalogue are designed for reasonable domestic or light duty commercial applications.

Not all LED fittings are dimmable, refer to individual fitting specifications. Not all dimmers are suitable for use with dimmable LED luminaires/drivers. Unless specifically noted, a LED fitting should not be installed with a dimmer.

Many are supplied complete with DRIVERS or have built-in or integral drivers. Modification of these fittings supplied as a complete unit may diminish performance and will void warranty.

Where a fitting is not supplied with a driver, a suitable compatible driver must be used - your distributor can advise as to which is the most appropriate.

The installation instructions supplied should be followed to maximise the life of the fitting and installed globes.

Some fittings are suitable for domestic or light duty commercial applications only - your lighting advisor can assist in the correct selection for your application.

Electronic drivers can, in rare circumstances, cause interference with radios, television and other electronic devices.

Not all dimmers or lighting control systems are compatible with all drivers / transformers, some restrictions apply. Confirm suitability with your installing electrician or the distributor. Using an incorrect dimmer may cause premature failure, and will void warranty.

As some fittings have small tolerances for mounting - ensure holes are cut accurately to size. It is recommended to use an actual fitting to gauge the correct hole size as specifications may change due to constant product review and innovation.

Care should be taken when mounting recessed fittings as some surfaces do not allow efficient heat dissipation, and could cause premature fitting failure or even fire. As a general rule recessing into MDF and timber should be avoided.

All installations should be to AS/NZS3000. There are specific requirements for recessed downlights and wall lights.

Ensure good ventilation around the driver and the rear of the light fitting. Mount the driver away from the rear of the luminaire. Ensure all insulation materials are well clear of the light fitting & driver.

White coloured fittings may not be suitable for commercial applications, or for unusually long operating times, as they can discolour in time with excessive exposure to heat.

GU10 (240v) SPOTLIGHTS & WALL LIGHTS

These fittings are suitable for domestic use. Due to potential globe life limitations in some fully enclosed fittings they would not be ideal in commercial applications.

It is not recommended that domestic fittings are run continuously for greater than 8 hours per day on a regular basis.

OUTDOOR LIGHTING

Fittings designed for outdoor use are often not suitable for indoor use.

They are designed to operate at lower ambient temperatures with indoor operation often resulting in premature globe and component failure.

Care should be taken as stainless steel fittings tend to hold the heat of the globe and will be hot to touch.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity. But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look. Regular maintenance of the finish will be required.

If a stainless steel fitting is installed in a harsh environment the use of a surface protecting oil should be considered.
















Our range consists of reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. Many are not recommended for seaside or high traffic commercial applications.


IP Ratings


IP Rating states the resistance of a fitting to the penetration of solid objects (first number) and liquids (second number).

Where applicable, the symbol used in this catalogue is this: **IP65**

This table is a guide to the IP ratings.

Protection from solid objects.		Protection from liquids.			
1		Protected against the entry of solid bodies with dimensions of more than 50mm.	1		Protected against the vertical falling of water drops.
2		Protected against the entry of solid bodies with dimensions of more than 12mm.	2		Protected against the vertical falling of water with a maximum inclination of 15°.
3		Protected against the entry of solid bodies with dimensions of more than 2.5mm.	3		Protected against the vertical falling of water with a maximum inclination of 60°.
4		Protected against the entry of solid bodies with dimensions of more than 1mm.	4		Protected against water sprayed from any direction. Limited ingress permitted.
5		Protected against the entry of dust.	5		Protected against low pressure water jets from any direction. Limited ingress permitted.
6		Totally protected against the entry of dust.	6		Protected against high pressure water jets from any direction. Limited ingress permitted.
Example: IP65			7		Protected against immersion between 15cm and 1m.
Primo (SG70570) is rated IP65 Totally protected from the entry of dust (6) and against low pressure water jets from any direction (5).			8		Protected against long periods of immersion under pressure.

 All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.

 Recycle the packaging and any disused light fittings.



Oriel Lighting (Australia) Pty Ltd
 ABN 87 081 823 985
 PO Box 686, Mt Ommaney 4074
 Phone (07) 3715 9800
 Email: sales@oriel-lighting.com.au
www.oriel-lighting.com.au



Volume 12 no. 1
 December 2023