

“Hey... turn  
the fan on”

**CEILING FAN  
CATALOGUE**  
2023 - 2024

---

 **MARTEC**<sup>®</sup>  
Cooling

## Enhance your living experience with Martec®

After more than six decades Martec® has become one of Australia's leading providers of cooling, lighting, heating and exhaust products. Our focus has always been on providing our customers with the highest quality, best in class and competitively affordable products and solutions to suit every lifestyle.

Our relentless dedication to continuing development, puts Martec® at the forefront of innovation and design. As a result, we are launching a whole **NEW** range of **Smart DC Ceiling Fans** just in time to beat the heat in the hot summer months.

The NEW range come in a wide selection of colours and sizes, as well as 5 stage changeable colour temperature between 2700K to 6000K with variable dimming. These Smart DC Ceilings Fans are highly energy efficient and quiet, and supplied with a **WiFi remote control**. The WiFi remote control has 6 fan speed settings, a unique comfort sleep setting and breeze mode which give you a comfortable sleep throughout the night.

### The Martec® Promise

A strong commitment to the principles of quality, service and attention to detail ensures we transform these values into unique and dynamic outcomes that are second to none. In summary, Martec® is committed to providing an unrivalled product and service offer to its many valued customers.

# CONTENTS

Scan to view  
the catalogue or  
download a copy.



**NEW**

## SMART DC CEILING FANS



Viper DC 3 p.12



Viper DC 4 p.14



Elite DC p.16



Avoca DC p.19



Scorpion DC p.23



Riviera DC p.26



Hampton DC p.28



Genoa DC p.30



Carrara DC p.32



Fresno DC p.34



Daytona DC p.36



Mallorca DC p.38



Mallorca Mini DC p.40



Norfolk DC p.43



Norfolk Aero DC p.46



Kingston DC p.48

## DC CEILING FANS



Metro p.52



Newport p.55



Wave p.58



Albatross p.61



Albatross Mini p.64

## AC CEILING FANS



Discovery II p.69



Link p.73



Lifestyle p.77



Razor p.80



Precision p.83



Governor p.86

## ACCESSORIES



Remote Control p.90



DC Wall Controller p.91



Downrods p.94

## WARRANTY GUIDE



CEILING FANS

\*3 Year In-home  
+ additional 3 Years  
Replacement  
on the motor only



REMOTE CONTROL/  
WALL CONTROLLER

1 Year In-home  
warranty



ACCESSORIES

1 Year Replacement  
warranty

\*Visit website for further information regarding warranty terms and conditions.

# CEILING FAN SIZE GUIDE

ROOM SIZE / TYPE					
	Study / Small Bedroom	Office / Medium Bedroom / Small Living Room	Large Bedroom / Large Living Room / Home Theatre	Rumpus Room / Large Living Room	
	Up to 12m <sup>2</sup> (3.5m x 3.5m)	Up to 18m <sup>2</sup> (4m x 4.5m)	Up to 30m <sup>2</sup> (5m x 6m)	Up to 40m <sup>2</sup> (6.5m x 6m)	
Ceiling Fan Size	1067mm (42")	1220mm (48")	1320mm (52")	1420mm (56")	
<b>NEW</b> Smart DC Ceiling Fan	Viper DC	✓	✓	✓	
	Elite DC	✓	✓		
	Avoca DC		✓	✓	
	Scorpion DC	✓	✓	✓	
	Riviera DC		✓	✓	
	Hampton DC		✓	✓	
	Genoa DC	✓	✓		
	Carrara DC	✓	✓	✓	
	Fresno DC		✓	✓	
	Daytona DC		✓	✓	
	Mallorca DC	✓	✓	✓	
	Norfolk DC	✓	✓		
	Norfolk Aero DC	Recommended for large combined living and dining areas. Alfresco and BBQ areas.			
	Kingston DC	✓	✓		
DC Ceiling Fan	Metro		✓		
	Newport	✓	✓	✓	
	Wave	✓	✓	✓	
	Albatross	Recommended for large combined living and dining areas. Alfresco and BBQ areas.			
Albatross Mini	Recommended for large combined living and dining areas. Alfresco and BBQ areas.				
AC Ceiling Fan	Discovery II	✓	✓	✓	
	Link	✓	✓		
	Lifestyle	✓	✓	✓	
	Razor	✓	✓		
	Precision	✓	✓	✓	
	Governor	✓	✓	✓	

# CEILING FAN APPLICATION GUIDE

ROOM SIZE / TYPE				
Ceiling Fan (DC / AC)	Indoor Use	Covered Outdoor*	Tropical Rated	Coastal Rated
<b>NEW</b> Smart DC Ceiling Fan	Viper DC	✓	✓	✓
	Elite DC	✓	✓	
	Avoca DC	✓	✓	
	Scorpion DC	✓	✓	
	Riviera DC	✓	✓**	
	Hampton DC	✓	✓	
	Genoa DC	✓	✓	
	Carrara DC	✓	✓	
	Fresno DC	✓	✓	
	Daytona DC	✓	✓	✓
	Mallorca DC	✓	✓	
	Norfolk DC	✓	✓	
	Norfolk Aero DC	✓	✓	
	Kingston DC	✓	✓	
DC Ceiling Fan	Metro	✓	✓	
	Newport	✓	✓	
	Wave	✓	✓	
	Albatross	✓	✓	
Albatross Mini	✓	✓		
AC Ceiling Fan	Discovery II	✓	✓	
	Link	✓		
	Lifestyle	✓		
	Razor	✓		
	Precision	✓	✓	✓
	Governor	✓	✓	✓

\*Covered outdoor means alfresco and BBQ area in a residential dwelling.

\*\*Matt white and Matt black models only.

# Remote Controls Explained

**NEW**

## WIFI REMOTE CONTROL

(supplied with **ALL smart** DC ceiling fans see p.12-p.49)

**Light on/off**  
Fan LED Light models only

**Light Dimming (Lower)**  
Fan LED Light models only

**Light Dimming (Higher)**  
Fan LED Light models only

**Fan off only**

**Breeze Mode**  
Randomly rotates between speeds 1 & 6. Creating a natural breeze effect

**Colour Temperature**  
Change between 5 light colours 2700k/3000k/4000k/5000k/6000k  
Fan LED Light models only

**Timer**  
Turns the fan off in 1, 4 or 8 hours

**Fan Speeds**  
6 - Highest  
1 - Lowest

**Summer/Winter Reverse Mode**

**Sleep Mode**  
Operates lower than speed 1

Operate via Smart Life App Compatible with Google Home & Alexa.

## REMOTE CONTROL

(supplied with **ALL non-smart** DC ceiling fans see p.52-p.65)

**Fan Speeds**  
1 - Highest  
5 - Lowest

**Light on/off**  
Fan LED Light models only

**Timer**  
Turns the fan off in 1, 2, 4 or 8 hours

**Summer/Winter Reverse Mode**

**Fan off only**





**NEW**

## SMART DC CEILING FANS

### ADVANTAGES OF DC MOTOR CEILING FANS

#### High Efficiency

DC motors on average consume less energy than conventional ceiling fan motors.

#### Speed Control

DC motor controllers provide up to 8 speed settings and an easy to use reversing function for summer and winter operation.

#### Light Weight

DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to install for electricians.

#### Quiet Operation

DC motors are very quiet when in operation, ideal for bedrooms.

#### Remote Control

Smart DC ceiling fans can be operated via a Smart DC remote control (supplied with unique comfort sleep and breeze mode + 6 other speed settings)

# VIPER DC 3

Best-in-class airflow

6  
YEAR

Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tropical  
Rated



6000K  
2700K

CCT



Variable  
Dimming



Matt Black

## FAN ONLY

Supplied  
With

WiFi Remote Control  
and Timer



Matt White



Matt Black

## FAN LED LIGHT

Supplied  
With

WiFi Remote Control,  
Light and Timer



Matt White


## FEATURES

- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	36W	36W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	17,640m <sup>3</sup> /hr	17,640m <sup>3</sup> /hr
SPEED 5	14,200m <sup>3</sup> /hr	14,200m <sup>3</sup> /hr
SPEED 4	13,600m <sup>3</sup> /hr	13,600m <sup>3</sup> /hr
SPEED 3	12,800m <sup>3</sup> /hr	12,800m <sup>3</sup> /hr
SPEED 2	11,400m <sup>3</sup> /hr	11,400m <sup>3</sup> /hr
SPEED 1 (LOWEST)	8,500m <sup>3</sup> /hr	8,500m <sup>3</sup> /hr
BLADE PITCH	14°	14°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2120lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MVDC133W	MVDC1333W
MATT BLACK	MVDC133M	MVDC1333M

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# VIPER DC 4

Best-in-class airflow

-  6 YEAR Warranty
-  Wi-Fi
-  Indoor Cover Outdoor Use
-  Summer/Winter Reverse Function
-  Tropical Rated
-  CCT
-  Variable Dimming



Matt Black

## FAN ONLY

Supplied With

WiFi Remote Control and Timer



Matt White



Matt Black

## FAN LED LIGHT

Supplied With

WiFi Remote Control, Light and Timer



Matt White


## FEATURES

- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	36W	36W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	17,640m <sup>3</sup> /hr	17,640m <sup>3</sup> /hr
SPEED 5	14,200m <sup>3</sup> /hr	14,200m <sup>3</sup> /hr
SPEED 4	13,600m <sup>3</sup> /hr	13,600m <sup>3</sup> /hr
SPEED 3	12,800m <sup>3</sup> /hr	12,800m <sup>3</sup> /hr
SPEED 2	11,400m <sup>3</sup> /hr	11,400m <sup>3</sup> /hr
SPEED 1 (LOWEST)	8,500m <sup>3</sup> /hr	8,500m <sup>3</sup> /hr
BLADE PITCH	14°	14°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2120lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MVDC134W	MVDC1343W
MATT BLACK	MVDC134M	MVDC1343M

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY

FAN LED LIGHT



# ELITE DC

Timeless design

-  6 YEAR Warranty
-  Wi-Fi
-  Indoor Cover Outdoor Use
-  Summer/Winter Reverse Function
-  CCT
-  Variable Dimming



Matt Black

## FAN ONLY

Supplied With

WiFi Remote Control and Timer



Matt White



Matt Black



Matt Black/Walnut

## FAN LED LIGHT

Supplied With

WiFi Remote Control, Light and Timer



Matt White



Matt Black/Walnut

## FEATURES

- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	36W	36W
BLADE DIAMETER	1220mm (48")	1220mm (48")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	14,000m <sup>3</sup> /hr	14,000m <sup>3</sup> /hr
SPEED 5	11,200m <sup>3</sup> /hr	11,200m <sup>3</sup> /hr
SPEED 4	9,120m <sup>3</sup> /hr	9,120m <sup>3</sup> /hr
SPEED 3	7,750m <sup>3</sup> /hr	7,750m <sup>3</sup> /hr
SPEED 2	6,290m <sup>3</sup> /hr	6,290m <sup>3</sup> /hr
SPEED 1 (LOWEST)	4,680m <sup>3</sup> /hr	4,680m <sup>3</sup> /hr

BLADE PITCH	10°	10°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1950lm
RATED LIFETIME	-	30,000 hrs @ Ta25°C


ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MEDC123W	MEDC1233W
MATT BLACK	MEDC123M	MEDC1233M
MATT BLACK / WALNUT	MEDC123MW	MEDC1233MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# AVOCA DC

Smart and Wi-Fi connectivity



Matt White

## FAN ONLY

Supplied With



WiFi Remote Control and Timer



Matt White



Matt Black



Matt White/Oak

## FAN LED LIGHT


Supplied With



WiFi Remote Control, Light and Timer



Matt Black



Matt White/Oak

# AVOCA DC

Smart and Wi-Fi connectivity


SPECIFICATIONS	FAN ONLY		FAN LED LIGHT	
	45W	45W	45W	45W
POWER WATTAGE	45W	45W	45W	45W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr				
SPEED 6 (HIGHEST)	10,530m <sup>3</sup> /hr		10,530m <sup>3</sup> /hr	
SPEED 5	9,500m <sup>3</sup> /hr		9,500m <sup>3</sup> /hr	
SPEED 4	8,100m <sup>3</sup> /hr		8,100m <sup>3</sup> /hr	
SPEED 3	7,050m <sup>3</sup> /hr		7,050m <sup>3</sup> /hr	
SPEED 2	4,800m <sup>3</sup> /hr		4,800m <sup>3</sup> /hr	
SPEED 1 (LOWEST)	2,800m <sup>3</sup> /hr		2,800m <sup>3</sup> /hr	
BLADE PITCH	10°		10°	
LIGHTING WATTAGE / TYPE	-		20W LED	
COLOUR TEMPERATURE	-		2700K / 3000K / 4000K / 5000K / 6000K	
LUMEN OUTPUT	-		Up to 2500lm	
RATED LIFETIME	-		50,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LED LIGHT	
MATT WHITE	MADC123WWR	MADC133WWR	MADC1233WWR	MADC1333WWR
MATT BLACK	MADC123MMR	MADC133MMR	MADC1233MMR	MADC1333MMR
MATT WHITE / OAK	MADC123WOR	MADC133WOR	MADC1233WOR	MADC1333WOR

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M


## FEATURES

- Brushless quiet and efficient 45W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)


## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# SCORPION DC

Robust design



6 YEAR  
Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt White

FAN ONLY

Supplied  
With



WiFi Remote Control  
and Timer



Matt White



Matt Black



Graphite/Carbon  
(1320mm model only)

FAN LED LIGHT

Supplied  
With



WiFi Remote Control,  
Light and Timer



Matt Black



Graphite/Carbon  
(1320mm model only)

# SCORPION DC

Robust design


SPECIFICATIONS	FAN ONLY		FAN LED LIGHT	
	POWER WATTAGE	34W	34W	34W
BLADE DIAMETER	1066mm (42")	1320mm (52")	1066mm (42")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr				
SPEED 6 (HIGHEST)	10,300m <sup>3</sup> /hr		10,300m <sup>3</sup> /hr	
SPEED 5	9,020m <sup>3</sup> /hr		9,020m <sup>3</sup> /hr	
SPEED 4	8,540m <sup>3</sup> /hr		8,540m <sup>3</sup> /hr	
SPEED 3	7,700m <sup>3</sup> /hr		7,700m <sup>3</sup> /hr	
SPEED 2	6,680m <sup>3</sup> /hr		6,680m <sup>3</sup> /hr	
SPEED 1 (LOWEST)	5,640m <sup>3</sup> /hr		5,640m <sup>3</sup> /hr	
BLADE PITCH	13°		13°	
LIGHTING WATTAGE / TYPE	-		20W LED	
COLOUR TEMPERATURE	-		2700K / 3000K / 4000K / 5000K / 6000K	
LUMEN OUTPUT	-		Up to 2400lm	
RATED LIFETIME	-		35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LED LIGHT	
MATT WHITE	MSDC103W	MSDC133W	MSDC1033W	MSDC1333W
MATT BLACK	MSDC103M	MSDC133M	MSDC1033M	MSDC1333M
GRAPHITE / CARBON	-	MSDC133GC	-	MSDC1333GC

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M


## FEATURES

- Brushless quiet and efficient 34W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# RIVIERA DC

Slim by design

6  
YEAR

Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt Black

## FAN ONLY

Supplied  
With



WiFi Remote Control  
and Timer



Matt White



Matt Black



Antique Bronze/Charcoal\*

## FAN LED LIGHT

Supplied  
With



WiFi Remote Control,  
Light and Timer



Matt White



Antique Bronze/Charcoal\*

## FEATURES


- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	12,000m <sup>3</sup> /hr	12,000m <sup>3</sup> /hr
SPEED 5	10,000m <sup>3</sup> /hr	10,000m <sup>3</sup> /hr
SPEED 4	8,000m <sup>3</sup> /hr	8,000m <sup>3</sup> /hr
SPEED 3	6,000m <sup>3</sup> /hr	6,000m <sup>3</sup> /hr
SPEED 2	4,000m <sup>3</sup> /hr	4,000m <sup>3</sup> /hr
SPEED 1 (LOWEST)	2,000m <sup>3</sup> /hr	2,000m <sup>3</sup> /hr
BLADE PITCH	13°	13°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MRDC133W	MRDC1333W
MATT BLACK	MRDC133M	MRDC1333M
ANTIQUE BRONZE / CHARCOAL	MRDC133ACH*	MRDC1333ACH*


\*Indoor applications only.

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
900mm Downrod WiFi Antique Bronze	MDRDWIFI36AB
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# HAMPTON DC

A statement in style



Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt Black

## FAN ONLY

Supplied  
With

WiFi Remote Control  
and Timer



Matt White



Matt Black



Matt White/Oak

## FAN LED LIGHT

Supplied  
With

WiFi Remote Control,  
Light and Timer



Matt White



Matt White/Oak

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	40W	40W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	15,600m <sup>3</sup> /hr	15,600m <sup>3</sup> /hr
SPEED 5	12,700m <sup>3</sup> /hr	12,700m <sup>3</sup> /hr
SPEED 4	9,260m <sup>3</sup> /hr	9,260m <sup>3</sup> /hr
SPEED 3	7,900m <sup>3</sup> /hr	7,900m <sup>3</sup> /hr
SPEED 2	6,440m <sup>3</sup> /hr	6,440m <sup>3</sup> /hr
SPEED 1 (LOWEST)	4,860m <sup>3</sup> /hr	4,860m <sup>3</sup> /hr

BLADE PITCH	14°	14°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1955lm
RATED LIFETIME	-	30,000 hrs @ Ta25°C


ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MHDC134W	MHDC1343W
MATT BLACK	MHDC134M	MHDC1343M
MATT WHITE / OAK	MHDC134WO	MHDC1343WO

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M


## FEATURES

- Brushless quiet and efficient 40W DC motor
- WiFi connectivity and operate via Smart Life application
- Slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# GENOA DC

Minimal sophistication

-  6 YEAR Warranty
-  Wi-Fi
-  Indoor Cover Outdoor Use
-  Summer/Winter Reverse Function
-  CCT
-  Variable Dimming



Matt Black

## FAN ONLY

Supplied With

WiFi Remote Control and Timer



Matt White



Matt Black

## FAN LED LIGHT

Supplied With

WiFi Remote Control, Light and Timer



Matt White


## FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1270mm (50")	1270mm (50")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	14,000m³/hr	14,000m³/hr
SPEED 5	11,425m³/hr	11,425m³/hr
SPEED 4	9,690m³/hr	9,690m³/hr
SPEED 3	7,500m³/hr	7,500m³/hr
SPEED 2	TBA	TBA
SPEED 1 (LOWEST)	4,660m³/hr	4,660m³/hr
BLADE PITCH	17°	17°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MGDC133W	MGDC1333W
MATT BLACK	MGDC133M	MGDC1333M

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# CARRARA DC

Small room performer



Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt Black

## FAN ONLY

Supplied  
With

WiFi Remote Control  
and Timer



Matt White



Matt Black

## FAN LED LIGHT

Supplied  
With

WiFi Remote Control,  
Light and Timer




Matt White

## FEATURES


- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1220mm (48")	1220mm (48")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	13,800m <sup>3</sup> /hr	13,800m <sup>3</sup> /hr
SPEED 5	11,270m <sup>3</sup> /hr	11,270m <sup>3</sup> /hr
SPEED 4	9,410m <sup>3</sup> /hr	9,410m <sup>3</sup> /hr
SPEED 3	7,250m <sup>3</sup> /hr	7,250m <sup>3</sup> /hr
SPEED 2	4,520m <sup>3</sup> /hr	4,520m <sup>3</sup> /hr
SPEED 1 (LOWEST)	2,500m <sup>3</sup> /hr	2,500m <sup>3</sup> /hr
BLADE PITCH	15°	15°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MCDC124W	MCDC1243W
MATT BLACK	MCDC124M	MCDC1243M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# FRESNO DC

Stylish practicality

-  6 YEAR  
Warranty
-  Wi-Fi
-  Indoor Cover  
Outdoor Use
-  Summer/Winter  
Reverse Function
-  CCT
-  Variable  
Dimming



## FAN ONLY

Supplied With



WiFi Remote Control  
and Timer



## FAN LED LIGHT

Supplied With



WiFi Remote Control,  
Light and Timer




SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	14,700m <sup>3</sup> /hr	14,700m <sup>3</sup> /hr
SPEED 5	12,170m <sup>3</sup> /hr	12,170m <sup>3</sup> /hr
SPEED 4	10,170m <sup>3</sup> /hr	10,170m <sup>3</sup> /hr
SPEED 3	7,830m <sup>3</sup> /hr	7,830m <sup>3</sup> /hr
SPEED 2	4,890m <sup>3</sup> /hr	4,890m <sup>3</sup> /hr
SPEED 1 (LOWEST)	2,500m <sup>3</sup> /hr	2,500m <sup>3</sup> /hr
BLADE PITCH	15°	15°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1415lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MFDC133W	MFDC1333W
MATT BLACK	MFDC133M	MFDC1333M


## FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# DAYTONA DC

IP55 rated

6  
YEAR

Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tropical  
Rated



Coastal  
Rated



6000k  
2700k  
CCT



Variable  
Dimming



Matt Black

## FAN ONLY

Supplied  
With

WiFi Remote Control  
and Timer



Matt Black

## FAN LED LIGHT

Supplied  
With

WiFi Remote Control,  
Light and Timer




Matt Black

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	11,300m <sup>3</sup> /hr	11,300m <sup>3</sup> /hr
SPEED 5	8,940m <sup>3</sup> /hr	8,940m <sup>3</sup> /hr
SPEED 4	8,340m <sup>3</sup> /hr	8,340m <sup>3</sup> /hr
SPEED 3	6,060m <sup>3</sup> /hr	6,060m <sup>3</sup> /hr
SPEED 2	5,340m <sup>3</sup> /hr	5,340m <sup>3</sup> /hr
SPEED 1 (LOWEST)	3,780m <sup>3</sup> /hr	3,780m <sup>3</sup> /hr
BLADE PITCH	18°	18°
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2360lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT BLACK	MDDC133M	MDDC1333M


## FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- IP55 rated ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 24W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)
- Supplied with 2 downrods

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# MALLORCA DC

Architecturally designed



Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt Black/Walnut

## FAN ONLY

Supplied  
With

WiFi Remote Control  
and Timer



Matt White/Natural



Matt Black/Walnut

## FAN LED LIGHT

Supplied  
With

WiFi Remote Control,  
Light and Timer



Matt White/Natural


## FEATURES

- Brushless quiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	8,540m <sup>3</sup> /hr	8,540m <sup>3</sup> /hr
SPEED 5	7,995m <sup>3</sup> /hr	7,995m <sup>3</sup> /hr
SPEED 4	7,100m <sup>3</sup> /hr	7,100m <sup>3</sup> /hr
SPEED 3	6,250m <sup>3</sup> /hr	6,250m <sup>3</sup> /hr
SPEED 2	5,265m <sup>3</sup> /hr	5,265m <sup>3</sup> /hr
SPEED 1 (LOWEST)	4,120m <sup>3</sup> /hr	4,120m <sup>3</sup> /hr
BLADE PITCH	8°	8°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2120lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / NATURAL	MMDC133WN	MMDC1333WN
MATT BLACK / WALNUT	MMDC133MW	MMDC1333MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# MALLORCA MINI DC

Architecturally designed



Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt Black/Walnut

## FAN ONLY

Supplied  
With

WiFi Remote Control  
and Timer



Matt White/Natural



Matt Black/Walnut

## FAN LED LIGHT

Supplied  
With

WiFi Remote Control,  
Light and Timer



Matt White/Natural


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1066mm (42")	1066mm (42")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	8,540m <sup>3</sup> /hr	8,540m <sup>3</sup> /hr
SPEED 5	7,995m <sup>3</sup> /hr	7,995m <sup>3</sup> /hr
SPEED 4	7,100m <sup>3</sup> /hr	7,100m <sup>3</sup> /hr
SPEED 3	6,250m <sup>3</sup> /hr	6,250m <sup>3</sup> /hr
SPEED 2	5,265m <sup>3</sup> /hr	5,265m <sup>3</sup> /hr
SPEED 1 (LOWEST)	4,120m <sup>3</sup> /hr	4,120m <sup>3</sup> /hr
BLADE PITCH	8°	8°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2120lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / NATURAL	MMDC103WN	MMDC1033WN
MATT BLACK / WALNUT	MMDC103MW	MMDC1033MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M


## FEATURES

- Brushless quiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# NORFOLK DC

Functional elegance



6 YEAR  
Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Matt White/Natural

## FAN ONLY

Supplied  
With



WiFi Remote Control  
and Timer



Matt White/Natural



Matt White/White Wash



Matt Black/Walnut

## FAN LED LIGHT


Supplied  
With



WiFi Remote Control,  
Light and Timer



Matt White/White Wash



Matt Black/Walnut

# NORFOLK DC

Functional elegance


SPECIFICATIONS	FAN ONLY		FAN LED LIGHT	
	POWER WATTAGE	18W	32W	18W
BLADE DIAMETER	1220mm (48")	1420mm (56")	1220mm (48")	1420mm (56")
AIR MOVEMENT m <sup>3</sup> /hr				
SPEED 6 (HIGHEST)	8,860m <sup>3</sup> /hr	9,950m <sup>3</sup> /hr	8,860m <sup>3</sup> /hr	9,950m <sup>3</sup> /hr
SPEED 5	5,610m <sup>3</sup> /hr	7,850m <sup>3</sup> /hr	5,610m <sup>3</sup> /hr	7,850m <sup>3</sup> /hr
SPEED 4	4,520m <sup>3</sup> /hr	6,780m <sup>3</sup> /hr	4,520m <sup>3</sup> /hr	6,780m <sup>3</sup> /hr
SPEED 3	5,367m <sup>3</sup> /hr	5,530m <sup>3</sup> /hr	5,367m <sup>3</sup> /hr	5,530m <sup>3</sup> /hr
SPEED 2	4,168m <sup>3</sup> /hr	4,080m <sup>3</sup> /hr	4,168m <sup>3</sup> /hr	4,080m <sup>3</sup> /hr
SPEED 1 (LOWEST)	3,780m <sup>3</sup> /hr	3,260m <sup>3</sup> /hr	3,780m <sup>3</sup> /hr	3,260m <sup>3</sup> /hr
BLADE PITCH	9°		9°	
LIGHTING WATTAGE / TYPE	-		20W LED	
COLOUR TEMPERATURE	-		2700K / 3000K / 4000K / 5000K / 6000K	
LUMEN OUTPUT	-		Up to 2420lm	
RATED LIFETIME	-		35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LED LIGHT	
MATT WHITE / NATURAL	MNDC123WN	MNDC143WN	MNDC1233WN	MNDC1433WN
MATT WHITE / WHITE WASH	MNDC123WW	MNDC143WW	MNDC1233WW	MNDC1433WW
MATT BLACK / WALNUT	MNDC123MW	MNDC143MW	MNDC1233MW	MNDC1433MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M


## FEATURES

- Brushless quiet and efficient 18W or 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low profile designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# NORFOLK AERO DC

Form meets function

-  6 YEAR Warranty
-  Wi-Fi
-  Indoor Cover Outdoor Use
-  Summer/Winter Reverse Function
-  CCT
-  Variable Dimming



Walnut

FAN ONLY

Supplied With

WiFi Remote Control and Timer



Natural



White Wash

## FEATURES

- Brushless quiet and efficient 30W or 50W DC motor
- WiFi connectivity and operate via Smart Life application
- Low profile designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control

NB: Motor and blades are sold separately. Choose your motor (Step 1) and blade pack (Step 2) from below to order a complete unit.

## Step 1.

ORDERING CODE	MOTOR ONLY
MATT WHITE	MNDCW
MATT BLACK	MNDCM


## Step 2.

SPECIFICATIONS	BLADE PACK	
BLADE DIAMETER	1765MM (70")	2175mm (86")
POWER WATTAGE	30W	50W
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	10,200m <sup>3</sup> /hr	12,750m <sup>3</sup> /hr
SPEED 5	9,052m <sup>3</sup> /hr	11,201m <sup>3</sup> /hr
SPEED 4	8,521m <sup>3</sup> /hr	9,287m <sup>3</sup> /hr
SPEED 3	6,878m <sup>3</sup> /hr	8,214m <sup>3</sup> /hr
SPEED 2	5,230m <sup>3</sup> /hr	6,973m <sup>3</sup> /hr
SPEED 1 (LOWEST)	3,150m <sup>3</sup> /hr	4,913m <sup>3</sup> /hr
BLADE PITCH	9°	9°

ORDERING CODE	FAN ONLY	
NATURAL	MNB180N	MNB220N
WHITE WASH	MNB180WW	MNB220WW
WALNUT	MNB180W	MNB220W

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

## DIMENSIONS



FAN ONLY



# KINGSTON DC

Outdoor entertainer

6  
YEAR

Warranty



Wi-Fi



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



CCT



Variable  
Dimming



Old Bronze / Walnut

## FAN ONLY

Supplied  
With



WiFi Remote Control  
and Timer



Matt White / White Wash



Old Bronze / Walnut

## FAN LED LIGHT

Supplied  
With



WiFi Remote Control,  
Light and Timer




Matt White / White Wash

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1265mm (50")	1265mm (50")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 6 (HIGHEST)	9,200m <sup>3</sup> /hr	9,200m <sup>3</sup> /hr
SPEED 5	8,082m <sup>3</sup> /hr	8,082m <sup>3</sup> /hr
SPEED 4	6,701m <sup>3</sup> /hr	6,701m <sup>3</sup> /hr
SPEED 3	5,927m <sup>3</sup> /hr	5,927m <sup>3</sup> /hr
SPEED 2	5,032m <sup>3</sup> /hr	5,032m <sup>3</sup> /hr
SPEED 1 (LOWEST)	3,545m <sup>3</sup> /hr	3,545m <sup>3</sup> /hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2420lm
RATED LIFETIME	-	3,500 hours @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / WHITE WASH	MKDC124W	MKDC1243W
OLD BRONZE / WALNUT	MKDC124OB	MKDC1243OB
ACCESSORIES	ORDERING CODE	
900mm Downrod WiFi Matt White	MDRDWIFI36W	
900mm Downrod WiFi Old Bronze	MDRDWIFI36OB	
1800mm Downrod WiFi Matt White	MDRDWIFI72W	


## FEATURES

- Brushless quiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Robust palm leaf designed ideal for covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



## DC CEILING FANS

### ADVANTAGES OF DC MOTOR CEILING FANS

#### High Efficiency

DC motors on average consume less energy than conventional ceiling fan motors.

#### Speed Control

DC motor controllers provide up to 5 speed settings and an easy to use reversing function for summer and winter operation.

#### Light Weight

DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to install for electricians.

#### Quiet Operation

DC motors are very quiet when in operation, ideal for bedrooms.

#### Remote Control

DC Ceiling fans can be operated via a DC remote control (supplied).

# METRO

Low ceiling solution



White/Oak

## FAN ONLY

Supplied With



5 Speed Remote Control and Timer



White Satin



Matt Black

## FAN LED LIGHT

Supplied With



5 Speed Remote Control, Light and Timer



White Satin



Matt Black




White/Oak

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	35W	35W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 1 (HIGHEST)	14,200m <sup>3</sup> /hr	14,200m <sup>3</sup> /hr
SPEED 2	12,600m <sup>3</sup> /hr	12,600m <sup>3</sup> /hr
SPEED 3	11,100m <sup>3</sup> /hr	11,100m <sup>3</sup> /hr
SPEED 4	8,400m <sup>3</sup> /hr	8,400m <sup>3</sup> /hr
SPEED 5 (LOWEST)	5,100m <sup>3</sup> /hr	5,100m <sup>3</sup> /hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MMDC133WSR	MMDC1333WSR
MATT BLACK	MMDC133MMR	MMDC1333MMR
WHITE / OAK	MMDC133WOR	MMDC1333WOR


## FEATURES

- Brushless quiet and efficient 35W DC motor
- Low ceiling and slimline design. Ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Must be installed on a flat level surface
- Supplied with 5 speed remote control
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# NEWPORT

Contemporary style



Warranty



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tricolour



3 Step Switch  
Dimming



White/Oak

## FAN ONLY

Supplied  
With



5 Speed Remote Control  
and Timer



White



Matt Black



Old Bronze/Walnut

## FAN LED LIGHT

Supplied  
With




5 Speed Remote Control,  
Light and Timer



White



Matt Black



Old Bronze/Walnut



White/Oak

# NEWPORT

Contemporary style

SPECIFICATIONS	FAN ONLY
POWER WATTAGE	35W
BLADE DIAMETER	1420mm (56")
AIR MOVEMENT m <sup>3</sup> /hr	
SPEED 1 (HIGHEST)	13,000m <sup>3</sup> /hr
SPEED 2	9,400m <sup>3</sup> /hr
SPEED 3	8,400m <sup>3</sup> /hr
SPEED 4	7,200m <sup>3</sup> /hr
SPEED 5 (LOWEST)	5,700m <sup>3</sup> /hr
BLADE PITCH	15°
ORDERING CODE	FAN ONLY
WHITE SATIN	MNF143WWR
MATT BLACK	MNF143MMR
OLD BRONZE / OAK	MNF143OWR
WHITE / OAK	MNF143WOR


ACCESSORIES	ORDERING CODE
900mm Downrod White Satin 25mm Dia	MDRD36WST
900mm Downrod Matt Black 25mm Dia	MDRD36MT
900mm Downrod Old Bronze 25mm Dia	MDRD36OT
1800mm Downrod White Satin 25mm Dia	MDRD72WST
1800mm Downrod Matt Black 25mm Dia	MDRD72MT
1800MM Downrod Old Bronze 25mm Dia	MDRD72OT

## FEATURES


- Brushless quiet and efficient 35W DC motor
- Contemporary style ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 18W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN LED LIGHT
POWER WATTAGE	35W
BLADE DIAMETER	1420mm (56")
AIR MOVEMENT m <sup>3</sup> /hr	
SPEED 1 (HIGHEST)	13,000m <sup>3</sup> /hr
SPEED 2	9,400m <sup>3</sup> /hr
SPEED 3	8,400m <sup>3</sup> /hr
SPEED 4	7,200m <sup>3</sup> /hr
SPEED 5 (LOWEST)	5,700m <sup>3</sup> /hr
BLADE PITCH	15°
LIGHTING WATTAGE / TYPE	18W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMEN OUTPUT	1700lm / 1750lm / 1780lm
RATED LIFETIME	35,000 hrs @ Ta25°C
ORDERING CODE	FAN LED LIGHT
WHITE SATIN	MNF1433WWR
MATT BLACK	MNF1433MMR
OLD BRONZE / OAK	MNF1433OWR
WHITE / OAK	MNF1433WOR

## DIMENSIONS



FAN ONLY



FAN LED LIGHT

# WAVE

Sleek and modern

6 YEAR

Warranty



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tricolour



3 Step Switch  
Dimming



White Satin

## FAN ONLY

Supplied  
With



5 Speed Remote Control  
and Timer



Matt Black

## FAN LED LIGHT

Supplied  
With



5 Speed Remote Control,  
Light and Timer



White Satin



Matt Black


## FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 18W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)


SPECIFICATIONS	FAN ONLY		FAN LED LIGHT	
	35W	35W	35W	35W
POWER WATTAGE	35W	35W	35W	35W
BLADE DIAMETER	1320mm (52")	1520mm (60")	1320mm (52")	1520mm (60")
AIR MOVEMENT m <sup>3</sup> /hr				
SPEED 1 (HIGHEST)	12,500m <sup>3</sup> /hr	13,500m <sup>3</sup> /hr	12,500m <sup>3</sup> /hr	13,500m <sup>3</sup> /hr
SPEED 2	10,375m <sup>3</sup> /hr	11,200m <sup>3</sup> /hr	10,375m <sup>3</sup> /hr	11,200m <sup>3</sup> /hr
SPEED 3	8,890m <sup>3</sup> /hr	9,600m <sup>3</sup> /hr	8,890m <sup>3</sup> /hr	9,600m <sup>3</sup> /hr
SPEED 4	7,325m <sup>3</sup> /hr	7,910m <sup>3</sup> /hr	7,325m <sup>3</sup> /hr	7,910m <sup>3</sup> /hr
SPEED 5 (LOWEST)	5,440m <sup>3</sup> /hr	5,875m <sup>3</sup> /hr	5,440m <sup>3</sup> /hr	5,875m <sup>3</sup> /hr
BLADE PITCH	13°		13°	
LIGHTING WATTAGE / TYPE	-	-	18W LED	
COLOUR TEMPERATURE	-	-	3000K / 4000K / 5000K	
LUMEN OUTPUT	-	-	1850lm / 2100lm / 2000lm	
RATED LIFETIME	-	-	35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LED LIGHT	
WHITE SATIN	MWF133WSR	MWF163WSR	MWF1333WSR	MWF1633WSR
MATT BLACK	MWF133MMR	MWF163MMR	MWF1333MMR	MWF1633MMR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRD36WS
900mm Downrod Matt Black	MDRD36M
1800mm Downrod White Satin	MDRD72WS
1800mm Downrod Matt Black	MDRD72M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# ALBATROSS

Large fan leader



Warranty



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tricolour



3 Step Switch  
Dimming



White

**FAN ONLY**

Supplied  
With



5 Speed Remote Control  
and Timer



White



Matt Black



Brushed Nickel

**FAN LED LIGHT**

Supplied  
With



5 Speed Remote Control,  
Light and Timer



Matt Black



Brushed Nickel

# ALBATROSS

## Large fan leader

NB: Motor and blades are sold separately. Choose your motor (Step 1) and blade pack (Step 2) from below to order a complete unit.

### Step 1.

SPECIFICATIONS	MOTOR ONLY	MOTOR LED LIGHT
POWER WATTAGE	35W	35W
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MAFWWR	MAFML3WR
MATT BLACK	MAFMMR	MAFML3MR
BRUSHED NICKEL	MAFMBR	MAFML3MR

### Step 2.


SPECIFICATIONS	BLADE PACK	
BLADE DIAMETER	1800mm (72")	2100mm (84")
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	15,600m³/hr	16,800m³/hr
SPEED 2	12,950m³/hr	13,950m³/hr
SPEED 3	11,090m³/hr	11,950m³/hr
SPEED 4	9,140m³/hr	9,850m³/hr
SPEED 5 (LOWEST)	6,790m³/hr	7,310m³/hr
BLADE PITCH	17°	17°
ORDERING CODE		
WHITE	MAF180W	MAF210W
MATT BLACK	MAF180M	MAF210M
BRUSHED NICKEL	MAF180B	MAF210B

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White	MDRD72W
1800mm Downrod Matt Black	MDRD72M

### FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- All aluminium body, canopy and 6 blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 24W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

### DIMENSIONS



FAN ONLY

FAN LED LIGHT



# ALBATROSS MINI

Hi flow for smaller spaces



Summer/Winter  
Reverse Function



Matt Black

**FAN ONLY**

Supplied  
With



5 Speed Remote Control  
and Timer



White



Brushed Nickel


SPECIFICATIONS	FAN ONLY
POWER WATTAGE	35W
BLADE DIAMETER	1650mm (65")
AIR MOVEMENT m <sup>3</sup> /hr	
SPEED 1 (HIGHEST)	14,400m <sup>3</sup> /hr
SPEED 2	11,950m <sup>3</sup> /hr
SPEED 3	10,240m <sup>3</sup> /hr
SPEED 4	8,440m <sup>3</sup> /hr
SPEED 5 (LOWEST)	6,270m <sup>3</sup> /hr
BLADE PITCH	17°
ORDERING CODE	FAN ONLY
WHITE	MAF168WR
MATT BLACK	MAF168MR
BRUSHED NICKEL	MAF168BR

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White	MDRD72W
1800mm Downrod Matt Black	MDRD72M

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- All aluminium body, canopy and 8 blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control

## DIMENSIONS



**FAN ONLY**



## AC CEILING FANS

### ADVANTAGES OF AC MOTOR CEILING FANS

#### Remote Control

AC motor ceiling fans provide more options for controllers. Choices from remote controls to a simple switch.

#### Low Cost

AC ceiling fans use less electricity than most household appliances especially air conditioners. A standard AC powered ceiling fan will use less than 100W on the highest speed with the majority of models using much less.

#### More Choices

AC motor ceiling fans have been on the market for a while now. There are plenty of different options and styles for you to choose from that will be within your budget.



# DISCOVERY II

ABS versatility

6  
YEAR

Warranty



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tricolour



3 Step Switch  
Dimming



White Satin

## FAN ONLY



White Satin



Matt Black

## FAN LED LIGHT



Matt Black

# DISCOVERY II

## ABS versatility

SPECIFICATIONS	FAN ONLY		
POWER WATTAGE	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m <sup>3</sup> /hr	11,835m <sup>3</sup> /hr	13,450m <sup>3</sup> /hr	15,260m <sup>3</sup> /hr
BLADE PITCH	13°	13°	10°
ORDERING CODE	FAN ONLY		
WHITE SATIN	MDF124W	MDF134W	MDF144W
MATT BLACK	MDF124M	MDF134M	MDF144M


ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRA36WS
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White Satin	MDRA72WS
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

## FEATURES


- Powerful and efficient 65W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN LED LIGHT		
POWER WATTAGE	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m <sup>3</sup> /hr			
SPEED 1 (HIGHEST)	11,835m <sup>3</sup> /hr	13,450m <sup>3</sup> /hr	15,260m <sup>3</sup> /hr
SPEED 2	9,580m <sup>3</sup> /hr	10,200m <sup>3</sup> /hr	10,650m <sup>3</sup> /hr
SPEED 3 (LOWEST)	6,450m <sup>3</sup> /hr	7,100m <sup>3</sup> /hr	7,700m <sup>3</sup> /hr
BLADE PITCH	13°	13°	10°
LIGHTING WATTAGE / TYPE	15W LED		
COLOUR TEMPERATURE	3000K / 4000K / 5000K		
LUMEN OUTPUT	1580lm / 1745lm / 1690lm		
RATED LIFETIME	35,000 hrs @ Ta25°C		
ORDERING CODE	FAN LED LIGHT		
WHITE SATIN	MDF1243W	MDF1343W	MDF1443W
MATT BLACK	MDF1243M	MDF1343M	MDF1443M

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# LINK

Best value



Warranty



Indoor Use Only



Summer/Winter Reverse Function



Tricolour



3 Step Switch Dimming



E27



White

## FAN ONLY



White



Matt Black

## FAN LED LIGHT



Matt Black

## FAN E27\* Light



White



Matt Black

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	55W	55W	55W
BLADE DIAMETER	1220mm (48")	1220mm (48")	1220mm (48")
AIR MOVEMENT m <sup>3</sup> /hr			
SPEED 1 (HIGHEST)	7,600m <sup>3</sup> /hr	7,600m <sup>3</sup> /hr	7,600m <sup>3</sup> /hr
SPEED 2	5,020m <sup>3</sup> /hr	5,020m <sup>3</sup> /hr	5,020m <sup>3</sup> /hr
SPEED 3 (LOWEST)	3,670m <sup>3</sup> /hr	3,670m <sup>3</sup> /hr	3,670m <sup>3</sup> /hr
BLADE PITCH	11°	11°	11°
LIGHTING WATTAGE / TYPE	-	15W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	FSL124W	FSL1243W	FSL1244W
MATT BLACK	FSL124M	FSL1243M	FSL1244M
WHITE + REMOTE	-	FSL1243WR**	FSL1244WR**

\*Supplied with 2x E27 lamp holders. Globe not included.


\*\*Supplied with remote control

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

## FEATURES

- Powerful and efficient 55W AC motor
- Low profile designed ideal for indoor applications
- Metal body, canopy and plywood blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)
- E27 light model available (globes not included)

## DIMENSIONS



FAN ONLY

FAN LED LIGHT

FAN E27\* LIGHT



# LIFESTYLE

Elegant and functional



Warranty



Indoor Use Only



Summer/Winter Reverse Function



Tricolour



3 Step Switch Dimming



E27



Matt Black

## FAN ONLY



White



Matt Black



Brushed Aluminium

## FAN LED LIGHT



White



Brushed Aluminium

## FAN E27\* Light



White



Matt Black



Brushed Aluminium

# LIFESTYLE

Elegant and functional

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	60W	60W	60W
BLADE DIAMETER	1320mm (52")	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr			
SPEED 1 (HIGHEST)	9,600m <sup>3</sup> /hr	9,600m <sup>3</sup> /hr	9,600m <sup>3</sup> /hr
SPEED 2	7,600m <sup>3</sup> /hr	7,600m <sup>3</sup> /hr	7,600m <sup>3</sup> /hr
SPEED 3 (LOWEST)	5,600m <sup>3</sup> /hr	5,600m <sup>3</sup> /hr	5,600m <sup>3</sup> /hr
BLADE PITCH	12.5°	12.5°	12.5°
LIGHTING WATTAGE / TYPE	-	24W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	DLS134W	DLS1343W	DLS1344W
MATT BLACK	DLS134M	DLS1343M	DLS1344M
BRUSHED ALUMINIUM	DLS134B	DLS1343B	DLS1344B


\*Supplied with 2x E27 lamp holders. Globe not included.

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
900mm Downrod Brushed Aluminium	MDRA36B
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
1800mm Downrod Brushed Aluminium	MDRA72B
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

## FEATURES

- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor applications
- Metal body, canopy and plywood blades (plus glass lens cover, light model only)
- Fully reversible for summer and winter mode
- 24W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)
- E27 light model available (globes not included)

## DIMENSIONS



FAN ONLY

FAN LED LIGHT

FAN E27\* LIGHT



# RAZOR

Robust and modern



Warranty



Indoor Use Only



Summer/Winter Reverse Function



Tricolour



3 Step Switch Dimming



White

## FAN ONLY



Matt Black

## FAN LED LIGHT



White


## FEATURES

- Powerful and efficient 69W AC motor
- Slimline designed ideal for indoor applications
- Metal body, canopy and plywood blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	69W	69W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 1 (HIGHEST)	9,500m <sup>3</sup> /hr	9,500m <sup>3</sup> /hr
SPEED 2	7,240m <sup>3</sup> /hr	7,240m <sup>3</sup> /hr
SPEED 3 (LOWEST)	5,055m <sup>3</sup> /hr	5,055m <sup>3</sup> /hr
BLADE PITCH	12.5°	12.5°
LIGHTING WATTAGE / TYPE	-	28W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	3300lm / 3550lm / 3400lm
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MRF134W	MRF1343W
MATT BLACK	MRF134M	-

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



# PRECISION

Coastal and tropical rated



Warranty



Indoor Cover  
Outdoor Use



Summer/Winter  
Reverse Function



Tropical  
Rated



Coastal  
Rated



White

## FAN ONLY



Brushed Nickel/304



Stainless Steel/316

## LIGHT KIT\*



White



Brushed Nickel/304



Stainless Steel/316

# PRECISION

Coastal and tropical rated

SPECIFICATIONS	FAN ONLY		
POWER WATTAGE	75W	75W	75W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m <sup>3</sup> /hr			
SPEED 1 (HIGHEST)	16,380m <sup>3</sup> /hr	18,960m <sup>3</sup> /hr	21,000m <sup>3</sup> /hr
SPEED 2	11,980m <sup>3</sup> /hr	13,050m <sup>3</sup> /hr	14,300m <sup>3</sup> /hr
SPEED 3 (LOWEST)	8,450m <sup>3</sup> /hr	9,520m <sup>3</sup> /hr	9,380m <sup>3</sup> /hr
BLADE PITCH	23°		
ORDERING CODE	FAN ONLY		
WHITE	MPF120WH	MPF130WH	MPF140WH
BRUSHED NICKEL / 304	MPF3042SS	MPF3043SS	MPF3044SS
STAINLESS STEEL / 316	MPF3162SS	MPF3163SS	MPF3164SS

SPECIFICATIONS	FAN + LIGHT KIT*		
POWER WATTAGE	75W	75W	75W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
LIGHTING WATTAGE / TYPE	2x E14** lamp holder		
ORDERING CODE	FAN + LIGHT KIT*		
WHITE	MPF120WH + PLKWH*	MPF130WH + PLKWH*	MPF140WH + PLKWH*
BRUSHED NICKEL/304	MPF3042SS + PLKBN*	MPF3043SS + PLKBN*	MPF3044SS + PLKBN*
STAINLESS STEEL/316	MPF3162SS + PLKSS*	MPF3163SS + PLKSS*	MPF3164SS + PLKSS*

\*Light kit sold separately at additional cost.


\*\*Globe not included

ACCESSORIES	ORDERING CODE
900mm Downrod White	DREPO36W
900mm Downrod Brushed Nickel	DREPO36BN
900mm Downrod Stainless Steel	DRP36SS
1800mm Downrod White	DREPO72W
1800mm Downrod Brushed Nickel	DREPO72BN
1800mm Downrod Stainless Steel	DRP72SS
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI
Precision Light Kit White	PLKWH
Precision Light Kit 304 Brushed Nickel	PLKBN
Precision Light Kit 316 Stainless Steel	PLKSS

## FEATURES

- Powerful and efficient 75W AC motor
- Ideal for indoor and covered outdoor and tropical applications
- All metal body, canopy and blades
- Fully reversible for summer and winter mode
- E14 light kit available (sold separately and globes not included)

## DIMENSIONS



FAN ONLY

FAN LED LIGHT

# GOVERNOR

Industrial look



Old Bronze/Teak

## FAN ONLY



Old Bronze/Teak


## FEATURES

- Powerful and efficient 70W AC motor
- Industrial look ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	70W	70W
BLADE DIAMETER	1520mm (60")	1520mm (60")
AIR MOVEMENT m <sup>3</sup> /hr		
SPEED 1 (HIGHEST)	11,400m <sup>3</sup> /hr	11,400m <sup>3</sup> /hr
SPEED 2	10,220m <sup>3</sup> /hr	10,220m <sup>3</sup> /hr
SPEED 3 (LOWEST)	7,150m <sup>3</sup> /hr	7,150m <sup>3</sup> /hr
BLADE PITCH	13°	13°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1510lm / 1760lm / 1720lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
OLD BRONZE / TEAK	MGF153OT	MGF1533OT

ACCESSORIES	ORDERING CODE
900mm Downrod Old Bronze	MDRA36O
1800mm Downrod Old Bronze	MDAR72O
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

## DIMENSIONS



FAN ONLY



FAN LED LIGHT



## CEILING FANS ACCESSORIES

### ADVANTAGES OF CEILING FANS ACCESSORIES

#### Remote Control

Remote controls allow you to change the fan speed with a touch of a button.

---

#### Light Kit

Ceiling fan lights give you brightness while providing a relaxing cool breeze.

---

#### Downrod

Downrods provide convenience and better efficiency where the installation area has a high ceiling.

---

# REMOTE CONTROL KITS/ WALL CONTROLLER



## PREMIER REMOTE CONTROL KIT

### FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 2, 4 and 8 hour timer
- 4 dip switches make 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries

### ORDERING CODE

MPREMS



## PREMIUM LCD REMOTE CONTROL KIT

### FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 1-8 hour timer
- 4 dip switches make 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries and wall mounting bracket

### ORDERING CODE

MPLCDS



## SMART REMOTE CONTROL KIT

### FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- 3 ways control: remote, APP and voice
- Light on/off function
- Advanced timer: 1-12hr via App, 2-8hr via remote
- Radio frequency with range up to 10m
- Bluetooth backup when WiFi unavailable
- Supplied with 2x AAA batteries and wall mounting bracket

### ORDERING CODE

MPWIFI



## INFRA-RED REMOTE CONTROL KIT

### FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off and delay function
- Supplied with 2x AAA batteries

### ORDERING CODE

FSIREM



## DC CEILING FAN WALL CONTROL

### FEATURES

- 1 year in-home warranty
- Suitable for non smart/WiFi DC ceiling fans only
- LCD touch screen
- 5 speed ceiling fan setting
- Fan on/off function with timer
- Light on/off function
- Summer/winter reverse function


### ORDERING CODE

MDCWALL

# DOWNROD LENGTH

## Recommendations

The ideal distance from the floor to fan blades is 210 cm to 270 cm.



# DOWNRODS

## DC DOWNRODS

ORDERING CODE	DESCRIPTION	PRODUCT
MDRD36WS	900mm Downrod White Satin	All
MDRD36W	900mm Downrod White	All
MDRD36M	900mm Downrod Matt Black	All
MDRD36N	900mm Downrod Brushed Nickel	All
MDRD36B	900mm Downrod Brushed Aluminium	All
MDRD72WS	1800mm Downrod White Satin	All
MDRD72W	1800mm Downrod White	All
MDRD72M	1800mm Downrod Matt Black	All
MDRD72B	1800mm Downrod Brushed Aluminium	All
MDRDWIFI36W	900mm Downrod WiFi Matt White	<b>NEW</b> All Smart Range
MDRDWIFI36M	900mm Downrod WiFi Matt Black	<b>NEW</b> All Smart Range
MDRDWIFI36AB	900mm Downrod WiFi Antique Bronze	<b>NEW</b> Riviera
MDRDWIFI36OB	900mm Downrod WiFi Old Bronze	<b>NEW</b> Kingston
MDRDWIFI72W	1800mm Downrod WiFi Matt White	<b>NEW</b> All Smart Range
MDRDWIFI72M	1800mm Downrod WiFi Matt Black	<b>NEW</b> All Smart Range
MDRD36WST	Dia 25mm 900mm Downrod White Satin	Newport
MDRD36OT	Dia 25mm 900mm Downrod Old Bronze	Newport
MDRD36MT	Dia 25mm 900mm Downrod Matt Black	Newport
MDRD72WST	Dia 25mm 1800mm Downrod White Satin	Newport
MDRD72OT	Dia 25mm 1800mm Downrod Old Bronze	Newport
MDRD72MT	Dia 25mm 1800mm Downrod Matt Black	Newport

**NB:** Please select the colour that matches the corresponding ceiling fan colour.



## AC DOWNRODS

ORDERING CODE	DESCRIPTION	PRODUCT
MDRA36WS	900mm Downrod White Satin	All
MDRA36W	900mm Downrod White	All
MDRA36O	900mm Downrod Old Bronze	All
MDRA36M	900mm Downrod Matt Black	All
MDRA72WS	1800mm Downrod White Satin	All
MDRA72W	1800mm Downrod White	All
MDRA72O	1800mm Downrod Old Bronze	All
MDRA72M	1800mm Downrod Matt Black	All
DREPO36W	900mm Downrod White	Precision
DREPO36BN	900mm Downrod Brushed Nickel	Precision
DRP36SS	900mm Downrod 316 Stainless Steel	Precision
DREPO72W	1800mm Downrod White	Precision
DREPO72BN	1800mm Downrod Brushed Nickel	Precision
DRP72SS	1800mm Downrod 316 Stainless Steel	Precision

**NB:** Please select the colour that matches the corresponding ceiling fan colour.










# We do more than you think

/// MARTEC<sup>®</sup>  
Cooling



/// MARTEC<sup>®</sup>  
Lighting



/// MARTEC<sup>®</sup>  
Heating



/// MARTEC<sup>®</sup>  
Exhaust



Martec<sup>®</sup> is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated. Specifications and imagery subject to change without prior notice. Last updated October 2023.



6 Austool Place Ingleburn NSW 2565  
(02) 8778 7500  
[sales@martec Ltd.com.au](mailto:sales@martec Ltd.com.au)

Opening Hours (Mon-Fri):  
Warehouse: 7:30am – 3:30pm  
Office: 8:00am – 4:00pm

[www.martecaustralia.com.au](http://www.martecaustralia.com.au)

