

Fan Catalogue 2021/2022



CREATE • INSPIRE • INNOVATE



Wherever you are, we are.



At Mercator, we want to put the power in your hands. Using our online tools, you can get the information you need whenever you need it and from wherever you are. We are at your side 24/7, offering you inspirational, relevant and helpful digital resources that can be easily accessed from your computer, phone or tablet.

Check out these tools on our website.

 mercator.com.au

 ikuu.com.au

Check out our full
range of smart
products!



Why choose Mercator Fans?

At Mercator, we are dedicated to providing any homeowner the luxury of selecting the right appliances for them, to suit their interior design and unique lifestyle.

Browse our collections of stylish and space-saving ceiling fans, practical and efficient wall-mounted fans, and convenient remote control fans so you can control your climate with the touch of a button.

- High quality
- High performance
- Sizes to suit every room
- Low cost operation
- Saves energy
- Whisper quiet operation
- Complete range
- Stylish design



55 Years of Elegant Fan & Lighting Solutions



DC Ceiling Fans

DC Ceiling Fans

Evolving energy saving fan technology that doesn't cost the earth




REASONS FOR CHOOSING A DC CEILING FAN:

- More energy efficient than comparable AC fans
- Can be much quieter than comparable AC fans
- More speeds and fan/light control via remote handset
- Typically weigh less than an AC fan (easier to handle and install)
- Smart fan option available



See pages 8-9, 24-25, and 58-59





ANOVA 52" SMART DC CEILING FAN


FC1140WHWIFI/BKWIFI FC1148WHWIFI/BKWIFI

● Black
● White



- App control with scheduling and timers, scenes and automation, speed control, lighting brightness and colour control
 - App works on devices running iOS or Android, see ikuu.com.au for minimum requirements
 - Fan uses your 2.4GHz WiFi network
- See page 58 for more

one clever app



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 370mm | (NL) 335mm
- Slope to max. 15°
- Stated dimensions with 152mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- ABS non rusting fan body and blades
- Suitable for indoor, and covered outdoor installation
- Available with or without colour changing LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC1140WHWIFI/BKWIFI (WITHOUT LIGHT)	FC1148BKWIFI/WHWIFI (WITH LED)
BLADE SWEEP	132cm	132cm
MOTOR POWER	35W	35W
Max. AIRFLOW	10,552m3/h	10,552m3/h
FAN LIGHT	-	20W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 4000K 5000K 6500K
LIGHT OUTPUT	-	1200lm 1200lm 1200lm 1200lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC8283	FD360600BK + XFC8284
WHITE	FD360600WH + XFC8283	FD360900WH + XFC8284



GUARDIAN 56" DC CEILING FAN IP55

FC1110143BK

NEW



● Black & Dark Timber Finish

DC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: 273mm
- Slope to max. 15°
- Stated dimensions with 128mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 142cm ceiling fans
- Coastal friendly, corrosion resistant parts
- Reversible airflow for summer and winter use
- ABS body and blades
- IP55 rated fan for indoor and outdoor use
- Sleek black 6-speed remote controller included
- 1H/4H/8H fan off timer
- Light setting memory
- Easy pairing (up to 4 handsets per receiver)

CEILING FAN SPECIFICATIONS

MODEL	FC1110143BK
BLADE SWEEP	142cm
MOTOR POWER	35W
Max. AIRFLOW	10,330 m ³ /h
CONTROLLER	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK & DARK TIMBER FINISH	FD360600BK + XFC11103	FD360900BK + XFC11104



Juno black
without light

JUNO 56" DC CEILING FAN

FC1128143

NEW



without-light
version available

- Black
- White

DC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: 354mm
- Slope to max. 12°
- Stated dimensions with 128mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 137cm ceiling fans
- Coastal friendly, corrosion and UV resistant parts
- Ideal bedroom fan with quieter operation
- Reversible airflow for summer and winter use
- ABS body with ABS blades
- Suitable for indoor and covered outdoor installation
- Sleek white 6-speed remote controller included
- Dimmable
- Dual control modes for LED colour change
- 1H/4H/8H fan off timer
- Light setting memory
- Easy pairing (up to 4 handsets per receiver)

CEILING FAN SPECIFICATIONS

MODEL	FC1120143 (WITHOUT LIGHT)	FC1128143 (WITH LED)
BLADE SWEEP	137cm	137cm
MOTOR POWER	35W	35W
Max. AIRFLOW	12,995 m3/h	12,995 m3/h
FAN LIGHT	-	18W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 3500K 4500K 5000K
LIGHT OUTPUT	-	1200lm 1250lm 1250lm 1300lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC8283	FD360900BK + XFC8284
WHITE	FD360600WH + XFC8283	FD360900WH + XFC8283

LORA 60" DC CEILING FAN

FC1138153



- Black & Dark Timber Finish
- White & Light Timber Finish



CEILING FAN DIMENSIONS

- Ceiling to fan base: 340mm
- Slope to max. 12°
- Stated dimensions with 128mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 152cm ceiling fans
- Corrosion resistant ABS fan blades
- Ideal bedroom fan with quieter operation
- Reversible airflow for summer and winter use
- Metal body with ABS blades
- Suitable for indoor installation
- Sleek white 6-speed remote controller included
- Dimmable
- Dual control modes for LED colour change
- 1H/4H/8H fan off timer
- Light setting memory
- Easy pairing (up to 4 handsets per receiver)

CEILING FAN SPECIFICATIONS

MODEL	FC1120143 (WITHOUT LIGHT)	FC1128143 (WITH LED)
BLADE SWEEP	152cm	152cm
MOTOR POWER	35W	35W
Max. AIRFLOW	16,360 m3/h	16,360 m3/h
FAN LIGHT	-	18W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 3500K 4000K 4500K
LIGHT OUTPUT	-	1100lm 1200lm 1200lm 1200lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC8283	FD360900BK + XFC8284
WHITE	FD360600WH + XFC8283	FD360900WH + XFC8284

MONA 52" DC CEILING FAN

FC780133



- Black & Dark Timber Finish
- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: 314mm

CEILING FAN FEATURES

- 132cm ceiling fans
- Ideal bedroom fan with quieter operation
- Reversible airflow for summer and winter use
- Metal body with ABS blades
- Suitable for indoor installation
- Sleek white 6-speed remote controller included
- Dimmable
- Dual control modes for LED colour change
- 1H/4H/8H fan off timer
- Light setting memory
- Easy pairing (up to 4 handsets per receiver)
- Easy installation with quick connect wiring and fittings

CEILING FAN SPECIFICATIONS

MODEL	FC780133 (WITHOUT LIGHT)	FLF4781 (LIGHT KIT)
BLADE SWEEP	132cm	-
MOTOR POWER	35W	-
Max. AIRFLOW	9348 m3/h	-
FAN LIGHT	-	20W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 4000K 5000K 5700K
LIGHT OUTPUT	-	1000lm 1000lm 1000lm 1000lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	LIGHT KIT
BLACK FC780133BK	FLF7881BK
WHITE FC780133WW	FLF7881WW

CARDIFF 52" DC CEILING FAN

FC650134R / FC652134R



- Black
- Brushed Chrome & Silver Finish
- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: (B22) 415mm | (NL) 355mm
- Slope to max. 21°
- Stated dimensions with 152mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 130cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with plywood blades
- Suitable for indoor installation
- 5-speed remote controller (FRM121) included
- 1H/4H/8H fan timer
- Available with or without fitted B22 light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC650134R (WITHOUT LIGHT)	FC652134R (WITH B22)
BLADE SWEEP	130cm	130cm
MOTOR POWER	35W	35W
Max. AIRFLOW	8,359 m³/h	8,359 m³/h
FAN LIGHT	-	Suits two max. 15W B22 globes (not included)
LIGHT COLOUR	-	Max. globe dimension: L110mm x Max. W55mm
LIGHT OUTPUT	-	
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	90CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM
BLACK	FD652600BK	FD652900BK
BRUSHED CHROME	FD652600BC	FD652900BC
WHITE	FD652600WH	FD652900WH

CARDIFF LED 52" DC CEILING FAN

FC658134R



- Black



CEILING FAN DIMENSIONS

- Ceiling to fan base: 415mm
- Slope to max. 21°
- Stated dimensions with 152mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 130cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with plywood blades
- Suitable for indoor installation
- 6-speed remote controller (FRM122) included
- 1H/4H/8H fan timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC650134R (WITH LED)		
BLADE SWEEP	130cm		
MOTOR POWER	35W		
Max. AIRFLOW	8,359 m³/h		
FAN LIGHT	24W dimmable integrated LED		
LIGHT CONTROL	3-step colour change between warm white (3000K) and daylight white (6500K)		
LIGHT COLOUR	3000K	4000K	6500K
LIGHT OUTPUT	1400lm	1750lm	1400lm
CONTROLLER	Remote control	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	90CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM
BLACK	FD652600BK	FD652900BK

NEMOI 54" DC CEILING FAN

FC700134 / FC708134



- Black
- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 340mm | (NL) 310mm
- Slope to max. 21°
- Stated dimensions with 150mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 137cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 5-speed remote controller (FRM123) included
- Available with or without colour changing LED light
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC700134 (WITHOUT LIGHT)	FC708134 (WITH LED)
BLADE SWEEP	137cm	137cm
MOTOR POWER	35W	35W
Max. AIRFLOW	10,228 m³/h	10,228 m³/h
FAN LIGHT	-	18W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 4000K 5000K 5700K
LIGHT OUTPUT	-	1000lm 1000lm 1000lm 1000lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC7003	FD360900BK + XFC7004
WHITE	FD360600WH + XFC7003	FD360900WH + XFC7004

INSTINCT 54" DC CEILING FAN

FC1100133 / FC1108133



- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 237mm | (NL) 191mm

CEILING FAN FEATURES

- 137cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for low ceiling indoor installation
- 6-speed remote controller included
- Available with or without colour changing LED light
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC700134 (WITHOUT LIGHT)	FC708134 (WITH LED)
BLADE SWEEP	137cm	137cm
MOTOR POWER	35W	35W
Max. AIRFLOW	8,990 m³/h	8,990 m³/h
FAN LIGHT	-	18W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 3500K 4500K 5700K
LIGHT OUTPUT	-	800lm 800lm 1000lm 1000lm
CONTROLLER	Remote control	Remote control

EAGLE 56" DC CEILING FAN

FC360143 / FC368143



- Black
- Brushed Chrome & Silver Finish
- Graphite & Graphite Finish
- Oil-rubbed Bronze & Timber-Look Finish
- White

with-light version
available



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 368mm | (NL) 311mm
- Slope to max. 13° (with 127mm rod) or max. 21° (with min. 600mm rod)
- Stated dimensions with 127mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 142cm ceiling fans
- Uniquely shaped design for stronger airflow
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for indoor installation
- 6-speed remote controller included
- Available with or without dimmable LED light

CEILING FAN SPECIFICATIONS

MODEL	FC360143 (WITHOUT LIGHT)	FC368143 (WITH LED)
BLADE SWEEP	142cm	142cm
MOTOR POWER	35W	35W
Max. AIRFLOW	12,176 m³/h	12,176 m³/h
FAN LIGHT	-	12W dimmable integrated LED
LIGHT COLOUR	-	4000K Neutral White
LIGHT OUTPUT	-	900lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)
BLACK	FD360600BK	FD360900BK
BRUSHED CHROME	FD360600BC	FD231134BC
GRAPHITE	FD360600GR	FD360900GR
OIL RUBBED BRONZE	FD510143RB	FD170114RB
WHITE	FD360600WH	FD360900WH / FD231134WH / FD240134WH

EAGLE XL 66" DC CEILING FAN

FC360163 / FC368163



- Black
- Brushed Chrome & Silver Finish
- Graphite & Graphite Finish
- Oil-rubbed Bronze & Timber-Look Finish
- White

with-light version
available



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 373mm | (NL) 332mm
- Slope to max. 13° (with 127mm rod) or max. 21° (with min. 600mm rod)
- Stated dimensions with 127mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 168cm ceiling fans
- Uniquely shaped design for stronger airflow
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for indoor installation
- 5-speed remote controller included
- 1H/4H/8H fan timer
- Available with or without dimmable LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC360163 (WITHOUT LIGHT)	FC368163 (WITH LED)
BLADE SWEEP	168cm	168cm
MOTOR POWER	35W	35W
Max. AIRFLOW	13,500 m³/h	13,500 m³/h
FAN LIGHT	-	12W dimmable integrated LED
LIGHT COLOUR	-	4000K Neutral White
LIGHT OUTPUT	-	900lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC3603	FD360900BK + XFC3604
BRUSHED CHROME	FD360600BC + XFC3603	FD231134BC + XFC3604
GRAPHITE	FD360600GR + XFC3603	FD360900GR + XFC3604
OIL RUBBED BRONZE	FD510143RB + XFC3603	FD170114RB + XFC3604
WHITE	FD360600WH + XFC3603	FD360900WH / FD231134WH / + XFC3604 FD240134WH

RHINO 1.8M 72" DC CEILING FAN

FC479180 / FC47918L / FLF4781



Fan light sold separately

- Graphite & Graphite Finish
- Brushed Chrome & Black
- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 547mm | (NL) 506mm
- 182cm fan - Slope to max. 15° (with 300mm rod) or max. 21° (with min. 460mm rod)
- Stated dimensions with 300mm rod supplied. Longer rods available

CEILING FAN FEATURES

- 182cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with aluminium blades
- Suitable for indoor or enclosed outdoor installation
- 5-speed remote controller included
- 1H/4H/8H fan timer
- Compatible LED light kit available
- Motor assembly, blade set and light kit sold separately

CEILING FAN SPECIFICATIONS

MODEL	FC479180 + FC47918L (WITHOUT LIGHT)	FLF4781 (LIGHT KIT)
BLADE SWEEP	182cm	-
MOTOR POWER	35W	-
Max. AIRFLOW	16,836 m³/h	-
FAN LIGHT	-	20W dimmable integrated LED
LIGHT COLOUR	-	4000K
LIGHT OUTPUT	-	1050lm
CONTROLLER	Remote control	

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	90CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	180CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	240CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM
BRUSHED CHROME	FD476060BC	FD476090BC	FD476180BC	FD476240BC
GRAPHITE	FD476060GR	FD476090GR	FD476180GR	FD476240GR
WHITE	FD476060WH	FD476090WH	FD476180WH	FD476240WH

RHINO 2.1M 84" DC CEILING FAN

FC479210 / FC47921L / FLF4781



Fan light sold separately

- Graphite & Graphite Finish
- Brushed Chrome & Black



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 547mm | (NL) 506mm
- 213cm fan - Slope to max. 12° (with 300mm rod) or max. 21° (with min. 600mm rod)
- Stated dimensions with 300mm rod supplied. Longer rods available

CEILING FAN FEATURES

- 213cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with aluminium blades
- Suitable for indoor or enclosed outdoor installation
- 5-speed remote controller included
- 1H/4H/8H fan timer
- Compatible LED light kit available
- Motor assembly, blade set and light kit sold separately

CEILING FAN SPECIFICATIONS

MODEL	FC479210 + FC47921L (WITHOUT LIGHT)	FLF4781 (LIGHT KIT)
BLADE SWEEP	213cm	-
MOTOR POWER	35W	-
Max. AIRFLOW	22,200 m³/h	-
FAN LIGHT	-	20W dimmable integrated LED
LIGHT COLOUR	-	4000K
LIGHT OUTPUT	-	1050lm
CONTROLLER	Remote control	

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	90CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	180CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	240CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM
BRUSHED CHROME	FD476060BC	FD476090BC	FD476180BC	FD476240BC
GRAPHITE	FD476060GR	FD476090GR	FD476180GR	FD476240GR

CASA 52" SMART DC CEILING FAN

FC790133G / FC798133G

● White

without-light
version available

MERCATOR ikuü

- App control with scheduling and timers, scenes and automation, speed control, lighting brightness and colour control
 - App works on devices running iOS or Android, see ikuu.com.au for minimum requirements
 - Fan uses your 2.4GHz WiFi network
- See page 59 for more

one clever app



works with
Hey Google

works with
alexa



DC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 276mm | (NL) 245mm
- Slope to max. 19°
- Stated dimensions with 114mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS blades
- Suitable for indoor or enclosed outdoor installation
- 6-speed remote controller with 1H/8H/8H fan and light off timer included
- Available with or without colour changing LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC790133G (WITHOUT LIGHT)	FC798133G (WITH LED)
BLADE SWEEP	132cm	132cm
MOTOR POWER	35W	35W
Max. AIRFLOW	9,727 m³/h	9,727 m³/h
FAN LIGHT	-	18W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	2700K 4000K 5000K 6500K
LIGHT OUTPUT	-	1100lm 1150lm 1150lm 1150lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
WHITE	FD798600WH + XFC8583	FD798600WH + XFC8584

MINOTA 52" SMART DC CEILING FAN

FC620133G / FC628133G

● Brushed Chrome & Black

● Black & Dark Timber Finish


● White & Light Timber Finish

without-light
version available

MERCATOR ikuü

- App control with scheduling and timers, scenes and automation, speed control, lighting brightness and colour control
 - App works on devices running iOS or Android, see ikuu.com.au for minimum requirements
 - Fan uses your 2.4GHz WiFi network
- See page 59 for more

one clever app



works with
Hey Google

works with
alexa



DC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 323mm | (NL) 337mm
- Slope to max. 10°
- Stated dimensions with 152mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Suitable for indoor installation
- Metal body with corrosion and UV resistant moulded ABS blades
- Available with or without colour changing LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC620133G (WITHOUT LIGHT)	FC628133G (WITH LED)
BLADE SWEEP	132cm	132cm
MOTOR POWER	35W	35W
Max. AIRFLOW	10,904 m³/h	10,904 m³/h
FAN LIGHT	-	20W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	3000K 4000K 5000K 5700K
LIGHT OUTPUT	-	900lm 950lm 1000lm 1000lm
CONTROLLER	Remote control	Remote control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BRUSHED CHROME	FD360600BC + XFC8583	FD360900BC + XFC8584
BLACK	FD360600BK + XFC8583	FD360600BK + XFC8584
WHITE	FD360600WH + XFC8583	FD360900WH + XFC8584



Airimate black
without light

AC Ceiling Fans

AC Ceiling Fans

Well studied electromechanical technology and durable fan construction that stands the test of time




REASONS FOR CHOOSING AN AC CEILING FAN:

- Can be controlled by a hardwired wall controller or a remote control.
- Wider designs and styles available
- More affordable than comparable DC fan
- Extendable features with advanced smart remote controllers

Use a Mercator Ikuü add-on to turn most AC fans smart!

See pages 42 & 55



CAPRICE 52" AC CEILING FAN

FC250128 / FC250134 / FC252128 / FC252134 / FC257134



- Black
- Brushed Chrome
- White

AC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: (B22 / LED) 365mm | (NL) 296mm
- Slope to max. 21°
- Stated dimensions with 114mm rod supplied. Longer rods available.

CEILING FAN FEATURES

- 120cm and 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Cast aluminium body with plywood blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Available with or without fitted light (B22 or LED)
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC250128 (WITHOUT LIGHT)	FC250134 (WITHOUT LIGHT)	FC252128 (WITH B22)	FC252134 (WITH B22)
BLADE SWEEP	122cm	132cm	122cm	132cm
MOTOR POWER	60W	60W	60W	60W
Max. AIRFLOW	8,600 m³/h	9,100 m³/h	8,600 m³/h	9,100 m³/h
FAN LIGHT	-	-	Suits two B22 20W CFL or 10W LED globes (not supplied) max. globe dimension: L110mm x W55mm	
LIGHT COLOUR	-	-		
LIGHT OUTPUT	-	-		
CONTROLLER	Wall control	Wall control	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
BLACK	FD250600BK	FD250600BK	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
BRUSHED STEEL	FD250600BS	FD250600BS	
WHITE	FD250600WH	FD250600WH	

CAPRICE PRO 52" AC CEILING FAN

FC640134 / FC642134



- Black
- Brushed Steel
- White

AC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: (B22) 369mm | (NL) 300mm
- Slope to max. 20°
- Stated dimensions with 127mm rod supplied. Longer rods available.

CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Cast aluminium body with plywood blades
- Suitable for indoor installation
- 3-speed wall controller or remote controller included
- Available with or without fitted light (B22 or LED)
- Up to 75% quicker installation time
- Large quick connect terminal block for easy wire-off
- Click and Connect blades for super quick install
- New & improved hanger bracket
- Screwless canopy, no screw driver needed!

CEILING FAN SPECIFICATIONS


MODEL	FC640134 (WITHOUT LIGHT)	FC642134 (WITH LIGHT)	FC640134R (WITHOUT LIGHT AND REMOTE)	FC642134R (WITH LIGHT AND REMOTE)
BLADE SWEEP	132cm	132cm	132cm	132cm
MOTOR POWER	65W	65W	65W	65W
Max. AIRFLOW	9,210 m³/h	9,210 m³/h	9,210 m³/h	9,210 m³/h
FAN LIGHT	-	Suits two B22 Max. 20W CFL or 10W LED globes (globe sold separately)	-	Suits two B22 Max. 20W CFL or 10W LED globes (globe sold separately)
LIGHT COLOUR	-	max. globe dimension: L110mm x W55mm	-	max. globe dimension: L110mm x W55mm
LIGHT OUTPUT	-	-	-	-
CONTROLLER	Wall control	Wall control	Remote control (FRM97P)	Remote control (FRM97P)

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD250600BK + XFC6403	FD250900BK + XFC6404	FRM97P
BRUSHED STEEL	FD250600BS + XFC6403	FD250900BS + XFC6404	
WHITE	FD250600WH + XFC6403	FD250900WH + XFC6404	

LONSDALE 48" AC CEILING FAN

FC920124 / FC922124 / FC922124R



- Brushed Chrome
- White

CEILING FAN DIMENSIONS

- Ceiling to fan base: (B22) 428mm | (NL) 335mm
- Slope to max. 23°
- Stated dimensions with 150mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 120cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with plywood blades
- Suitable for indoor installation
- 3-speed wall controller or remote controller included
- Available with or without fitted B22 light
- Model with light available with or without FRM86 3-speed remote controller with dimming function

CEILING FAN SPECIFICATIONS

MODEL	FC920124 (WITHOUT LIGHT)	FC922124 (WITH LIGHT)	FC922124R (WITH LIGHT & REMOTE)
BLADE SWEEP	120cm	120cm	120cm
MOTOR POWER	60W	60W	60W
Max. AIRFLOW	7,400 m³/h	7,400 m³/h	7,400 m³/h
FAN LIGHT	-	Suits two B22 20W globes (not supplied)	
LIGHT COLOUR	-	max. globe dimension: L110mm x W55mm	
CONTROLLER	Wall control	Wall control	Remote control (FRM86)

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BRUSHED CHROME	FD360600BC + XFC6403	FD360900BC + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

LUNA 52" AC CEILING FAN

FC550134 / FC557134



- Black
- Brushed Steel
- White

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 343mm | (NL) 300mm
- E: Slope to max. 21°
- Stated dimensions with 127mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Cast aluminium body with plywood blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Available with or without fitted LED light
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC550134 (WITHOUT LIGHT)	FC557134 (WITH LED)
BLADE SWEEP	132cm	132cm
MOTOR POWER	60W	60W
Max. AIRFLOW	9,100 m³/h	9,100 m³/h
FAN LIGHT	-	20W dimmable* integrated LED *dimmer sold separately
LIGHT COLOUR	-	4000K Neutral White
LIGHT OUTPUT	-	1200lm
CONTROLLER	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
BLACK	FD250600BK	FD250900BK	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
BRUSHED	FD250600BS	FD250900BS	
WHITE	FD250600WH	FD250900WH	

VOLTAN 50" AC CEILING FAN

FC710123 / FC712123 / FC717123



- Black
- White

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 350mm | (B22) 363mm | (NL) 310mm
- Slope to max. 15°
- Stated dimensions with 150mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 127cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller included
- Available without light, with fitted B22 light or with dimmable tri-colour LED light
- Globe and dimmer sold separately
- Remote controller adaptable (sold separately)
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC710123 (WITHOUT LIGHT)	FC712123 (B22 LIGHT)	FC777134 (WITH LED)
BLADE SWEEP	127cm	127cm	127cm
MOTOR POWER	65W	65W	65W
Max. AIRFLOW	10,247 m³/h	10,247 m³/h	10,247 m³/h
FAN LIGHT	-	Suits one max. 15W B22 globe (not supplied)	24W dimmable* integrated LED *dimmer sold separately
LIGHT COLOUR	-	max. globe dimension: L110mm x W55mm	3000K Warm White 4000K Neutral White 5000K Daylight
LIGHT OUTPUT	-		1250lm 1450lm 1400lm
CONTROLLER	Wall control	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD660600BK (loom incl.)	FD660900BK (loom incl.)	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD660600WH (loom incl.)	FD660900WH (loom incl.)	

AIRNIMATE 52" AC CEILING FAN

FC770134 / FC777134



- Black
- White

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 370mm | (NL) 335mm
- Slope to max. 15°

CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor and enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Dimmer sold separately
- Remote controller adaptable (sold separately)
- Packaging serves as fan assembly platform
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC770134 (WITHOUT LIGHT)	FC777134 (WITH LED)
MOTOR POWER	60W	60W
Max. AIRFLOW	9,667 m³/h	9,667 m³/h
FAN LIGHT	-	20W dimmable* integrated LED *dimmer sold separately
LIGHT COLOUR	-	3000K Warm White 4000K Neutral White 5000K Daylight
CONTROLLER	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD360600BK + XFC6403	FD360900BK + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

CLARE 52" AC CEILING FAN

FC660134 / FC662134



- Black
- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: (B22) 414mm | (NL) 330mm
- Slope to max. 15°
- Stated dimensions with 150mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 135cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without fitted B22 light
- Globe sold separately
- Remote controller adaptable (sold separately)
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC660134 (WITHOUT LIGHT)	FC662134 (B22 LIGHT)
BLADE SWEEP	135cm	135cm
MOTOR POWER	88W	88W
Max. AIRFLOW	11,340 m³/h	11,340 m³/h
FAN LIGHT	-	Suits two B22 15W globes (not supplied)
LIGHT COLOUR	-	-
LIGHT OUTPUT	-	max. globe dimension: L110mm x W55mm
CONTROLLER	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD660600BK (loom incl.)	FD660900BK (loom incl.)	FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD660600WH (loom incl.)	FD660900WH (loom incl.)	

AIRVENTURE 52" AC CEILING FAN

FC580133 / FC587133



- Black
- White



CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 331mm | (NL) 334mm
- Slope to max. 12°
- Stated dimensions with 100mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 132cm ceiling fans with unique design details
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Remote controller adaptable (sold separately)
- Packaging serves a fan assembly platform
- Easy installation

CEILING FAN SPECIFICATIONS

MODEL	FC580133 (WITHOUT LIGHT)	FC587133 (WITH LED)
BLADE SWEEP	132cm	132cm
MOTOR POWER	57W	57W
Max. AIRFLOW	10,429 m³/h	10,429 m³/h
FAN LIGHT	-	20W dimmable* integrated LED *dimmer sold separately
LIGHT COLOUR	-	3000K Warm White 4000K Neutral White 5700K Daylight
LIGHT OUTPUT	-	1400lm 1550lm 1550lm
CONTROLLER	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD360600BK + XFC6403	FD360900BK + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

MAJOR 48" AC CEILING FAN

FC750124 / FC757124



● White

AC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 325mm | (NL) 336mm
- Slope to max. 18°
- Stated dimensions with 153mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 122cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC750124 (WITHOUT LIGHT)	FC757124 (WITH LED)
BLADE SWEEP	122cm	122cm
MOTOR POWER	75W	75W
Max. AIRFLOW	8,540 m³/h	8,540 m³/h
FAN LIGHT	-	18W integrated LED
LIGHT COLOUR	-	3000K Warm White 4000K Neutral White 5700K Daylight
LIGHT OUTPUT	-	1050lm 1250lm 1150lm
CONTROLLER	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
WHITE	FD110600WH + XFC7403	FD110900WH + XFC7404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)

CLARENCE 56" AC CEILING FAN

FC760143 / FC768143



- Brushed Chrome & Black Timber
- Oil-rubbed Bronze & Dark Timber
- White & Light Timber

AC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling to fan base: (LED) 360mm | (NL) 322mm
- Slope to max. 21°
- Stated dimensions with 127mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 142cm ceiling fans with industrial inspired styling
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Dimmer sold separately
- Remote controller adaptable (sold separately)
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC760143 (WITHOUT LIGHT)	FC768143 (WITH LED)
BLADE SWEEP	142cm	142cm
MOTOR POWER	75W	75W
Max. AIRFLOW	12,336 m³/h	12,336 m³/h
FAN LIGHT	-	13W dimmable* integrated LED *dimmer sold separately
LIGHT COLOUR	-	3000K Warm White 4000K Neutral White 5700K Daylight
LIGHT OUTPUT	-	700lm 750lm 700lm
CONTROLLER	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BRUSHED CHROME	FD360600BC + XFC6403	FD360900BC + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
OIL RUBBED BRONZE	FD510143RB + XFC6403	FD170114RB + XFC6404	
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

SWIFT METAL 52" AC CEILING FAN

FC010124 / FC010134 / FC010144



Fan light sold separately

- Black
- Brushed Steel
- White

AC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling fan to base: 310mm
- Slope to max. 19°
- Stated dimensions with 152mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 122cm, 132cm or 142cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body and blades
- Suitable for indoor installation
- 3-speed wall controller included
- Light adaptable (sold separately)
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC010124	FC010134	FC010144
BLADE SWEEP	122cm	132cm	142cm
MOTOR POWER	80W	80W	80W
Max. AIRFLOW	9,391 m³/h	12,222 m³/h	13,551 m³/h
FAN LIGHT	Max. 2 x 15W	Max. 2 x 15W	Max. 2 x 15W
LIGHT COLOUR	-	-	-
LIGHT OUTPUT	-	-	-
CONTROLLER	Wall control	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	FAN LIGHT	REMOTE CONTROLLER
BLACK	FD360600BK	FD360900BK	-	FRM97 FRM86 (dimmer remote) FRM86G (smart remote)
BRUSHED CHROME	FD110600BC	FD110900BC	FLF3122BC / FLF022BCN	
WHITE	FD110600WH	FD110900WH	FLF3122WH / FLF022WHN	

PHASER

FC740093 / FC740123 / FC740143 / FC747093 / FC747123 / FC747143



without-light
version available

- White

AC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

- Ceiling fan to base: (LED) 350mm | (NL) 336/350mm
- Slope to max. 18°
- Stated dimensions with 153mm rod supplied
Longer rods available

CEILING FAN FEATURES

- 92cm, 127cm and 147cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without tri-colour LED light
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC740093 (W/O LIGHT)	FC740123 (W/O LIGHT)	FC740143 (W/O LIGHT)	FC747093 (WITH LED)	FC747123 (WITH LED)	FC747143 (WITH LED)
BLADE SWEEP	92cm	127cm	147cm	92cm	127cm	147cm
MOTOR POWER	75W	75W	85W	75W	75W	75W
Max. AIRFLOW	6,750 m³/h	10,160 m³/h	14,090 m³/h	6,750 m³/h	10,160 m³/h	14,090 m³/h
FAN LIGHT	-	-	-	18W integrated LED		
LIGHT COLOUR	-	-	-	3000K Warm White	4000K Neutral White	5700K Daylight
LIGHT OUTPUT	-	-	-	800lm	950lm	900lm
CONTROLLER	Wall control	Wall control	Wall control	Wall control	Wall control	Wall control

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
WHITE	FD110600WH + XFC7403	FD110900WH + XFC7404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)

AC FAN REMOTE WITH DIMMER FRM86

- Fan ON/OFF - Low/Medium/High
- Light ON/OFF/DIMMER (must be enabled)
- Light settings memory
- 12 month warranty
- 3 Off timer (2H, 4H, 8H) options
- Up to 10m Radio Frequency range
- Battery included
- Fan motor: Max. 180W
- Lighting: Max. 100W



AC FAN REMOTE FRM87

- RF-Radio frequency 433.9MHz
- Suitable for use with incandescent globes and energy saving compact fluorescent lamps
- 12 months warranty
- Light ON/OFF
- Fan ON/OFF - Low/Medium/High
- Fan motor: Max. 120W
- Lamps: Max. 300w (incandescent) / Max. 100W (energy saving CFL)
- 16 possible code combinations



AC FAN REMOTE FRM97

- RF-Radio frequency 433.9MHz
- Suitable for use with incandescent globes and energy saving compact fluorescent lamps
- 12 months warranty
- Light ON/OFF - Timer (1H, 2H, 3H, 4H, 5H, 6H, 7H, 8H)
- Fan ON/OFF - Low/Medium/High
- Fan motor: Max. 100W
- Lamps: Max. 600W
- 16 possible code combinations




SMART UNIVERSAL CEILING FAN REMOTE KIT FRM86G



- App control with scheduling and timers, scenes and automation, speed control, lighting brightness and colour control
 - App works on devices running iOS or Android, see ikuu.com.au for minimum requirements
 - Fan uses your 2.4GHz WiFi network
- See page 58 for more

Smart Remote
for AC fans

one clever app



- Fan ON/OFF, Low/Medium/High
- Light ON/OFF/DIMMER (must be enabled)
- Light settings memory
- 12 month warranty
- 3 timer options
- Up to 10m Radio Frequency range
- Battery included
- Fan motor: Max. 180W
- Lighting: Max. 100W

AC Ceiling Fan & Remote Compatibility

FAN RANGE	FRM86	FRM86G	FRM87	FRM87GL	FRM97	FRM97P
Airimate	•	•	•		•	
Airventure	•	•	•		•	
Caprice	•	•	•		•	
Caprice Pro						†
Clare	•	•	•		•	
Clarence	•	•	•		•	
Lonsdale	• †	•	•		•	
Luna	•	•	•		•	
Major	•	•	•		•	
Phaser	•	•	•		•	
Swift Metal	•	•	•		•	
Voltan	•	•	•		•	

† Fan series with remote includes this remote



Domino

Exhaust Fans & Bathroom Heaters

Modern styles with superior performance
to suit the air movement need of any
bathroom, laundry or kitchen.

DOMINO

BH151ESW



- Black
- Silver
- White

60^W
EXHAUST
FAN

500 m³/hr
MAX. AIR
EXTRACTION

2
YEAR
HEAT LAMP
WARRANTY

3
YEAR
WARRANTY

PRODUCT DETAILS

- 3 in 1 bathroom solution
- 1 x 800W R7s linear heat lamp
- 2 x 10W LED panels included (3000K – 1150lm)
- High air extraction up to 500m³/hr
- Powerful 60W ball bearing motor
- Side entry draft stopper and 1.5m, Ø150mm flexible duct included
- Wall controller with 3 switches included for separate heat, light and fan control
- Thermal cut out and overheating protection for safety
- Cut out template included
- Heavy duty metal housing
- 2 year warranty on heat lamp

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

MODEL	DESCRIPTION
HEAT LAMP XBHI514	800W, R7S, 2500K
WALL CONTROL FSX90263	3 Gang Switch
DRIVER XBHI516	LED Driver
DRAFT STOPPER XBHI512	Draft Stopper
WALL GRILLE XBHI513	Wall Grille
FRONT PANEL (FASCIA)	Fascia with LED

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BH151ESW	60W	R7s, 1 x 800W	2 x 10W LED Panel	500m ³ /hr	560 x 360mm	540 x 320mm	Ø150mm

DOMINI

BH161ESW



- Black
- Silver
- White

60^W
EXHAUST
FAN

460 m³/hr
MAX. AIR
EXTRACTION

2
YEAR
HEAT LAMP
WARRANTY

3
YEAR
WARRANTY

PRODUCT DETAILS

- 3 in 1 bathroom solution
- High airflow extraction up to 460 m³/hr *
- 1 x 800W heat lamps for instant heating
- 1 x 13W tri-colour LED panel light
- Heavy duty metal housing provides durability
- Wall controller with 3 switches included for separate heat, light and fan control
- Triple overheating protections by thermostat, thermal cutout and fuse
- Extra safety protection by contact switch activated heat lamp
- Side entry draft stopper and 1.5m, Ø150mm flexible duct included
- Cut-out template included**
- 2 year warranty for heat lamp

RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

MODEL	DESCRIPTION
HEAT LAMP XBHI514	800W, R7S, 2500K
WALL CONTROL FSX90263	3 Gang Switch
DRIVER XBHI516	LED Driver
DRAFT STOPPER XBHI512	Draft Stopper
WALL GRILLE XBHI513	Wall Grille
FRONT PANEL (FASCIA) XBHI611BK/SL/WH	Fascia with LED

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BH161ESW	60W	R7s, 1 x 800W	1 x 13W tricolour LED Warm white/ Neutral White/ Cool White	460m ³ /hr	457 x 360mm	440 x 320mm	Ø150mm

* Manufacturer supplied data. Actual performance may vary * This product must be installed by a licensed electrician

FAN CATALOGUE 2021/2022

Airbond
Pedestal Fan



Portable Fans & Wall Fans

Functional fans ensuring high-grade production. Suitable to any indoor or outdoor space.

AIRBOND DC 75cm Industrial Pedestal Fan

FF62230BK

● Black

- Energy saving DC motor consumes up to 70% less energy than AC motor
- Impressive 15,600 m³/h airflow
- Long life motor and aluminium blades
- Sturdy heavy-duty base
- Tilttable head and height adjustable metal pole
- Remote control included
- 19 variable speeds
- Remote controlled oscillation
- Normal / Natural / Sleep 3 operation modes
- 1-9 hour timer
- 1.8m flexible power cord with plug supplied
- 12 month warranty



DRONE 60cm Industrial Drum Fan

FF71424BK

● Black

- Long life motor with 100% copper wire
- Heavy duty gauge steel casing, guard and frame
- Quality construction with balanced blades
- 360° tilttable head
- 3 speeds rotary switch settings
- Portable movement assisted by wheels
- Ultra-high 11,780 m³/h airflow
- 1.6m flexible power cord with plug supplied
- 12 month warranty





Caprice
AC Ceiling Fan

Smart Fan
Controller

 **MERCATOR** ikuü

There has never been a better time to
automate your home.

Visit www.ikuu.com.au to see exactly why
Mercator Ikuü is the affordable, luxurious
and convenient way to control your home.



Every device you need,
all in one place.

Individual and scene control.

Voice control with Amazon
Alexa and Google Assistant.

Easy. Seamless. Integrated.

one clever app


Free download now
No annoying ads – we promise

Control your climate throughout a hot summer or cold winter

Reduce Energy Costs & Increase Comfort

Reduce energy costs and increase comfort in your home
with the ability to automate, set schedules and control your
home wherever you may be!

Mercator Ikuu can be used to make your home smarter, or as
a whole of home solution. There is something for everyone.



WIFI SINGLE ADAPTOR

SPLUG02

Use the Mercator Ikuu app
to turn a connected
appliance, like a pedestal
fan, on or off.


With an in-built power meter
you can see the current and
historical power usage.



UNIVERSAL IR REMOTE

SBIR01

- Can be used to control any IR device such as an air-con or TV
- Comes pre-programmed with a range of popular split system remotes
- Use your existing remote to 'learn' any IR split system remote control – regardless of make or model
- In-built temperature and humidity sensor




SMART AC FAN CONTROLLER

SSWF01G / SSWF01G-WIFI

- Use to convert most AC ceiling fans for smart control
- Zigbee and WiFi versions available; Zigbee requires Mercator Ikuu hub
- 150W max.
- Neutral wire required

● White



LEDs indicate
when the fan is
switched on



**Smart Wall
Controller**
for AC fans




MOTION SENSOR Battery

SMA02P

- Detects and tracks motion
- Battery based for versatile installation locations
- Offers historical tracking
- Zigbee product; requires Mercator Ikuu hub

● White




MOTION SENSOR Hardwired

SXSEN002PIR

- Detects and tracks motion
- 12m detection range
- 360° detection angle.
- IP20

● White



ENVIRONMENTAL SENSOR Battery

SMA03P

- Detects and tracks temperature and humidity
- Battery based for versatile installation locations
- Offers historical tracking
- Zigbee product; requires Mercator Ikuu hub

● White




MOTION SENSOR Hardwired IP65

SXSEN003PIR

- Detects and tracks motion
- 12m detection range
- 180° detection angle.
- IP65

● White




SMART UNIVERSAL CEILING FAN REMOTE KIT

FRM86G

- Compatible with AC ceiling fans
- Adjust fan speed
- Turn fan light on or off
- Timers
- Includes receiver

See page 42 for details


• White



ANOVA 52" SMART DC CEILING FAN

FC1148WHWIFI/BKWIFI


See page 8-9 for details



MINOTA 52" SMART DC CEILING FAN

FC620133G / FC628133G


See page 25 for details




CASA 52" SMART DC CEILING FAN

FC790133G / FC798133G

See page 24 for details



Distributed by:



 mercator.com.au

 ikuu.com.au



All items shown are available at time of printing and are available until sold out. All lights & fans other than do-it-yourself models must be installed by a qualified electrician. Products marked with globe/tube to suit product. Colours shown may vary slightly from actual product. Mercator reserves the right to correct any errors at any time.