





Enhance your living experience with Martec®

Introducing Martec®'s New Range of Smart DC Ceiling Fans

After more than six decades of leadership in cooling, lighting, heating, and exhaust solutions, Martec® continues to push the boundaries of comfort and innovation. We are excited to present our latest advancements: a new collection of Smart DC Ceiling Fans, including standout models like the Fantom DC, a bladeless design crafted to keep you cool and comfortable during the hottest summer months.

Our new lineup also features the Seaforth DC and Albatross II ceiling fans, available in a diverse range of colours and sizes to perfectly suit any space. These fans boast a 6-stage adjustable colour temperature from 2700K to 6000K with variable dimming, enhancing your room's ambiance while delivering superior energy efficiency and whisper-quiet operation.

Each fan comes with an advanced WiFi remote control, providing 6 fan speed settings, a unique comfort sleep mode, and a breeze mode to ensure a restful night's sleep. With this latest range, Martec® continues its tradition of excellence in design and technology.

Additionally, our new Quantum DC ceiling fan features all-ABS construction and fast-fix blades, combining durability with easy installation.

Experience the pinnacle of cooling comfort with Martec®'s Smart DC Ceiling Fans. Embrace the cool and enjoy the breeze!


The Martec® Promise

At Martec®, our unwavering commitment to quality, service, and meticulous attention to detail drives us to deliver exceptional outcomes that stand out in the industry. We transform these core values into products and services that are truly second to none. Our promise is to provide an unrivaled experience, ensuring that each of our valued customers receives the highest standard of excellence.

CONTENTS



SMART DC CEILING FANS



DC CEILING FANS



AC CEILING FANS



ACCESSORIES



/// martecaustralia.com.au

Kingston DC p.62

martecaustralia.com.au ///

CEILING FAN SIZE GUIDE










Study / Small Bedroom


Office / Medium Bedroom / Small Living Room


Large Bedroom / Large Living Room / Rumpus Room / Large Living Room Home Theatre


			ROOM SIZE / TYPE				
		Study / Small Bedroom	Office / Medium Bedroom / Small Living Room	Large Bedroom / Large Living Room / Home Theatre	Rumpus Room / Large Living Room		
		Up to 12m² (3.5m x 3.5m)	Up to 18m² (4m x 4.5m)	Up to 30m² (5m x6m)	Up to 40m² (6.5m x 6m)		
Се	iling Fan Size	1067mm (42")	1220mm (48")	1320mm (52")	1420mm (56")		
	Albatross II DC	Recomme	ended for large combined living a	and dinning areas. Alfresco and BE	BQ areas.		
	Elite DC	✓	✓	✓			
	Triumph DC	✓	✓	✓			
	Viper DC	✓	✓	✓			
	Avoca DC		✓	✓			
	Seaforth DC	✓	✓	✓	✓		
	Fantom DC	✓	✓				
_	Hampton DC		✓	✓			
g Fa	Cordoba DC	✓	✓	✓			
Seilin	Esprit DC	✓	✓	✓			
DC	Newport DC	✓	✓	✓	✓		
Smart DC Ceiling Fan	Polo DC	✓	✓	✓			
Ō	Impact DC	✓	✓	✓			
	Riviera DC		✓	✓			
	Norfolk DC	✓	✓				
	Norfolk Aero DC	Recomme	ended for large combined living a	and dinning areas. Alfresco and BE	BQ areas.		
	Fresno DC		✓	✓			
	Metro DC		✓	✓			
	Scorpion DC	✓	✓	✓			
	Kingston DC	✓	✓				
Fan	Quantum	✓	✓	✓			
DC Ceiling Fan	Albatross	Recommended for large combined living and dinning areas. Alfresco and BBQ areas.					
DCC	Albatross Mini	Recomme	ended for large combined living a	and dinning areas. Alfresco and BE	BQ areas.		
an	Discovery II	✓	✓	✓	✓		
Ceiling Fan	Link	✓	✓				
Ceili	Lifestyle	✓	✓	✓			
AC	Precision	✓	✓	✓	✓		

CEILING FAN APPLICATION GUIDE









Flat Level Surface Ceiling

Slope Ceiling up to 15° Except for Fresno DC & Metro DC ceiling fans. They must be installed on flat level surface.

Corrugated Ceiling

Apex Ceiling

installed on flat level surface.							
ROOM SIZE / TYPE							
	ling Fan C / AC)	Indoor Use	Covered Outdoor*	Tropical Rated	Coastal Rated		
	Albatross II	✓	✓				
	Elite DC	✓	✓				
	Triumph DC	✓	✓				
	Viper DC	✓	✓	All ABS			
	Avoca DC	✓	✓				
	Seaforth DC	✓	✓				
	Fantom DC	✓	✓				
	Hampton DC	✓	✓				
Fan	Cordoba DC	✓	✓				
ling	Esprit DC	✓	✓				
Cei	Newport DC	✓	✓				
Smart DC Ceiling Fan	Polo DC	✓	✓				
Sms	Impact DC	✓	✓				
	Riviera DC	✓	√**				
	Norfolk DC	✓	✓				
	Norfolk Aero DC	✓	✓				
	Fresno DC	✓	✓				
	Metro DC	✓	✓				
	Scorpion DC	✓	✓				
	Kingston DC	✓	✓				
Fan	Quantum	✓	✓	All ABS			
DC Ceiling Fan	Albatross	✓	✓				
DCC	Albatross Mini	✓	✓				
an	Discovery II	✓	✓	All ABS			
Ceiling Fan	Link	✓	✓				
Ceil	Lifestyle	✓	✓				
AC	Precision	✓	✓	Stainless Steel***	Stainless Steel***		

^{*}Covered outdoor means alfresco and BBQ area in a residential dwelling.

/// martecaustralia.com.au

^{**}Matt white and Matt black models only.

^{***}Stainless steel model only.

REMOTE CONTROLS EXPLAINED


WIFI REMOTE CONTROL

(supplied with **ALL smart** + **Quantum** DC ceiling fans see p.12-p.63 and p.66-67)



REMOTE CONTROL

(supplied with **All non-smart except Quantum** DC ceiling fans see p.52-p.65)






KEY FEATURES

(applies to **ALL smart** DC ceiling fans see p.12-p.63)

- WiFi Smart
- 6 stage CCT (2700K 6000K)
- Variable dimming
- 8 speed settings (6 fan speed + sleep + breeze mode)
- Stronger mounting bracket
- Thicker rod (26.5mm vs 18mm standard)
- Magnetic screw cover
- Full setting memory
- RAL9016 Australian Ceiling White





SMART DC CEILING FANS

ADVANTAGES OF DC MOTOR CEILING FANS

High Efficiency

DC motors on average consume less energy than conventional ceiling fan motors.

Speed Control

DC motor controllers provide up to 8 speed settings and an easy to use reversing function for summer and winter operation.

Light Weight

DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to install for electricians.

Quiet Operation

DC motors are very quiet when in operation, ideal for bedrooms.

Remote Control

Smart DC ceiling fans can be operated via a Smart DC remote control (supplied with unique comfort sleep and breeze mode + 6 other speed settings)



ALBATROSS II DC NEW

Large fan leader















MOTOR + LIGHT KIT + BLADES Supplied With



WiFi Remote Control, Light and Timer

FEATURES

- Brushless quiet and efficient 55W DC motor
- WiFi connectivity and operate via Smart Life application
- Robust designed ideal for large areas and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with 6 aluminium blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 32W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)
- Supplied with 2 downrods

ALBATROSS II DC

Large fan leader

MOTOR







Matt White

Matt Black

Brushed Nickel

LIGHT KIT







Matt White


Matt Black

Brushed Nickel

BLADES



DIMENSIONS



NB: Motor, light kit and blades are sold separately. Table 1 – Choose your motor, or motor + light kit.

Table 2 – Choose your blade size.

Table 1.

SPECIFICATIONS	MOTOR ONLY	MOTOR LED LIGHT	
POWER WATTAGE	55W	55W	
LIGHTING WATTAGE / TYPE	-	32W LED	
COLOUR TEMPERATURE	-	2700K - 6000K	
LUMEN OUTPUT	-	Up to 3300lm	
RATED LIFETIME	-	30,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY	FAN LED LIGHT	
MATT WHITE	MDCAW	MDCAW + MDCALKITW	
MATT BLACK	MDCAM	MDCAM + MDCALKITM	
BRUSHED NICKEL	MDCAB	MDCAB + MDCALKITB	

Table 2.


SPECIFICATIONS	BLADE SIZES		
BLADE DIAMETER	1650MM (65")	1830MM (72")	2130mm (84")
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	15,600m³/hr	17,650m³/hr	20,200m³/hr
SPEED 5	14,317m³/hr	15,800m³/hr	16,400m³/hr
SPEED 4	12,060m³/hr	12,300m³/hr	13,880m³/hr
SPEED 3	9,800m³/hr	8,360m³/hr	9,980m³/hr
SPEED 2	6,030m³/hr	6,500m³/hr	6,330m³/hr
SPEED 1 (LOWEST)	3,767m³/hr	3,730m³/hr	3,790m³/hr
BLADE PITCH	10°	10°	10°
ORDERING CODE			
MATT WHITE	MDCAB160W	MDCAB180W	MDCAB210W
MATT BLACK	MDCAB160M	MDCAB180M	MDCAB210M
BRUSHED NICKEL	MDCAB160B	MDCAB180B	MDCAB210B
WALNUT	MDCAB160WN	MDCAB180WN	MDCAB210WN

ACCESSORIES	ORDERING CODE		
900mm Downrod WiFi Matt White	MDRDWIFI36W		
900mm Downrod WiFi Matt Black	MDRDWIFI36M		
900mm Downrod WiFi Nickel	MDRDWIFI36N		
1800mm Downrod WiFi Matt White	MDRDWIFI72W		
1800mm Downrod WiFi Matt Black	MDRDWIFI72M		

martecaustralia.com.au

ELITE DC

Timeless design




FEATURES

- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY		FAN LED LIGHT		
POWER WATTAGE	36W		36W		
BI ADE DIAMETER					
	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	14,000	Om³/hr	14,00	Om³/hr	
SPEED 5	11,20	Om³/hr	11,20	Om³/hr	
SPEED 4	9,120	lm³/hr	9,120)m³/hr	
SPEED 3	7,750	7,750m³/hr		7,750m³/hr	
SPEED 2	6,290	6,290m³/hr		6,290m³/hr	
SPEED 1 (LOWEST)	4,680m³/hr		4,680m³/hr		
BLADE PITCH	10°		10	D°	
LIGHTING WATTAGE / TYPE	-		18W	LED	
COLOUR TEMPERATURE		-	2700K - 6000K		
LUMEN OUTPUT		-	Up to 1950lm		
RATED LIFETIME		-	30,000 hrs @ Ta25°C		
ORDERING CODE	ING CODE FAN ONLY		FAN LED LIGHT		
MATT WHITE	MEDC123W	MEDC133W	MEDC1233W	MEDC1333W	
MATT BLACK	MEDC123M	MEDC133M	MEDC1233M	MEDC1333M	
MATT BLACK / WALNUT	MEDC123MW	MEDC133MW	MEDC1233MW	MEDC1333MW	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS




FAN ONLY

FAN LED LIGHT

/// martecaustralia.com.au

TRIUMPH DC NEW

Affordable elegance




FEATURES

- Brushless quiet and efficient 28W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades plus PMMA lens cover
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W tricolour LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	28W	28W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	10,076m³/hr	10,076m³/hr
SPEED 5	8956m³/hr	8956m³/hr
SPEED 4	8267m³/hr	8267m³/hr
SPEED 3	8094m³/hr	8094m³/hr
SPEED 2	7128m³/hr	7128m³/hr
SPEED 1 (LOWEST)	6100m³/hr	6100m³/hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 2500lm
RATED LIFETIME	-	50,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MDCT133W	MDCT1333W
MATT BLACK	MDCT133M	MDCT1333M
ANTIQUE BRONZE / WALNUT	MDCT133AWN	MDCT1333AWN

ACCESSORIES	ORDERING CODE	
900mm Downrod WiFi Matt White	MDRDWIFI36W	
900mm Downrod WiFi Matt Black	MDRDWIFI36M MDRDWIFI36AB	
900mm Downrod WiFi Antique Bronze		
1800mm Downrod WiFi Matt White	MDRDWIFI72W	
1800mm Downrod WiFi Matt Black	MDRDWIFI72M	



VIPER DC 3

Best-in-class airflow




FEATURES

- Brushless quiet and efficient 33W or 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY		FAN LE	D LIGHT	
POWER WATTAGE	33W	36W	33W	36W	
BLADE DIAMETER	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	17,64	Om³/hr	17,64	Om³/hr	
SPEED 5	14,20	Om³/hr	14,20	Om³/hr	
SPEED 4	13,60	Om³/hr	13,60	Om³/hr	
SPEED 3	12,80	12,800m³/hr		12,800m³/hr	
SPEED 2	11,400m³/hr		11,400m³/hr		
SPEED 1 (LOWEST)	8,500m³/hr		8,500m³/hr		
BLADE PITCH	1-	4°	14°		
LIGHTING WATTAGE / TYPE		-	18W	LED	
COLOUR TEMPERATURE	-		2700K	- 6000K	
LUMEN OUTPUT		-	Up to 2	2120lm	
RATED LIFETIME		-	35,000 hrs @ Ta25°C		
ORDERING CODE	FAN ONLY		FAN LEI	D LIGHT	
MATT WHITE	MVDC123W	MVDC133W	MVDC1233W	MVDC1333W	
MATT BLACK	MVDC123M	MVDC133M	MVDC1233M	MVDC1333M	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M



VIPER DC 4

Best-in-class airflow




FEATURES

- Brushless quiet and efficient 33W or 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY		FAN LEI	D LIGHT	
POWER WATTAGE	33W	36W	33W	36W	
BLADE DIAMETER	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	17,640	17,640m³/hr		17,640m³/hr	
SPEED 5	14,200	Om³/hr	14,20	Om³/hr	
SPEED 4	13,60	Om³/hr	13,60	Om³/hr	
SPEED 3	12,800	12,800m³/hr		12,800m³/hr	
SPEED 2	11,400m³/hr		11,400m³/hr		
SPEED 1 (LOWEST)	8,500m³/hr		8,500m³/hr		
BLADE PITCH	14	4°	14°		
LIGHTING WATTAGE / TYPE	-	-	18W	LED	
COLOUR TEMPERATURE	-	-	2700K	- 6000K	
LUMEN OUTPUT	-	-	Up to 2120lm		
RATED LIFETIME	-	-	35,000 hrs @ Ta25°C		
ORDERING CODE	FAN ONLY		FAN LEI	DLIGHT	
MATT WHITE	MVDC124W	MVDC134W	MVDC1243W	MVDC1343W	
MATT BLACK	MVDC124M	MVDC134M	MVDC1243M	MVDC1343M	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS



/// martecaustralia.com.au

AVOCA DC

Sleek elegance













FAN ONLY Supplied

Matt White



WiFi Remote Control and Timer





FAN LED LIGHT



WiFi Remote Control, Light and Timer






FEATURES

- Brushless quiet and efficient 45W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY		PECIFICATIONS FAN ONLY		FAN LEI	LIGHT
POWER WATTAGE	45W	45W	45W	45W		
BLADE DIAMETER	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")		
AIR MOVEMENT m³/hr						
SPEED 6 (HIGHEST)	10,530	Om³/hr	10,530)m³/hr		
SPEED 5	9,500	lm³/hr	9,500	m³/hr		
SPEED 4	8,100	lm³/hr	8,100	m³/hr		
SPEED 3	7,050	lm³/hr	7,050	7,050m³/hr		
SPEED 2	4,800m³/hr		4,800m³/hr			
SPEED 1 (LOWEST)	2,800m³/hr		2,800m³/hr			
BLADE PITCH	10°		10)°		
LIGHTING WATTAGE / TYPE	-		20W	20W LED		
COLOUR TEMPERATURE	-		2700K - 6000K			
LUMEN OUTPUT	-		Up to 2500lm			
RATED LIFETIME	-		50,000 hrs @ Ta25°C			
ORDERING CODE	FAN ONLY		FAN LED LIGHT			
MATT WHITE	MADC123WWR	MADC133WWR	MADC1233WWR	MADC1333WWR		
MATT BLACK	MADC123MMR	MADC133MMR	MADC1233MMR	MADC1333MMR		
MATT WHITE / OAK	MADC123WOR	MADC133WOR	MADC1233WOR	MADC1333WOR		

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M





SEAFORTH DC NEW

Next generation sophistication











Matt White



















Matt Black / Teak

Smart DC Ceiling Fans

SEAFORTH DC

Next generation sophistication

SPECIFICATIONS	FAN ONLY		FAN LED LIGHT	
POWER WATTAGE	33W		33W	
BLADE DIAMETER	1320mm (52")	1420mm (56")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr				
SPEED 6 (HIGHEST)	13,14	Om³/hr	13,14	Om³/hr
SPEED 5	12,11	Om³/hr	12,11	0m³/hr
SPEED 4	10,71	5m³/hr	10,71	5m³/hr
SPEED 3	8,762	2m³/hr	8,762m³/hr	
SPEED 2	6,532m³/hr		6,532m³/hr	
SPEED 1 (LOWEST)	3,805m³/hr		3,805m³/hr	
BLADE PITCH	16°		16°	
LIGHTING WATTAGE / TYPE	-		16W LED	
COLOUR TEMPERATURE	-		2700K - 6000K	
LUMEN OUTPUT	-		Up to 1415lm	
RATED LIFETIME	-		35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LEI	D LIGHT
MATT WHITE	MDCS133W	MDCS143W	MDCS1333W	MDCS1433W
MATT BLACK	MDCS133M	MDCS143M	MDCS1333M	MDCS1433M
MATT BLACK / TEAK	MDCS133MT	MDCS143MT	MDCS1333MT	MDCS1433MT

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

FEATURES


30

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

DIMENSIONS







31

/// martecaustralia.com.au /// martecaustralia.com.au ///



33

FANTOM DC NEW

FAN LED LIGHT

A bladeless breakthrough















T C	WiFi	Remote	Control
ind.		and Tin	ner


FE	EAT	UF	RES
----	-----	----	-----

32

- Brushless quiet and efficient 18W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- ABS body with a polycarbonate lens cover
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 35W LED with variable dimming
- Variable 6 stage colour temperature between 2700K to 6000K

SPECIFICATIONS	FAN LED LIGHT	
POWER WATTAGE	18W	
BLADE DIAMETER	Bladeless	
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	Up to 5,500m³/hr	
SPEED 5	-	
SPEED 4	•	
SPEED 3	-	
SPEED 2	•	
SPEED 1 (LOWEST)	Approx. 3,000m³/hr	
BLADE PITCH	<u>-</u>	
LIGHTING WATTAGE / TYPE	35W LED	
COLOUR TEMPERATURE	2700K - 6000K	
LUMEN OUTPUT	Up to 2753lm	
RATED LIFETIME	50,000 hrs @ Ta25°C	
ORDERING CODE	FAN LED LIGHT	
MATT WHITE	MFDC480W	

DIMENSIONS



FAN LED LIGHT

/// martecaustralia.com.au martecaustralia.com.au ///



HAMPTON DC

A statement in style



FEATURES

- Brushless guiet and efficient 40W DC motor
- WiFi connectivity and operate via Smart Life application
- Slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)
- Supplied with 2 downrods

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	40W	40W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	15,600m³/hr	15,600m³/hr
SPEED 5	12,700m³/hr	12,700m³/hr
SPEED 4	9,260m³/hr	9,260m³/hr
SPEED 3	7,900m³/hr	7,900m³/hr
SPEED 2	6,440m³/hr	6,440m³/hr
SPEED 1 (LOWEST)	4,860m³/hr	4,860m³/hr
BLADE PITCH	14°	14°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 1955lm
RATED LIFETIME	-	30,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MHDC134W	MHDC1343W
MATT BLACK	MHDC134M	MHDC1343M
MATT WHITE / OAK	MHDC134WO	MHDC1343WO

DIMENSIONS


ACCESSORIES

900mm Downrod WiFi Matt White

900mm Downrod WiFi Matt Black

1800mm Downrod WiFi Matt White

1800mm Downrod WiFi Matt Black







ORDERING CODE

MDRDWIFI36W

MDRDWIFI36M

MDRDWIFI72W

MDRDWIFI72M

FAN LED LIGHT

CORDOBA DC NEW

Minimalist lines



















FEATURES


- Brushless quiet and efficient 28W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

FAN LED LIGHT	FAN ONLY	SPECIFICATIONS
28W	28W	POWER WATTAGE
1320mm (52")	1320mm (52")	BLADE DIAMETER
		AIR MOVEMENT m³/hr
9,350m³/hr	9,350m³/hr	SPEED 6 (HIGHEST)
8,630m³/hr	8,630m³/hr	SPEED 5
7,050m³/hr	7,050m³/hr	SPEED 4
6,500m³/hr	6,500m³/hr	SPEED 3
4,700m³/hr	4,700m³/hr	SPEED 2
3,840m³/hr	3,840m³/hr	SPEED 1 (LOWEST)
10°	10°	BLADE PITCH
18W LED	-	LIGHTING WATTAGE / TYPE
2700K - 6000K	-	COLOUR TEMPERATURE
Up to 1000lm	-	LUMEN OUTPUT
30,000 hrs @ Ta25°C	-	RATED LIFETIME
FAN LED LIGHT	FAN ONLY	ORDERING CODE
MCDC1333W	MCDC133W	MATT WHITE
MCDC1333WO	MCDC133WO	MATT WHITE / OAK
MCDC1333MWN	MCDC133MWN	MATT BLACK / WALNUT
ORDERING CODE		ACCESSORIES
		ACCESSORIES

900mm Downrod WiFi Matt Black MDRDWIFI36M 1800mm Downrod WiFi Matt White MDRDWIFI72W 1800mm Downrod WiFi Matt Black MDRDWIFI72M

DIMENSIONS

900mm Downrod WiFi Matt White



MDRDWIFI36W

ESPRIT DC NEW

Designer performance















FAN ONLY Supplied With



WiFi Remote Control and Timer





FAN LED LIGHT



WiFi Remote Control, Light and Timer





FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 24W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	14,110m³/hr	14,110m³/hr
SPEED 5	11,555m³/hr	11,555m³/hr
SPEED 4	9,255m³/hr	9,255m³/hr
SPEED 3	7,210m³/hr	7,210m³/hr
SPEED 2	5,930m³/hr	5,930m³/hr
SPEED 1 (LOWEST)	4,406m³/hr	4,406m³/hr
BLADE PITCH	14°	14°
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 2160lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MDCE135W	MDCE1353W
MATT BLACK	MDCE135M	MDCE1353M

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M





FAN ONLY

FAN LED LIGHT



NEWPORT DC NEW

Contemporary style





43

NEWPORT DC

Contemporary style

SPECIFICATIONS	FAN ONLY	
POWER WATTAGE	39W	
BLADE DIAMETER	1420mm (56")	
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	13,866m³/hr	
SPEED 5	12,665m³/hr	
SPEED 4	10,955m³/hr	
SPEED 3	9,190m³/hr	
SPEED 2	7,994m³/hr	
SPEED 1 (LOWEST)	5,700m³/hr	
BLADE PITCH	12°	
ORDERING CODE	FAN ONLY	
MATT BLACK	MDCN143M	
MATT WHITE	MDCN143W	
WHITE / OAK	MDCN143WO	
OLD BRONZE / WALNUT	MDCN143OWN	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
900mm Downrod WiFi Old Bronze	MDRDWIFI36OB
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

OTIDETHING OODE	TAIL OILE		
MATT BLACK	MDCN143M	COLOUR TEMPERATURE	2700K - 6000K
MATT WHITE	MDCN143W	LUMEN OUTPUT	Up to 2500lm
WHITE / OAK	MDCN143WO	RATED LIFETIME	50,000 hrs @ Ta25°C
OLD BRONZE / WALNUT	MDCN143OWN	ORDERING CODE	FAN LED LIGHT
		MATT BLACK	MDCN1433M
ACCESSORIES	ORDERING CODE	MATT WHITE	MDCN1433W
900mm Downrod WiFi Matt White	MDRDWIFI36W	WHITE / OAK	MDCN1433WO
900mm Downrod WiFi Matt Black	MDRDWIFI36M	OLD BRONZE / OAK	MDCN1433OWN
900mm Downrod WiFi Old Bronze	MDRDWIFI36OB		
1800mm Downrod WiFi Matt White	MDRDWIF172W	_	
1800mm Downrod WiFi Matt Black	MDRDWIFI72M	_	

Brushless quiet and efficient 39W DC motor

- WiFi connectivity and operate via Smart Life application
- Contemporary style ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control

42

- 20W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

DIMENSIONS

SPECIFICATIONS

POWER WATTAGE

BLADE DIAMETER

SPEED 5

SPEED 4

SPEED 3


SPEED 2

BLADE PITCH

SPEED 1 (LOWEST)

LIGHTING WATTAGE / TYPE

AIR MOVEMENT m³/hr SPEED 6 (HIGHEST)



FAN LED LIGHT

39W

1420mm (56")

13,866m³/hr

12,665m3/hr

10,955m³/hr

9,190m³/hr

7,994m³/hr

5,700m³/hr

12°

20W LED

/// martecaustralia.com.au martecaustralia.com.au ///

POLO DC NEW


The designers choice



FEATURES

- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control and timer
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	36W	36W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	10,862m³/hr	10,862m³/hr
SPEED 5	10,368m³/hr	10,368m³/hr
SPEED 4	9,380m³/hr	9,380m³/hr
SPEED 3	7,899m³/hr	7,899m³/hr
SPEED 2	5,925m³/hr	5,925m³/hr
SPEED 1 (LOWEST)	3,455m³/hr	3,455m³/hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K - 6500K
LUMEN OUTPUT	-	Up to 2500lm
RATED LIFETIME	-	50,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MDCP133W	MDCP1333W
MATT WHITE / WALNUT	MDCP133WWN	MDCP1333WWN
NICKEL / DRIFTWOOD	MDCP133ND	MDCP1333ND
ACCESSORIES		ORDERING CODE
900mm Downrod WiFi Matt White		MDRDWIFI36W
900mm Downrod WiFi Matt White		MDRDWIFI36W MDRDWIFI36M
900mm Downrod WiFi Nickel		MDRDWIFI36N
1800mm Downrod WiFi Matt White		MDRDWIFI72W
1800mm Downrod WiFi Matt Black		MDRDWIFI72M



IMPACT DC NEW

A modern statement

















Supplied

FAN ONLY











FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 24W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)


SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	
POWER WATTAGE	33W	33W 33W	
BLADE DIAMETER	1320mm (52")	1320mm (52")	
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	12,300m³/hr	12,300m³/hr	
SPEED 5	11,180m³/hr	11,180m³/hr	
SPEED 4	9,085m³/hr	9,085m³/hr	
SPEED 3	7,259m³/hr	7,259m³/hr	
SPEED 2	6,199m³/hr	6,199m³/hr	
SPEED 1 (LOWEST)	5,377m³/hr	5,377m³/hr	
BLADE PITCH	15°	15°	
LIGHTING WATTAGE / TYPE	-	24W LED	
COLOUR TEMPERATURE	-	2700K - 6000K	
LUMEN OUTPUT	-	Up to 2160lm	
RATED LIFETIME	-	35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY	FAN LED LIGHT	
MATT WHITE	MIDC133W	MIDC1333W	
MATT BLACK	MIDC133M	MIDC1333M	
MATT BLACK/WALNUT	MIDC133MT	MIDC1333MT	
ACCESSORIES		ORDERING CODE	
900mm Downrod WiFi Matt White		MDRDWIFI36W	


DIMENSIONS

900mm Downrod WiFi Matt Black

1800mm Downrod WiFi Matt White

1800mm Downrod WiFi Matt Black





MDRDWIFI36M

MDRDWIFI72W

MDRDWIFI72M

FAN ONLY

FAN LED LIGHT

RIVIERA DC

Slim by design




FEATURES


- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W 33W	
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	12,000m³/hr	12,000m³/hr
SPEED 5	10,000m³/hr	10,000m³/hr
SPEED 4	8,000m³/hr	8,000m³/hr
SPEED 3	6,000m³/hr	6,000m³/hr
SPEED 2	4,000m³/hr	4,000m³/hr
SPEED 1 (LOWEST)	2,000m³/hr 2,000m³/h	
BLADE PITCH	13°	13°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MRDC133W	MRDC1333W
MATT BLACK	MRDC133M	MRDC1333M
ANTIQUE BRONZE / CHARCOAL	MRDC133ACH*	MRDC1333ACH*

^{*}Indoor applications only.

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
900mm Downrod WiFi Antique Bronze	MDRDWIFI36AB
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M





NORFOLK DC

Functional elegance






























Smart DC Ceiling Fans

NORFOLK DC


Functional elegance

SPECIFICATIONS	FAN ONLY		FAN LED LIGHT	
POWER WATTAGE	18W	32W	18W	32W
BLADE DIAMETER	1220mm (48")	1420mm (56")	1220mm (48")	1420mm (56")
AIR MOVEMENT m³/hr				
SPEED 6 (HIGHEST)	8,860m³/hr	9,950m³/hr	8,860m³/hr	9,950m³/hr
SPEED 5	5,610m³/hr	7,850m³/hr	5,610m³/hr	7,850m³/hr
SPEED 4	4,520m³/hr	6,780m³/hr	4,520m³/hr	6,780m³/hr
SPEED 3	5,367m³/hr	5,530m³/hr	5,367m³/hr	5,530m³/hr
SPEED 2	4,168m³/hr	4,080m³/hr	4,168m³/hr	4,080m³/hr
SPEED 1 (LOWEST)	3,780m³/hr	3,260m³/hr	3,780m³/hr	3,260m³/hr
BLADE PITCH	9°		9°	
LIGHTING WATTAGE / TYPE		-	20W LED	
COLOUR TEMPERATURE		-	2700K - 6000K	
LUMEN OUTPUT		-	Up to 2	2420lm
RATED LIFETIME		-	35,000 hrs	@ Ta25°C
ORDERING CODE	FAN ONLY		FAN LEI	LIGHT
MATT WHITE / NATURAL	MNDC123WN	MNDC143WN	MNDC1233WN	MNDC1433WN
MATT WHITE / WHITE WASH	MNDC123WW	MNDC143WW	MNDC1233WW	MNDC1433WW
MATT BLACK / WALNUT	MNDC123MW	MNDC143MW	MNDC1233MW	MNDC1433MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

FEATURES

- Brushless quiet and efficient 18W or 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low profile designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)





FAN LED LIGHT

NORFOLK AERO DC

Form meets function



FEATURES

- Brushless quiet and efficient 30W or 50W DC motor
- WiFi connectivity and operate via Smart Life application
- Low profile designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with solid timber blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control

NB: Motor and blades are sold separately.

Table 1 – Choose your motor.

Table 2 – Choose your blade size.

Table 1.

ORDERING CODE	MOTOR ONLY
MATT WHITE	MNDCW
MATT BLACK	MNDCM

Table 2

Table 2.		
SPECIFICATIONS	BLADE PACK	
BLADE DIAMETER	1765MM (70")	2175mm (86")
POWER WATTAGE	30W	50W
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	10,200m³/hr	12,750m³/hr
SPEED 5	9,052m³/hr	11,201m³/hr
SPEED 4	8,521m³/hr	9,287m³/hr
SPEED 3	6,878m³/hr	8,214m³/hr
SPEED 2	5,230m³/hr	6,973m³/hr
SPEED 1 (LOWEST)	3,150m³/hr	4,913m³/hr
BLADE PITCH	9°	9°
ORDERING CODE	FAN	ONLY
NATURAL	MNB180N	MNB220N
WHITE WASH	MNB180WW	MNB220WW


ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

MNB220W

MNB180W

DIMENSIONS

WALNUT



FAN ONLY

/// martecaustralia.com.au martecaustralia.com.au ///



Smart DC Ceiling Fans

FRESNO DC


Stylish practicality



SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	14,700m³/hr	14,700m³/hr
SPEED 5	12,170m³/hr	12,170m³/hr
SPEED 4	10,170m³/hr	10,170m³/hr
SPEED 3	7,830m³/hr	7,830m³/hr
SPEED 2	4,890m³/hr	4,890m³/hr
SPEED 1 (LOWEST)	2,500m³/hr	2,500m³/hr
BLADE PITCH	15°	15°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 1415lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MFDC133W	MFDC1333W
MATT BLACK	MFDC133M	MFDC1333M

FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)



METRO DC NEW

Low ceiling performer




















SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	14,200m³/hr	14,200m³/hr
SPEED 5	11270m³/hr	11270m³/hr
SPEED 4	9412m³/hr	9412m³/hr
SPEED 3	7253m³/hr	7253m³/hr
SPEED 2	4526m³/hr	4526m³/hr
SPEED 1 (LOWEST)	2500m³/hr	2500m³/hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MDCM133W	MDCM1333W
MATT BLACK	MDCM133M MDCM1333M	
WHITE OAK	MDCM133WO MDCM1333WO	


FEATURES

- Brushless quiet and efficient 33W DC motor
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades plus PMMA lens cover
- WiFi connectivity and operate via Smart Life application
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W tricolour LED with variable dimming
- Variable 6 stage colour temperature between 2700K to 6000K



SCORPION DC

Robust design




FEATURES

- Brushless guiet and efficient 34W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN	FAN ONLY		D LIGHT	
POWER WATTAGE	34W	34W	34W	34W	
BLADE DIAMETER	1066mm (42")	1320mm (52")	1066mm (42")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	10,30	Om³/hr	10,300	Om³/hr	
SPEED 5	9,020)m³/hr	9,020)m³/hr	
SPEED 4	8,540)m³/hr	8,540)m³/hr	
SPEED 3	7,700)m³/hr	7,700)m³/hr	
SPEED 2	6,680	6,680m³/hr)m³/hr	
SPEED 1 (LOWEST)	5,640	5,640m³/hr		5,640m³/hr	
BLADE PITCH	1	13°		3°	
LIGHTING WATTAGE / TYPE		-		20W LED	
COLOUR TEMPERATURE		-		- 6000K	
LUMEN OUTPUT		-		2400lm	
RATED LIFETIME		-	35,000 hrs	@ Ta25°C	
ORDERING CODE	FAN	FAN ONLY		D LIGHT	
MATT WHITE	MSDC103W	MSDC133W	MSDC1033W	MSDC1333W	
MATT BLACK	MSDC103M	MSDC133M	MSDC1033M	MSDC1333M	
GRAPHITE / CARBON	-	MSDC133GC	-	MSDC1333GC	
ACCESSODIES				DING CODE	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
900mm Downrod WiFi Graphite	MDRDWFIFI36G
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M



KINGSTON DC

Outdoor entertainer















Old Bronze / Walnut





WiFi Remote Control






Matt White / White Wash

Old Bronze / Walnut

FAN LED LIGHT







Matt White / White Wash


FEATURES

- Brushless quiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Robust palm leaf designed ideal for covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body and canopy with ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS FAN ONLY		FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1265mm (50")	1265mm (50")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	9,200m³/hr	9,200m³/hr
SPEED 5	8,082m³/hr	8,082m³/hr
SPEED 4	6,701m³/hr	6,701m³/hr
SPEED 3	5,927m³/hr	5,927m³/hr
SPEED 2	5,032m³/hr	5,032m³/hr
SPEED 1 (LOWEST)	3,545m³/hr	3,545m³/hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K - 6000K
LUMEN OUTPUT	-	Up to 2420lm
RATED LIFETIME	-	3,500 hours @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / WHITE WASH	MKDC124W	MKDC1243W
OLD BRONZE / WALNUT	MKDC1240B	MKDC1243OB
ACCESSORIES		ORDERING CODE
900mm Downrod WiFi Matt White		MDRDWIFI36W
900mm Downrod WiFi Old Bronze		MDRDWIFI360B
1800mm Downrod WiFi Matt White		MDRDWIFI72W

DIMENSIONS





FAN ONLY

FAN LED LIGHT

/// martecaustralia.com.au



DC CEILING FANS

ADVANTAGES OF DC MOTOR CEILING FANS

High Efficiency

DC motors on average consume less energy than conventional

ceiling fan motors.

Speed Control

DC motor controllers provide up to 5 speed settings and an easy to use reversing function for summer and

winter operation.

Light Weight

DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to

install for electricians.

Quiet Operation

DC motors are very quiet when in operation, ideal for bedrooms.

Remote Control

DC Ceiling fans can be operated via a DC remote control (supplied).

QUANTUM NEW

Feature packed versatility














FEATURES

- Brushless quiet and efficient 36W DC motor
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Fast fix blades for easy installation
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 24W LED with variable dimming (light model only)
- Variable 6 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN	ONLY	FAN LEI	DLIGHT	
POWER WATTAGE	36	36W		36W	
BLADE DIAMETER	1220mm (42")	1320mm (52")	1220mm (42")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	Up to 12,000m³/hr	Up to 12,000m³/hr	Up to 12,000m ³ /hr	Up to 12,000m ³ /hr	
SPEED 5	-	-	-	-	
SPEED 4	-	-	-	-	
SPEED 3	-	-	-	-	
SPEED 2	-	-	-	-	
SPEED 1 (LOWEST)	Approx. 5,500m ³ /hr	Approx. 5,500m³/hr	Approx. 5,500m³/hr	Approx. 5,500m³/hr	
BLADE PITCH	12	2.5°	12	.5°	
LIGHTING WATTAGE / TYPE		-	24W	LED	
COLOUR TEMPERATURE		-	2700K -	- 6500K	
LUMEN OUTPUT		-	Up to 2	2500lm	
RATED LIFETIME		-	50,000 hrs	@ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LED LIGHT		
MATT WHITE	MQDC124WR	MQDC134WR	MQDC1243WR	MQDC1343WR	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
1800mm Downrod WiFi Matt White	MDRDWIFI72W

DIMENSIONS



FAN LED LIGHT



ALBATROSS

Large fan leader

















5 Speed Remote Control and Timer







Brushed Nickel













ALBATROSS

Large fan leader

NB: Motor and blades are sold separately. Choose your motor (Step 1) and blade pack (Step 2) from below to order a complete unit.

Step 1.

SPECIFICATIONS	MOTOR ONLY	MOTOR LED LIGHT
POWER WATTAGE	35W	35W
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MAFWWR	MAFML3WR
MATT BLACK	MAFMMR	MAFML3MR
BRUSHED NICKEL	MAFMBR	MAFML3MR

FEATURES

70

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Steel body and canopy with aluminium blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 24W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)


Step 2.

SPECIFICATIONS	BLADI	E PACK
BLADE DIAMETER	1800mm (72")	2100mm (84")
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	15,600m³/hr	16,800m³/hr
SPEED 2	12,950m³/hr	13,950m³/hr
SPEED 3	11,090m³/hr	11,950m³/hr
SPEED 4	9,140m³/hr	9,850m³/hr
SPEED 5 (LOWEST)	6,790m³/hr	7,310m³/hr
BLADE PITCH	17°	17°
ORDERING CODE		
WHITE	MAF180W	MAF210W
MATT BLACK	MAF180M	MAF210M
BRUSHED NICKEL	MAF180B	MAF210B


ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White	MDRD72W
1800mm Downrod Matt Black	MDRD72M

DIMENSIONS

FAN ONLY



FAN LED LIGHT



71

/// martecaustralia.com.au martecaustralia.com.au ///



73

ALBATROSS MINI

Hi flow for smaller spaces















5 Speed Remote Control and Timer





FEATURES


72

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Steel body and canopy with aluminium blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control

SPECIFICATIONS	FAN ONLY
POWER WATTAGE	35W
BLADE DIAMETER	1650mm (65")
AIR MOVEMENT m³/hr	
SPEED 1 (HIGHEST)	14,400m³/hr
SPEED 2	11,950m³/hr
SPEED 3	10,240m³/hr
SPEED 4	8,440m³/hr
SPEED 5 (LOWEST)	6,270m³/hr
BLADE PITCH	17°
ORDERING CODE	FAN ONLY
WHITE	MAF168WR
MATT BLACK	MAF168MR
BRUSHED NICKEL	MAF168BR

ORDERING CODE
MDRD36W
MDRD36M
MDRD36N
MDRD72W
MDRD72M

DIMENSIONS



FAN ONLY

/// martecaustralia.com.au martecaustralia.com.au



AC CEILING FANS

ADVANTAGES OF AC MOTOR CEILING FANS

Remote Control

AC motor ceiling fans provide more options for controllers. Choices from remote controls to a simple switch.

Low Cost

AC ceiling fans use less electricity than most household appliances especially air conditioners. A standard AC powered ceiling fan will use less than 100W on the highest speed with the majority of models using much less.

More Choices

AC motor ceiling fans have been on the market for a while now. There are plenty of different options and styles for you to choose from that will be within your budget.

DISCOVERY II

ABS versatility



















FAN LED LIGHT



FEATURES

- Powerful and efficient 65W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN	ONLY	FAN LEI	D LIGHT
POWER WATTAGE	65W	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")
AIR MOVEMENT m³/hr				
SPEED 1 (HIGHEST)	11,835m³/hr	13,450m³/hr	11,835m³/hr	13,450m³/hr
SPEED 2	-	-	9,580m³/hr	10,200m³/hr
SPEED 3 (LOWEST)	-	-	6,450m³/hr	7,100m³/hr
BLADE PITCH	13°	13°	13°	13°
LIGHTING WATTAGE / TYPE	15W LED			
COLOUR TEMPERATURE	3000K / 4000K / 5000K			
LUMEN OUTPUT	1580lm / 1745lm / 1690lm			
RATED LIFETIME	35,000 hrs @ Ta25°C			
ORDERING CODE	FAN	ONLY	FAN LEI	DLIGHT
WHITE SATIN	MDF124W	MDF134W	MDF1243W	MDF1343W

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRA36WS
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White Satin	MDRA72WS
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

MDF134M

MDF124M

DIMENSIONS

MATT BLACK





MDF1243M

MDF1343M

FAN ONLY

FAN LED LIGHT

/// martecaustralia.com.au

LINK

Best value



79

























FAN E27* Light





FEATURES

Powerful and efficient 55W AC motor

/// martecaustralia.com.au

- Low profile designed ideal for indoor applications
- Steel body and canopy with plywood blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)
- E27 light model available (globes not included)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	55W	55W	55W
BLADE DIAMETER	1220mm (48")	1220mm (48")	1220mm (48")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	7,600m³/hr	7,600m³/hr	7,600m³/hr
SPEED 2	5,020m³/hr	5,020m³/hr	5,020m³/hr
SPEED 3 (LOWEST)	3,670m³/hr	3,670m³/hr	3,670m³/hr
BLADE PITCH	11°	11°	11°
LIGHTING WATTAGE / TYPE	-	15W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	FSL124W	FSL1243W	FSL1244W
MATT BLACK	FSL124M	FSL1243M	FSL1244M
WHITE + REMOTE	-	FSL1243WR**	FSL1244WR**

^{*}Supplied with 2x E27 lamp holders. Globe not included.

^{**}Supplied with remote control

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

DIMENSIONS



martecaustralia.com.au ///

LIFESTYLE

Elegant and functional

















FAN ONLY







FAN LED LIGHT





FAN E27* Light







FEATURES


- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor applications
- Aluminium body and canopy with plywood blades (plus glass lens cover, light model only)
- Fully reversible for summer and winter mode
- 24W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)
- E27 light model available (globes not included)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	60W	60W	60W
BLADE DIAMETER	1320mm (52")	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	9,600m³/hr	9,600m ³ /hr	9,600m³/hr
SPEED 2	7,600m³/hr	7,600m³/hr	7,600m³/hr
SPEED 3 (LOWEST)	5,600m³/hr	5,600m³/hr	5,600m³/hr
BLADE PITCH	12.5°	12.5°	12.5°
LIGHTING WATTAGE / TYPE	-	24W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	DLS134W	DLS1343W	DLS1344W
MATT BLACK	DLS134M	DLS1343M	DLS1344M
BRUSHED ALUMINIUM	DLS134B	DLS1343B	DLS1344B


*Supplied with 2x E27 lamp holders. Globe not included.

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
900mm Downrod Brushed Aluminium	MDRA36B
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
1800mm Downrod Brushed Aluminium	MDRA72B
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

DIMENSIONS



/// martecaustralia.com.au /// martecaustralia.com.au ///



PRECISION

Coastal and tropical rated





Summer/Winter Reverse Function



Stainless Steel / 316

LIGHT KIT*





PRECISION

Coastal and tropical rated

	Ceiling Fans	AC
	ans	

85

SPECIFICATIONS		FAN ONLY	
POWER WATTAGE	75W	75W	75W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	16,380m³/hr	18,960m³/hr	21,000m³/hr
SPEED 2	11,980m³/hr	13,050m³/hr	14,300m³/hr
SPEED 3 (LOWEST)	8,450m³/hr	9,520m³/hr	9,380m ³ /hr
BLADE PITCH		23°	
ORDERING CODE		FAN ONLY	
WHITE	MPF120WH	MPF130WH	MPF140WH
STAINLESS STEEL / 316	MPF3162SS	MPF3163SS	MPF3164SS

SPECIFICATIONS		FAN + LIGHT KIT*	
POWER WATTAGE	75W	75W	75W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
LIGHTING WATTAGE / TYPE		2x E14** lamp holder	
ORDERING CODE		FAN + LIGHT KIT*	
WHITE	MPF120WH + PLKWH*	MPF130WH + PLKWH*	MPF140WH + PLKWH*
STAINLESS STEEL/316	MPF3162SS + PLKSS*	MPF3163SS + PLKSS*	MPF3164SS + PLKSS*
*Light kit sold separately at addi	tional cost.		
**Globe not included			

ACCESSORIES	ORDERING CODE
900mm Downrod White	DREPO36W
900mm Downrod Stainless Steel	DRP36SS
1800mm Downrod White	DREPO72W
1800mm Downrod Stainless Steel	DRP72SS
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI
Precision Light Kit White	PLKWH
Precision Light Kit 316 Stainless Steel	PLKSS

FEATURES

- Powerful and efficient 75W AC motor
- Ideal for indoor and covered outdoor and tropical applications
- All metal body, canopy and blades
- Fully reversible for summer and winter mode
- E14 light kit available (sold separately and globes not included)

DIMENSIONS



FAN ONLY



Dia 130mm

FAN LED LIGHT

/// martecaustralia.com.au /// martecaustralia.com.au ///



CEILING FANS ACCESSORIES

ADVANTAGES OF CEILING FANS ACCESSORIES

Remote Control

Remote controls allow you to change the fan speed with a touch

of a button.

Light Kit

Ceiling fan lights give you brightness while providing a relaxing cool breeze.

Downrod

Downrods provide convenience and better efficiency where the installation area has a high ceiling.

REMOTE CONTROL KITS/ WALL CONTROLLER





PREMIER REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- . 2, 4 and 8 hour timer
- 4 dip switches make
 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries



PREMIUM LCD REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 1-8 hour timer
- 4 dip switches make
 16 possible control channels
- Radio frequency with range up to 10m
- Supplied with 2x AAA batteries and wall mounting bracket

ORDERING CODE

MPREMS

ORDERING CODE

MPLCDS







SMART REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- · Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- 3 ways control: remote, APP and voice
- · Light on/off function
- Advanced timer:
 1-12hr via App, 2-8hr via remote
- Radio frequency with range up to 10m
- Bluetooth backup when WiFi unavailable
- Supplied with 2x AAA batteries and wall mounting bracket

INFRA-RED REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off and delay function
- · Supplied with 2x AAA batteries

ORDERING CODE

MPWIFI

ORDERING CODE

FSIREM

/// martecaustralia.com.au




89

Accessories

DOWNROD LENGTH RECOMMENDATIONS

The ideal distance from the floor to fan blades is 210 cm to 270 cm.



90

DOWNRODS



DC DOWNRODS

Ordering Code	Description	Product
MDRD36WS	900mm Downrod White Satin	Albatross
MDRD36W	900mm Downrod White	Albatross
MDRD36M	900mm Downrod Matt Black	Albatross
MDRD36N	900mm Downrod Brushed Nickel	Albatross
MDRD36B	900mm Downrod Brushed Aluminium	Albatross
MDRD72WS	1800mm Downrod White Satin	Albatross
MDRD72W	1800mm Downrod White	Albatross
MDRD72M	1800mm Downrod Matt Black	Albatross
MDRD72B	1800mm Downrod Brushed Aluminium	Albatross
MDRDWIFI36W	900mm Downrod WiFi Matt White	All Smart Range + Quantum
MDRDWIFI36M	900mm Downrod WiFi Matt Black	All Smart Range + Quantum
MDRDWIFI36AB	900mm Downrod WiFi Antique Bronze	All Smart Range + Quantum
MDRDWIFI360B	900mm Downrod WiFi Old Bronze	All Smart Range + Quantum
MDRDWIFI36G	900mm Downrod WiFi Graphite	All Smart Range + Quantum
MDRDWIFI36N	900mm Downrod WiFi Nickel	All Smart Range + Quantum
MDRDWIFI72W	1800mm Downrod WiFi Matt White	All Smart Range + Quantum
MDRDWIFI72M	1800mm Downrod WiFi Matt Black	All Smart Range + Quantum

NB: Please select the colour that matches the corresponding ceiling fan colour.

AC DOWNRODS

Ordering Code	Description	Product
MDRA36WS	900mm Downrod White Satin	Discovery II, Link, Lifestyle
MDRA36W	900mm Downrod White	Discovery II, Link, Lifestyle
MDRA360	900mm Downrod Old Bronze	Discovery II, Link, Lifestyle
MDRA36M	900mm Downrod Matt Black	Discovery II, Link, Lifestyle
MDRA72WS	1800mm Downrod White Satin	Discovery II, Link, Lifestyle
MDRA72W	1800mm Downrod White	Discovery II, Link, Lifestyle
MDRA720	1800mm Downrod Old Bronze	Discovery II, Link, Lifestyle
MDRA72M	1800mm Downrod Matt Black	Discovery II, Link, Lifestyle
DREP036W	900mm Downrod White	Precision
DRP36SS	900mm Downrod 316 Stainless Steel	Precision
DREP072W	1800mm Downrod White	Precision
DRP72SS	1800mm Downrod 316 Stainless Steel	Precision

NB: Please select the colour that matches the corresponding ceiling fan colour.





/// martecaustralia.com.au /// martecaustralia.com.au

WARRANTY GUIDE



CEILING FANS

*3 Year In-home Replacement

+ additional 3 Years on the motor only

NB: Except Quantum has 2 Year In-Home Warranty. *Visit website for further information regarding warranty terms and conditions.



WALL CONTROLLER

1 Year In-home

warranty

warranty



ACCESSORIES

1 Year Replacement

We do more than you think



MARTEC













Martec® is committed to ongoing development and enhancement of its products. Consequently, all descriptions, illustrations, drawings, and specifications presented in this publication are intended as general information and do not form part of any contractual agreement. The figures related to air movements are indicative and should be considered as approximate values. All measurements are provided in millimeters unless stated otherwise. Please note that specifications and imagery are subject to change without prior notice. This information was last updated in September 2024.





6 Austool Place Ingleburn NSW 2565 (02) 8778 7500 sales@martecltd.com.au

Opening Hours (Mon-Fri): Warehouse: 7:30am - 3:30pm Office: 8:00am - 4:00pm

www.martecaustralia.com.au





