



Explore **THE RANGE**
Lookbook & Specifications

Alula Smart DC

60" 80"
1524mm 2032mm

Brace yourself for the ultimate breeze... and the occasional existential crisis when your ceiling fan knows more about your schedule than you do! The Alula features built-in smart tech and is made to move air in larger spaces.

WHITE



BLACK



WHITE
WITH BAMBOO BLADES



WHITE
WITH TEAK BLADES



WHITE
WITH KOA BLADES




BLACK
WITH BAMBOO BLADES



BLACK
WITH TEAK BLADES



BLACK
WITH KOA BLADES




6-Speed Remote Control Included



Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty <small>*3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration.</small> |
| Materials | Durable Aluminium <small>Retrofittable Light Kit includes a Frosted Plastic Light Diffuser.</small> |
| Operation | Smart PLUS 6-Speed Remote <small>Includes 1, 4 and 8 hour timer, sea breeze, security and reverse functions as well as light control (applicable for with light model).</small> |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. <small>Up to 10° without Raked Ceiling Kit Accessory.</small> |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 60" | 80" |
|---------|-------------------------------------|---------------------------------------|
| Speed 1 | 5,855 m3/hr 5W 43 RPM | 8,255 m3/hr 7.9W 47 RPM |
| Speed 2 | 7,805 m3/hr 8.6W 79 RPM | 11,010 m3/hr 14.3W 64 RPM |
| Speed 3 | 11,710 m3/hr 13W 96 RPM | 16,515 m3/hr 20.1W 73 RPM |
| Speed 4 | 14,640 m3/hr 20W 116 RPM | 20,645 m3/hr 30.3W 84 RPM |
| Speed 5 | 16,590 m3/hr 31.1W 134 RPM | 23,400 m3/hr 41.9W 95 RPM |
| Speed 6 | 19,519 m3/hr 40W 148 RPM | 27,529 m3/hr 53.8W 103 RPM |

Tri-Colour Light Kit USER REPLACEABLE



The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor Only | Blades Only | Light Kit Only | Available Accessories |
|-----|---|--|---|--|
| 60" | 495 x 380 x 243mm GW 8.25KG NW 5.85KG | 665 x 75 x 115mm GW 4KG NW 3.5KG | 310 x 310 x 75mm GW 1.25KG NW 0.9KG | 900mm Extension Rod White ALU-900EXT-WH Black ALU-900EXT-BK 1800mm Extension Rod White ALU-1800EXT-WH Black ALU-1800EXT-BK 38 Degree Raked Ceiling Kit White RCK2126-W Black RCK2126-B Retrofittable Light Kit White ALU-LED24-WH Black ALU-LED24-BK Wall Control Kit Coming Soon! |
| 80" | 495 x 380 x 243mm GW 9.3KG NW 6.9KG | 915 x 75 x 115mm GW 5.15KG NW 4.55KG | | |

GW = Gross Weight NW = Net Weight

Model Numbers

| | White | White with Bamboo | White with Teak | White with Koa | Black | Black with Bamboo | Black with Teak | Black with Koa |
|-----|----------------------|-------------------|-----------------|----------------|-------------|-------------------|-----------------|----------------|
| 60" | No Light ALU-760W-WH | ALU-760W-BA | ALU-760W-TE | ALU-760W-KO | ALU-760B-BK | ALU-760B-BA | ALU-760B-TE | ALU-760B-KO |
| 80" | No Light ALU-780W-WH | ALU-780W-BA | ALU-780W-TE | ALU-780W-KO | ALU-780B-BK | ALU-780B-BA | ALU-780B-TE | ALU-780B-KO |

CloudFan Smart DC

48"

1220mm

52"

1320mm

60"

1520mm

72"

1830mm

The CloudFan is a multi-award winning smart ceiling fan that pairs stylish design with clever technology.



PRODUCT REVIEW
.COM.AU

2024 AWARDS WINNER

WHITE



BLACK



WHITE

WITH BAMBOO BLADES



WHITE

WITH TEAK BLADES



WHITE

WITH KOA BLADES



BLACK

WITH BAMBOO BLADES




BLACK

WITH TEAK BLADES



BLACK

WITH KOA BLADES



6-Speed Remote Control Included


CloudFan Smart DC

48" 52" 60" 72"

Technical Specifications

| | |
|-----------------------|---|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS With Light model includes a Frosted Plastic Light Diffuser. |
| Operation | Smart PLUS 6-Speed Remote Includes 1, 4 and 8 hour timer, sea breeze, security and reverse functions as well as light control (applicable for with light model). |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory Up to 15° without Raked Ceiling Kit Accessory. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 48" | 52" | 60" | 72" |
|---------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Speed 1 | 4,400 m3/hr 4.7W 85 RPM | 4,605 m3/hr 4.4W 71 RPM | 5,605 m3/hr 2.8W 58 RPM | 6,080 m3/hr 2.9W 41 RPM |
| Speed 2 | 5,865 m3/hr 6.3W 123 RPM | 6,140 m3/hr 6.6W 110 RPM | 7,475 m3/hr 6.3W 100 RPM | 8,105 m3/hr 7.4W 76 RPM |
| Speed 3 | 8,800 m3/hr 9.7W 164 RPM | 9,210 m3/hr 9.4W 134 RPM | 11,215 m3/hr 10W 124 RPM | 12,160 m3/hr 10.9W 89 RPM |
| Speed 4 | 11,000 m3/hr 13.6W 192 RPM | 11,515 m3/hr 14.8W 165 RPM | 14,020 m3/hr 15.8W 148 RPM | 15,200 m3/hr 17.6W 107 RPM |
| Speed 5 | 12,465 m3/hr 20.3W 224 RPM | 13,050 m3/hr 23.4W 195 RPM | 15,885 m3/hr 25.6W 176 RPM | 17,225 m3/hr 27.1W 124 RPM |
| Speed 6 | 14,667 m3/hr 30.1W 262 RPM | 15,351 m3/hr 35W 228 RPM | 18,691 m3/hr 44.2W 215 RPM | 20,268 m3/hr 43.3W 145 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor & Blades | Motor Only | Blades Only | Available Accessories |
|-----|---|--|--|---|
| 48" | No Light: 660 x 280 x 370mm GW 6.4KG NW 5.8KG With Light: 660 x 280 x 370mm GW 7.25KG NW 6.1KG | N/A | 580 x 230 x 140mm GW 1.8KG NW 1.45KG | 48" Blades Bamboo CFT-B48-BA Teak CFT-B48-TE Koa CFT-B48-KO 52" Blades Bamboo CFT-B52-BA Teak CFT-B52-TE Koa CFT-B52-KO 60" Blades Bamboo CFT-B60-BA Teak CFT-B60-TE Koa CFT-B60-KO 72" Blades Bamboo CFT-B72-BA Teak CFT-B72-TE Koa CFT-B72-KO 900mm Extension Rod White CFT-900EXT-WH Black CFT-900EXT-BK 1800mm Extension Rod White CFT-1800EXT-WH Black CFT-1800EXT-BK 38 Degree Raked Ceiling Kit White RCK2126-W Black RCK2126-B Wall Control Kit Coming Soon! |
| 52" | No Light: 660 x 280 x 370mm GW 8.2KG NW 5.9KG With Light: 660 x 280 x 370mm GW 8.5KG NW 6.2KG | N/A | 630 x 230 x 140mm GW 2.2KG NW 1.85KG | |
| 60" | No Light: 760 x 280 x 370mm GW 9.1KG NW 6.3KG With Light: 760 x 280 x 370mm GW 9.4KG NW 6.8KG | 500 x 295 x 290mm GW 6.2kg NW 4.2KG 500 x 295 x 290mm GW 6.7kg NW 4.8KG | 740 x 230 x 140mm GW 2.3KG NW 1.95KG | |
| 72" | No Light: N/A With Light: N/A | 500 x 295 x 290mm GW 6.2kg NW 4.2KG 500 x 295 x 290mm GW 6.7kg NW 4.8KG | 740 x 230 x 140mm GW 2.5kg NW 2.05KG | |

GW = Gross Weight NW = Net Weight

Model Numbers

| | White | White with Bamboo | White with Teak | White with Koa | Black | Black with Bamboo | Black with Teak | Black with Koa |
|-----|--|--|--|--|--|--|--|--|
| 48" | No Light: CFT-348-WH With Light: CFT-348-WH-L | No Light: CFT-348W-BA With Light: CFT-348W-BA-L | No Light: CFT-348W-TE With Light: CFT-348W-TE-L | No Light: CFT-348W-KO With Light: CFT-348W-KO-L | No Light: CFT-348-BK With Light: CFT-348-BK-L | No Light: CFT-348B-BA With Light: CFT-348B-BA-L | No Light: CFT-348B-TE With Light: CFT-348B-TE-L | No Light: CFT-348B-KO With Light: CFT-348B-KO-L |
| 52" | No Light: CFT-352-WH With Light: CFT-352-WH-L | No Light: CFT-352W-BA With Light: CFT-352W-BA-L | No Light: CFT-352W-TE With Light: CFT-352W-TE-L | No Light: CFT-352W-KO With Light: CFT-352W-KO-L | No Light: CFT-352-BK With Light: CFT-352-BK-L | No Light: CFT-352B-BA With Light: CFT-352B-BA-L | No Light: CFT-352B-TE With Light: CFT-352B-TE-L | No Light: CFT-352B-KO With Light: CFT-352B-KO-L |
| 60" | No Light: CFT-360-WH With Light: CFT-360-WH-L | No Light: CFT-360W-BA With Light: CFT-360W-BA-L | No Light: CFT-360W-TE With Light: CFT-360W-TE-L | No Light: CFT-360W-KO With Light: CFT-360W-KO-L | No Light: CFT-360-BK With Light: CFT-360-BK-L | No Light: CFT-360B-BA With Light: CFT-360B-BA-L | No Light: CFT-360B-TE With Light: CFT-360B-TE-L | No Light: CFT-360B-KO With Light: CFT-360B-KO-L |
| 72" | No Light: CFT-372-WH With Light: CFT-372-WH-L | No Light: CFT-372W-BA With Light: CFT-372W-BA-L | No Light: CFT-372W-TE With Light: CFT-372W-TE-L | No Light: CFT-372W-KO With Light: CFT-372W-KO-L | No Light: CFT-372-BK With Light: CFT-372-BK-L | No Light: CFT-372B-BA With Light: CFT-372B-BA-L | No Light: CFT-372B-TE With Light: CFT-372B-TE-L | No Light: CFT-372B-KO With Light: CFT-372B-KO-L |



(07) 3711 8833

calibo.com.au

Condor DC

48"

1220mm

52"

1320mm

56"

1420mm

Meet the Condor.
A contemporary ceiling fan featuring built-in smart technology, stylish timber-look blade options, and a sleek, modern design.

WHITE



BLACK



WHITE
WITH BAMBOO BLADES



WHITE
WITH TEAK BLADES



WHITE
WITH KOA BLADES





BLACK
WITH BAMBOO BLADES



BLACK
WITH TEAK BLADES



BLACK
WITH KOA BLADES




Optional DC
Wall Controller
Available

6-Speed Remote
Control Included

Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty <small>*3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration.</small> |
| Materials | Rust-Free ABS <small>With Light model includes a Frosted Plastic Light Diffuser.</small> |
| Operation | 6-Speed Remote <small>Includes 1, 2 and 4 hour timer and reverse functions as well as light control for with light model.</small> |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. <small>10° without Raked Ceiling Kit Accessory.</small> |
| Compliance | AS/NZS CISPR 14.1:2021 AS CISPR 15:2017 AS/NZS 2772.2:2016+A1:2018 EN 62479:2010 |

Measurements



Performance

| | 48" | 52" | 56" |
|---------|--|---------------------------------------|---------------------------------------|
| Speed 1 | 5,478 m3/hr 3.2W 96 RPM | 5,391 m3/hr 3.3W 88 RPM | 5,797 m3/hr 3.1W 85 RPM |
| Speed 2 | 8,959 m3/hr 6.7W 157 RPM | 7,964 m3/hr 6.8W 130 RPM | 8,729 m3/hr 6.8W 128 RPM |
| Speed 3 | 10,272 m3/hr 10.6W 180 RPM | 9,925 m3/hr 10.5W 162 RPM | 10,570 m3/hr 10.6W 155 RPM |
| Speed 4 | 12,668 m3/hr 15.80W 196 RPM | 11,824 m3/hr 15.6W 193 RPM | 12,411 m3/hr 15.6W 182 RPM |
| Speed 5 | 13,810 m3/hr 23.10W 224 RPM | 13,540 m3/hr 22.9W 221 RPM | 14,253 m3/hr 22.9W 209 RPM |
| Speed 6 | 13,981 m3/hr 28.30W 245 RPM | 15,010 m3/hr 30.7W 245 RPM | 16,094 m3/hr 32.9W 236 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



- 20W Tri-Colour LED
- Plastic Diffuser
- Dimmable

Replacement LED Panel | VCN-LED

The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor Only | Blades Only | Available Accessories |
|-----|--|--|--|
| 48" | No Light With Light 431 x 316 x 300mm GW 5.55KG NW 3.7KG 651 x 346 x 300mm GW 5.85KG NW 4KG | 610 x 220 x 65mm GW 1.35KG NW 1.2KG | 900mm Extension Rod White VCN-900EXT-WH Black VCN-900EXT-BK 1800mm Extension Rod White VCN-1800EXT-WH Black VCN-1800EXT-BK 38 Degree Raked Ceiling Kit White RCK2126-W Black RCK2126-B Replaceable LED Panel VCN-LED Wall Control Kit WCK-S01-WH |
| 52" | No Light With Light 431 x 316 x 300mm GW 5.55KG NW 3.7KG 651 x 346 x 300mm GW 5.85KG NW 4KG | 640 x 220 x 65mm GW 1.5KG NW 1.3KG | |
| 56" | No Light With Light 431 x 316 x 300mm GW 5.55KG NW 3.7KG 651 x 346 x 300mm GW 5.85KG NW 4KG | 690 x 220 x 65mm GW 1.65KG NW 1.45kg | |

GW = Gross Weight NW = Net Weight

Model Numbers

| | White | White with Bamboo | White with Teak | White with Koa | Black | Black with Bamboo | Black with Teak | Black with Koa |
|-----|--|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| 48" | No Light With Light CON-348W-WH CON-348W-WH-L | CON-348W-BA CON-348W-BA-L | CON-348W-TE CON-348W-TE-L | CON-348W-KO CON-348W-KO-L | CON-348B-BK CON-348B-BK-L | CON-348B-BA CON-348B-BA-L | CON-348B-TE CON-348B-TE-L | CON-348B-KO CON-348B-KO-L |
| 52" | No Light With Light CON-352W-WH CON-352W-WH-L | CON-352W-BA CON-352W-BA-L | CON-352W-TE CON-352W-TE-L | CON-352W-KO CON-352W-KO-L | CON-352B-BK CON-352B-BK-L | CON-352B-BA CON-352B-BA-L | CON-352B-TE CON-352B-TE-L | CON-352B-KO CON-352B-KO-L |
| 56" | No Light With Light CON-356W-WH CON-356W-WH-L | CON-356W-BA CON-356W-BA-L | CON-356W-TE CON-356W-TE-L | CON-356W-KO CON-356W-KO-L | CON-356B-BK CON-356B-BK-L | CON-356B-BA CON-356B-BA-L | CON-356B-TE CON-356B-TE-L | CON-356B-KO CON-356B-KO-L |

Breeze Silent AC

48"

1220mm

52"

1320mm

The Breeze Silent AC features a simple, timeless design and an energy-saving modern AC motor. This ceiling fan ticks all the boxes at a pocket-friendly price point!

WHITE



BLACK



WHITE
WITH RETROFITTABLE LIGHT KIT



BLACK
WITH RETROFITTABLE LIGHT KIT




RETROFITTABLE LIGHT KITS:



WHITE



BLACK




Breeze Silent AC

48" 52"

Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS Retrofittable Light Kit includes a Frosted Plastic Light Diffuser. |
| Operation | 3-Speed Wall Control |
| Ceiling Mount Angle | Up to 13° Up to 10° with Remote Kit Installed. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 48" | 52" |
|---------|-------------------------------|-------------------------------|
| Speed 1 | 4,940 m3/hr 14.4W 116 RPM | 5,655 m3/hr 14.2W 100 RPM |
| Speed 2 | 8,615 m3/hr 27.4W 164 RPM | 8,615 m3/hr 27.2W 144 RPM |
| Speed 3 | 13,255 m3/hr 55W 217 RPM | 14,310 m3/hr 55W 203 RPM |

Tri-Colour Light Kit
RETROFITTABLE



The **calibo**™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor & Blades | Light Kit Only | Available Accessories |
|--------------|---|---|--|
| 48" No Light | 635 x 320 x 290mm GW 6.5KG NW 5.5KG | 250 x 250 x 50mm GW 1.05KG NW 0.9KG | 900mm Extension Rod White BRZ-900EXT-WH Black BRZ-900EXT-BK Retrofittable Light Kit White AOLED-24W-WH Black AOLED-24W-BK |
| 52" No Light | 635 x 320 x 290mm GW 7KG NW 6KG | | |

GW = Gross Weight NW = Net Weight

Model Numbers

| | | White | Black |
|-----|----------|------------|------------|
| 48" | No Light | BAC-448-WH | BAC-448-BK |
| 52" | No Light | BAC-452-WH | BAC-452-BK |

Breeze Silent DC

48"

1220mm

52"

1320mm

The Breeze Silent DC is a smooth operator! Enjoy whisper quiet airflow thanks to the efficient DC Motor and a timeless design.

WHITE



BLACK



WHITE

WITH RETROFITTABLE LIGHT KIT



BLACK

WITH RETROFITTABLE LIGHT KIT



RETROFITTABLE LIGHT KITS:



WHITE



BLACK



6-Speed Remote Control Included




Breeze Silent DC

48" 52"

Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS Retrofittable Light Kit includes a Frosted Plastic Light Diffuser. |
| Operation | 6-Speed Remote Includes 1, 4 and 8 hour timer, sea breeze, security and reverse functions as well as light control (applicable for with light model). |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. Up to 13° without Raked Ceiling Kit Accessory. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



48"

52"

Performance

| | | |
|---------|--------------------------------|--------------------------------|
| Speed 1 | 4,940 m3/hr 3.7W 94 RPM | 4,600 m3/hr 4.29W 79 RPM |
| Speed 2 | 5,302 m3/hr 5.86W 133 RPM | 6,025 m3/hr 6.4W 114 RPM |
| Speed 3 | 7,955 m3/hr 10.3W 176 RPM | 7,955 m3/hr 10.72W 149 RPM |
| Speed 4 | 9,940 m3/hr 17.8W 215 RPM | 9,940 m3/hr 17.8W 186 RPM |
| Speed 5 | 11,270 m3/hr 25.1W 242 RPM | 11,270 m3/hr 24.7W 211 RPM |
| Speed 6 | 13,255 m3/hr 32.1W 263 RPM | 15,065 m3/hr 31.3W 230 RPM |

Tri-Colour Light Kit
RETROFITTABLE



The **calibo™** difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor & Blades | Light Kit Only | Available Accessories |
|--------------|---|---|--|
| 48" No Light | 635 x 320 x 290mm GW 6.5KG NW 5.5KG | 250 x 250 x 50mm GW 1.05KG NW 0.9KG | 900mm Extension Rod White BRZ-900EXT-WH Black BRZ-900EXT-BK 38 Degree Raked Ceiling Kit White RCK2126-W Black RCK2126-B Retrofittable Light Kit White AOLED-24W-WH Black AOLED-24W-BK Wall Control Kit Coming Soon! |
| 52" No Light | 635 x 320 x 290mm GW 7KG NW 6KG | | |

GW = Gross Weight NW = Net Weight

Model Numbers

| | | White | Black |
|-----|----------|------------|------------|
| 48" | No Light | BDC-448-WH | BDC-448-BK |
| 52" | No Light | BDC-452-WH | BDC-452-BK |

Enviro DC

52"

1320mm

60"

1530mm

Enviro by name, Enviro by nature, this ceiling fan features modern DC motor technology and rust-proof design for incredible durability and maximised efficiency.

WHITE



BLACK



WHITE
WITH BAMBOO BLADES



WHITE
WITH KOA BLADES



BLACK
WITH BAMBOO BLADES



BLACK
WITH KOA BLADES




6-Speed Remote Control Included



Technical Specifications

| | |
|-----------------------|---|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS With Light model includes a Frosted Plastic Light Diffuser. |
| Operation | 6-Speed Remote Includes 1, 2 and 4 hour timer and reverse functions as well as light control for with light model. |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. 0° without Raked Ceiling Kit Accessory. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 52" | 60" |
|---------|---------------------------------------|-------------------------------------|
| Speed 1 | 5,531 m3/hr 2.5W 68 RPM | 5,682 m3/hr 2.7W 69 RPM |
| Speed 2 | 6,767 m3/hr 3.3W 89 RPM | 7,208 m3/hr 4W 88 RPM |
| Speed 3 | 8,650 m3/hr 10W 152 RPM | 9,313 m3/hr 9.5W 133 RPM |
| Speed 4 | 10,813 m3/hr 15.8W 182 RPM | 11,641 m3/hr 15W 161 RPM |
| Speed 5 | 12,255 m3/hr 21.8W 203 RPM | 13,193 m3/hr 21W 183 RPM |
| Speed 6 | 14,418 m3/hr 25.7W 215 RPM | 15,522 m3/hr 25W 196 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



The **calibo™** difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor & Blades | Blades Only | Available Accessories |
|-----|--|--|---|
| 52" | No Light With Light 615 x 315 x 290mm GW 6.5KG NW 5.6KG 615 x 315 x 290mm GW 7.1KG NW 6.17KG | 620 x 150 x 60mm GW 2.1KG NW 1.9KG | 52" Blades Bamboo EDC-B52-BA Koa EDC-B52-KO 60" Blades Bamboo EDC-B60-BA Koa EDC-B60-KO 900mm Extension Rod White STE-900-WH Black STE-900-BK 1800mm Extension Rod White STE-1800-WH Black STE-1800-BK 38 Degree Raked Ceiling Kit White DC38D-W Black DC38D-B Wall Control Kit STO-WCK Tuya Smart Home Module STE-WIFI |
| 60" | No Light With Light 730 x 290 x 315mm GW 9.1KG NW 7.54KG 730 x 290 x 315mm GW 9.4KG NW 8.13KG | 710 x 160 x 60mm GW 2.3KG NW 2.1KG | |

GW = Gross Weight NW = Net Weight

Model Numbers

| | | White | White with Bamboo | White with Koa | Black | Black with Bamboo | Black with Koa |
|-----|------------|--------------|-------------------|----------------|--------------|-------------------|----------------|
| 52" | No Light | EDC-452-WH | EDC-452W-BA | EDC-452W-KO | EDC-452-BK | EDC-452B-BA | EDC-452B-KO |
| | With Light | EDC-452-WH-L | EDC-452W-BA-L | EDC-452W-KO-L | EDC-452-BK-L | EDC-452B-BA-L | EDC-452B-KO-L |
| 60" | No Light | EDC-460-WH | EDC-460W-BA | EDC-460W-KO | EDC-460-BK | EDC-460B-BA | EDC-460B-KO |
| | With Light | EDC-460-WH-L | EDC-460W-BA-L | EDC-460W-KO-L | EDC-460-BK-L | EDC-460B-BA-L | EDC-460B-KO-L |

Heron AC

48"

1220mm

52"

1320mm

Say hello to the Heron and farewell to underwhelming budget fans! The Heron packs a punch with a powerful yet quiet AC motor and rust-proof blades.

WHITE



WHITE

WITH E27 LIGHT



WHITE

WITH LED LIGHT



BLACK



BLACK

WITH E27 LIGHT



BLACK

WITH LED LIGHT



(07) 3711 8833


calibo.com.au



Technical Specifications

| | |
|-----------------------|---|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty <small>*3 Year In-Home PLUS 3 Year Parts Upon Product Registration.</small> |
| Materials | Rust-Free ABS Blades & Steel Motor <small>With Light models includes a Frosted Plastic Light Diffuser.</small> |
| Operation | 3-Speed Wall Control |
| Ceiling Mount Angle | Up to 15° <small>Up to 10° with Remote Kit Installed.</small> |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 48" | 52" |
|---------|--------------------------------|--------------------------------|
| Speed 1 | 3,285 m3/hr 16.9W 125 RPM | 3,586 m3/hr 16.8W 106 RPM |
| Speed 2 | 6,570 m3/hr 30.6W 188 RPM | 7,173 m3/hr 30.6W 160 RPM |
| Speed 3 | 10,950 m3/hr 51.1W 238 RPM | 11,955 m3/hr 53.8W 216 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



2 x E27 Globe Option
REPLACEABLE



- The **calibo**™ difference
- Aussie Designed
 - Industry Leading Warranties & Local Support
 - Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor & Blades | Available Accessories |
|-----|---|---|
| 48" | No Light With E27 Light With LED Light 595 x 247 x 260mm GW 6.55KG NW 5.75KG 595 x 247 x 260mm GW 6.95KG NW 6.15KG 595 x 247 x 260mm GW 6.95KG NW 6.15KG | 900mm Extension Rod White HEM-900EXT-WH Black HEM-900EXT-BK 1800mm Extension Rod White HEM-1800EXT-WH Black HEM-1800EXT-BK AC Remote Control Kit AIR-REM-V2 |
| 52" | No Light With E27 Light With LED Light 595 x 247 x 260mm GW 6.65KG NW 5.85KG 595 x 247 x 260mm GW 7.05KG NW 6.15KG 595 x 247 x 260mm GW 7.05KG NW 6.15KG | |

GW = Gross Weight | NW = Net Weight

Model Numbers

| | | White | Black |
|-----|--|--|--|
| 48" | No Light With E27 Light With LED Light | HER-448-WH HER-448-WH-E27 HER-448-WH-LED | HER-448-BK HER-448-BK-E27 HER-448-BK-LED |
| 52" | No Light With E27 Light With LED Light | HER-452-WH HER-452-WH-E27 HER-452-WH-LED | HER-452-BK HER-452-BK-E27 HER-452-BK-LED |

Kestrel DC

48"

1220mm

52"

1320mm

Get all the perks of a high-performance modern fan in a classically styled design. The Kestrel offers an efficient and quiet DC motor and a complementary 6-speed remote.

WHITE



WHITE

WITH E27 LIGHT



WHITE

WITH LED LIGHT



BLACK



BLACK

WITH E27 LIGHT



BLACK

WITH LED LIGHT



6-Speed Remote Control Included




(07) 3711 8833
calibo.com.au



Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS Blades & Steel Motor With Light models includes a Frosted Plastic Light Diffuser. |
| Operation | 6-Speed Remote Includes 1, 4 and 8 hour timer, sea breeze, security and reverse functions as well as light control (applicable for with light model). |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. Up to 10° without Raked Ceiling Kit Accessory. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 48" | 52" |
|---------|---------------------------------------|-------------------------------------|
| Speed 1 | 3,416 m3/hr 2.7W 94 RPM | 3,729 m3/hr 3.2W 81 RPM |
| Speed 2 | 4,555 m3/hr 5.1W 125 RPM | 4,971 m3/hr 5W 113 RPM |
| Speed 3 | 6,833 m3/hr 8.2W 164 RPM | 7,460 m3/hr 7.9W 149 RPM |
| Speed 4 | 8,538 m3/hr 11.6W 191 RPM | 9,324 m3/hr 11.6W 172 RPM |
| Speed 5 | 9,677 m3/hr 17.8W 225 RPM | 10,566 m3/hr 18W 201 RPM |
| Speed 6 | 11,388 m3/hr 23.2W 247 RPM | 12,433 m3/hr 23W 220 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



2 x E27 Globe Option
REPLACEABLE



The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

| | Motor & Blades | Available Accessories |
|-----|---|---|
| 48" | No Light With E27 Light With LED Light 595 x 247 x 260mm GW 6.55KG NW 5.75KG 595 x 247 x 260mm GW 6.95KG NW 6.15KG 595 x 247 x 260mm GW 6.95KG NW 6.15KG | 900mm Extension Rod White KES-900EXT-WH Black KES-900EXT-BK 1800mm Extension Rod White KES-1800EXT-WH Black KES-1800EXT-BK 38 Degree Raked Ceiling Kit White RCK2126-W Black RCK2126-B Wall Control Kit Coming Soon! |
| 52" | No Light With E27 Light With LED Light 595 x 247 x 260mm GW 6.65KG NW 5.85KG 595 x 247 x 260mm GW 7.05KG NW 6.15KG 595 x 247 x 260mm GW 7.05KG NW 6.15KG | |

GW = Gross Weight | NW = Net Weight

Model Numbers

| | White | Black |
|-----|--|--|
| 48" | No Light With E27 Light With LED Light KES-448-WH KES-448-WH-E27 KES-448-WH-LED | KES-448-BK KES-448-BK-E27 KES-448-BK-LED |
| 52" | No Light With E27 Light With LED Light KES-452-WH KES-452-WH-E27 KES-452-WH-LED | KES-452-BK KES-452-BK-E27 KES-452-BK-LED |

Profile DC

50"

1250mm

This fan knows how to keep a low profile! Made for shorter ceilings, the Profile by Calibo doesn't sacrifice on airflow or style with a powerful DC motor and smooth, whisper-quiet operation.

WHITE



BLACK



WHITE
WITH BAMBOO BLADES



WHITE
WITH KOA BLADES



BLACK
WITH BAMBOO BLADES



BLACK
WITH KOA BLADES




6-Speed Remote Control Included

Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS With Light model includes a Frosted Plastic Light Diffuser. |
| Operation | 6-Speed Remote Includes 1, 2 and 4 hour timer and reverse functions as well as light control for with light model. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



50"

Performance

| | |
|---------|---|
| Speed 1 | 5,298 m ³ /hr 2.98W 81 RPM |
| Speed 2 | 6,040 m ³ /hr 3.38W 94 RPM |
| Speed 3 | 7,248 m ³ /hr 8.79W 169 RPM |
| Speed 4 | 9,060 m ³ /hr 15.15W 186 RPM |
| Speed 5 | 10,268 m ³ /hr 17.51W 199 RPM |
| Speed 6 | 12,081 m³/hr 19.47W 209 RPM |

Tri-Colour Light Kit

USER REPLACEABLE



The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

Motor & Blades

| | | |
|-----|------------|--|
| 50" | No Light | 615 x 315 x 290mm GW 6.5KG NW 5.6KG |
| | With Light | 615 x 315 x 290mm GW 7.1KG NW 6.17KG |

Blades Only

620 x 150 x 60mm | GW 1.6KG | NW 1KG

Available Accessories

50" Blades | **Bamboo** PDC-B50-BA | **Koa** PDC-B50-KO
DC Wall Controller | STO-WCK

GW = Gross Weight | NW = Net Weight

Model Numbers

| | | White | White with Bamboo | White with Koa | Black | Black with Bamboo | Black with Koa |
|-----|------------|--------------|-------------------|----------------|--------------|-------------------|----------------|
| 50" | No Light | PDC-350-WH | PDC-350W-BA | PDC-350W-KO | PDC-350-BK | PDC-350B-BA | PDC-350B-KO |
| | With Light | PDC-350-WH-L | PDC-350W-BA-L | PDC-350W-KO-L | PDC-350-BK-L | PDC-350B-BA-L | PDC-350B-KO-L |

Storm DC

42" 48" 52" 56"
1070mm 1220mm 1320mm 1420mm

Be blown away by the performance of the Calibo Storm! With some of the best airflow on the market, rust-proof design and a whisper-quiet DC motor, the Storm looks as good as it performs!

WHITE



BLACK



WHITE
WITH BAMBOO BLADES




WHITE
WITH KOA BLADES



BLACK
WITH BAMBOO BLADES



BLACK
WITH KOA BLADES



6-Speed Remote Control Included




Storm DC

42" 48" 52" 56"

Technical Specifications

| | |
|-----------------------|---|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty *3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration. |
| Materials | Rust-Free ABS With Light model includes a Frosted Plastic Light Diffuser. |
| Operation | 6-Speed Remote Includes 1, 2 and 4 hour timer and reverse functions as well as light control for with light model. |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. 0° without Raked Ceiling Kit Accessory. |
| Compliance | AS/NZS 60335.1 AS/NZS 60335.2.80 AS CISPR 14 AS/NZS 4268 |

Measurements



Performance

| | 42" | 48" | 52" | 56" |
|---------|--------------------------------|--------------------------------|---------------------------------|--------------------------------|
| Speed 1 | 4,743 m3/hr 2.7W 81 RPM | 5,336 m3/hr 3.2W 75 RPM | 5,424 m3/hr 3.76W 85 RPM | 5,456 m3/hr 3.3W 74 RPM |
| Speed 2 | 5,568 m3/hr 3.3W 98 RPM | 6,387 m3/hr 4.2W 100 RPM | 7,464 m3/hr 5.41W 105 RPM | 7,986 m3/hr 4.9W 87 RPM |
| Speed 3 | 6,677 m3/hr 9.5W 174 RPM | 7,664 m3/hr 10.5W 141 RPM | 8,958 m3/hr 8.75W 133 RPM | 9,601 m3/hr 10W 112 RPM |
| Speed 4 | 8,346 m3/hr 15.2W 215 RPM | 9,580 m3/hr 19W 178 RPM | 11,196 m3/hr 14.49W 160 RPM | 12,012 m3/hr 18.2W 141 RPM |
| Speed 5 | 9,459 m3/hr 21.6W 237 RPM | 10,857 m3/hr 22.5W 185 RPM | 12,688 m3/hr 20.59W 183 RPM | 13,602 m3/hr 27W 160 RPM |
| Speed 6 | 11,129 m3/hr 26.1W 247 RPM | 12,774 m3/hr 26W 198 RPM | 14,928 m3/hr 24.52W 193 RPM | 16,003 m3/hr 35W 178 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

Motor & Blades

Blades Only

Available Accessories

| Size | Configuration | Motor & Blades | Blades Only |
|------|---------------|---|--|
| 42" | No Light | 605 x 290 x 320mm GW 6.3KG NW 5.25KG | 610 x 160 x 90mm GW 1.7KG NW 1.5KG |
| | With Light | 605 x 290 x 320mm GW 6.9KG NW 5.85KG | |
| 48" | No Light | 605 x 290 x 320mm GW 6.35KG NW 5.45KG | 610 x 160 x 90mm GW 1.8KG NW 1.6KG |
| | With Light | 605 x 290 x 320mm GW 7.15KG NW 6.25KG | |
| 52" | No Light | 605 x 290 x 320mm GW 6.35KG NW 5.45KG | 610 x 160 x 90mm GW 1.65KG NW 1.45KG |
| | With Light | 605 x 290 x 320mm GW 7.15KG NW 6.25KG | |
| 56" | No Light | 660 x 290 x 315mm GW 6.4KG NW 5.5KG | 650 x 160 x 90mm GW 1.85KG NW 1.65KG |
| | With Light | 660 x 290 x 315mm GW 7.25KG NW 6.35KG | |

42" Blades | **Bamboo** STO-B42-BA | **Koa** STO-B42-KO
 48" Blades | **Bamboo** STO-B48-BA | **Koa** STO-B48-KO
 52" Blades | **Bamboo** STO-B52-BA | **Koa** STO-B52-KO
 56" Blades | **Bamboo** STO-B56-BA | **Koa** STO-B56-KO
 900mm Extension Rod | **White** STE-900EXT-WH | **Black** STE-900EXT-BK
 1800mm Extension Rod | **White** STE-1800EXT-WH | **Black** STE-1800EXT-BK
 38 Degree Raked Ceiling Kit | **White** RCK2126-W | **Black** RCK2126-B
 Wall Control Kit | STO-WCK
 Tuya Smart Home Module | STE-WIFI

GW = Gross Weight NW = Net Weight

Model Numbers

| | | White | White with Bamboo | White with Koa | Black | Black with Bamboo | Black with Koa |
|-----|------------|--------------|-------------------|----------------|--------------|-------------------|----------------|
| 42" | No Light | STO-542-WH | STO-542W-BA | STO-542W-KO | STO-542-BK | STO-542B-BA | STO-542B-KO |
| | With Light | STO-542-WH-L | STO-542W-BA-L | STO-542W-KO-L | STO-542-BK-L | STO-542B-BA-L | STO-542B-KO-L |
| 48" | No Light | STO-548-WH | STO-548W-BA | STO-548W-KO | STO-548-BK | STO-548B-BA | STO-548B-KO |
| | With Light | STO-548-WH-L | STO-548W-BA-L | STO-548W-KO-L | STO-548-BK-L | STO-548B-BA-L | STO-548B-KO-L |
| 52" | No Light | STO-552-WH | STO-552W-BA | STO-552W-KO | STO-552-BK | STO-552B-BA | STO-552B-KO |
| | With Light | STO-552-WH-L | STO-552W-BA-L | STO-552W-KO-L | STO-552-BK-L | STO-552B-BA-L | STO-552B-KO-L |
| 56" | No Light | STO-556-WH | STO-556W-BA | STO-556W-KO | STO-556-BK | STO-556B-BA | STO-556B-KO |
| | With Light | STO-556-WH-L | STO-556W-BA-L | STO-556W-KO-L | STO-556-BK-L | STO-556B-BA-L | STO-556B-KO-L |

Vanga DC

48"

1220mm

52"

1320mm

56"

1420mm

The Vanga, combines modern design with exceptional functionality. Featuring timber-look blade options and integrated smart technology, the Vanga delivers great airflow while adding a touch of sophistication to any space.

WHITE



BLACK



WHITE
WITH BAMBOO BLADES



WHITE
WITH TEAK BLADES



WHITE
WITH KOA BLADES




BLACK
WITH BAMBOO BLADES



BLACK
WITH TEAK BLADES



BLACK
WITH KOA BLADES



Optional DC Wall Controller Available


6-Speed Remote Control Included



Technical Specifications

| | |
|-----------------------|--|
| Installation Location | Indoor and Covered Outdoor |
| Warranty | 6 Year Warranty <small>*3 Year In-Home, 12 Months Remote and Receiver PLUS 3 Year Parts Upon Product Registration.</small> |
| Materials | Rust-Free ABS <small>With Light model includes a Frosted Plastic Light Diffuser.</small> |
| Operation | 6-Speed Remote <small>Includes 1, 2 and 4 hour timer and reverse functions as well as light control for with light model.</small> |
| Ceiling Mount Angle | Up to 38° with Raked Ceiling Kit Accessory. <small>10° without Raked Ceiling Kit Accessory.</small> |
| Compliance | AS/NZS CISPR 14.1:2021 AS CISPR 15:2017 AS/NZS 2772.2:2016+A1:2018 EN 62479:2010 |

Measurements



Performance

| | 48" | 52" | 56" |
|---------|--------------------------------|--------------------------------|--------------------------------|
| Speed 1 | 4,720 m3/hr 2.6W 82 RPM | 5,009 m3/hr 2.9W 75 RPM | 5,638 m3/hr 2.8W 64 RPM |
| Speed 2 | 7,368 m3/hr 6.7W 128 RPM | 8,015 m3/hr 6.7W 120 RPM | 8,986 m3/hr 6.4W 102 RPM |
| Speed 3 | 9,095 m3/hr 10.1W 158 RPM | 9,684 m3/hr 9.9W 145 RPM | 10,748 m3/hr 9.8W 122 RPM |
| Speed 4 | 10,937 m3/hr 15.4W 190 RPM | 11,354 m3/hr 15.2W 170 RPM | 12,598 m3/hr 15W 143 RPM |
| Speed 5 | 12,779 m3/hr 22.4W 222 RPM | 13,358 m3/hr 22.2W 200 RPM | 14,536 m3/hr 22.3W 165 RPM |
| Speed 6 | 14,103 m3/hr 30.3W 245 RPM | 15,228 m3/hr 32.7W 228 RPM | 16,386 m3/hr 32.4W 186 RPM |

Tri-Colour Light Kit
USER REPLACEABLE



The calibo™ difference

- Aussie Designed
- Industry Leading Warranties & Local Support
- Highly-Durable Materials made for harsh climates

Packaging & Accessories

Motor Only

Blades Only

Available Accessories

| Size | Configuration | Dimensions (mm) | Weight (KG) |
|------|---------------|-------------------|----------------------|
| 48" | No Light | 431 x 316 x 300mm | GW 5.55KG NW 3.7KG |
| | With Light | 651 x 346 x 300mm | GW 5.85KG NW 4KG |
| 52" | No Light | 431 x 316 x 300mm | GW 5.55KG NW 3.7KG |
| | With Light | 651 x 346 x 300mm | GW 5.85KG NW 4KG |
| 56" | No Light | 431 x 316 x 300mm | GW 5.55KG NW 3.7KG |
| | With Light | 651 x 346 x 300mm | GW 5.85KG NW 4KG |

900mm Extension Rod | **White** VCN-900EXT-WH | **Black** VCN-900EXT-BK
 1800mm Extension Rod | **White** VCN-1800EXT-WH | **Black** VCN-1800EXT-BK
 38 Degree Raked Ceiling Kit | **White** RCK2126-W | **Black** RCK2126-B
 Replaceable LED Panel | VCN-LED
 Wall Control Kit | WCK-S01-WH

GW = Gross Weight NW = Net Weight

Model Numbers

| | | White | White with Bamboo | White with Teak | White with Koa | Black | Black with Bamboo | Black with Teak | Black with Koa |
|-----|------------|---------------|-------------------|-----------------|----------------|---------------|-------------------|-----------------|----------------|
| 48" | No Light | VAN-348W-WH | VAN-348W-BA | VAN-348W-TE | VAN-348W-KO | VAN-348B-BK | VAN-348B-BA | VAN-348B-TE | VAN-348B-KO |
| | With Light | VAN-348W-WH-L | VAN-348W-BA-L | VAN-348W-TE-L | VAN-348W-KO-L | VAN-348B-BK-L | VAN-348B-BA-L | VAN-348B-TE-L | VAN-348B-KO-L |
| 52" | No Light | VAN-352W-WH | VAN-352W-BA | VAN-352W-TE | VAN-352W-KO | VAN-352B-BK | VAN-352B-BA | VAN-352B-TE | VAN-352B-KO |
| | With Light | VAN-352W-WH-L | VAN-352W-BA-L | VAN-352W-TE-L | VAN-352W-KO-L | VAN-352B-BK-L | VAN-352B-BA-L | VAN-352B-TE-L | VAN-352B-KO-L |
| 56" | No Light | VAN-356W-WH | VAN-356W-BA | VAN-356W-TE | VAN-356W-KO | VAN-356B-BK | VAN-356B-BA | VAN-356B-TE | VAN-356B-KO |
| | With Light | VAN-356W-WH-L | VAN-356W-BA-L | VAN-356W-TE-L | VAN-356W-KO-L | VAN-356B-BK-L | VAN-356B-BA-L | VAN-356B-TE-L | VAN-356B-KO-L |



Home to the World's Quietest Ceiling Fan

AERATRON
It's in the air

Get in Touch

 1300 116 305

 customerservice@calibo.com.au

 [calibo.australia](https://www.instagram.com/calibo.australia)

 [calibo.australia](https://www.facebook.com/calibo.australia)

 [calibo.com.au](https://www.calibo.com.au)